

Page 1 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION			
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4

SECTI	ON 1: Identification of	the substa	nce/mixture a	and of the company/undertaking		
1.1.	Product identifier					
	Trading name:	POTASS	IUM PERMANG	GANATE, 1% SOLUTION		
	Chemical name:	-				
	Catalogue number:	KP1-OT	-X**			
1.2.	Relevant identified us	es of the s	ubstance or mix	xture and uses advised against		
	Uses:		For use with	special staining kits.		
	Uses advised against:		Only the ider	ntified uses are advised.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes			
1.3.	Details of the supplier	of the safe	ety data sheet			
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Fax no.:		+385 1 2404039			
	e-mail of competent p	person:	msds@biognost.hr			
	National contact:		-			
1.4.	Emergency telephone	Emergency telephone number				
	National Protection a	nd Rescue	Directorate:	112		
	Medical information: Other information:			+385 1 2348 342		
				-		

SECTIO	SECTION 2. Hazards identification					
2.1.	Classification of the substance or mixture					
2.1.1.	Classification according to Regul	Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and categor	y code:	Hazard statements*:			
	Aquatic Chronic 3		H412			
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Hazard-st	tatements: see S	ection 16			
2.2.	Label elements					
	Product identification:	POTASSIUM	PERMANGANATE, 1% SOLUTION			
	Identification number:	-				
	Authorization no.:	-				
	Hazard pictograms:	-				



Page 2 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION			
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4

	Signal word:	-	
	Hazard statements:	H412 Harmful to aquatic life with long lasting effects.	
	Precautionary statements:	P273 Avoid release to the environment P501 Dispose of contents/container in accordance with local regulations.	
	Further information:	-	
2.3.	Other hazards		
	Endocrine Disrupting Properties:  No known endocrine disrupting properties  Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.		

SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
7722-64-7/ 231-760-3/ 025-002-00-9	-	1 %	potassium permanganate	Oxid. Solid 2; H272 Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410		

SECTIO	ION 4. First aid measures				
4.1.	Description of first aid mea	sures			
	General notes:		-		
	Following inhalation:		No information available		
	Following skin contact:		No information available		
	Following eye contact:		No information available		
	Following ingestion:		No information available		
	Self-protection of the first	aider:	Treat symptomatically.		
4.2.	Most important symptoms	and eff	ects, both acute and delayed		
	Following inhalation:	No i	nformation available		
	Following skin contact:	No i	nformation available		
	Following eye contact:	No i	nformation available		
	Following ingestion:	No i	No information available		
4.3.	Indication of any immediate medical attention and special treatment needed				
•	-				

#### **SECTION 5 Firefighting measures**



Page 3 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION			
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4

5.1.	Extinguishing media		
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol-resistant foam	
	Unsuitable extinguishing media:	water jet	
5.2.	Special hazards arising from the substance or mixture		
	Hazardous combustion products:	No information available	
5.3.	Advice for firefighters		
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.  Cool closed containers exposed to fire with water spray or vapor.		
5.4.	Additional information		
	Remove sources of heat and ignition.  Do not contaminate the environment with extinguishing media.		

SECTIO	ON 6. Accidental release meas	ures		
6.1.	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Wear protective equipment (	see Section 8).		
6.2.	Environmental precautions:			
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact Nationa Protection and Rescue Directorate (NPRD) on 112.			
6.3.	Methods and material for cor	ntainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.		
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	-		
6.4.	Reference to other sections			



Page 4 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION				
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4	

See Section 7 for information about secure handling.

See Section 8 for information about personal protective equipment.

See Section 13 for information about containment.

SECTIO	ON 7. Handling and storage				
7.1.	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			
	Measures to protect the environment:  Other measures:	Prevent spilling into the sewage system and waterways.			
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. T	horoughly wash hands after work and before eating.			
7.2.	Conditions for safe storage, including any inco	mpatibilities			
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.			
	Packaging materials:	Manufacturer's original packaging.			
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.			
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).			
7.3.	Specific end use(s)				
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECTIO	SECTION 8. Exposure controls/personal protection								
8.1.	Control parameters								
	Substance	CAS No	•	exposure limit term values	Biological limit values				
			ppm	mg/m³					



#### **SAFETY DATA SHEET** BIOGNOST® According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

Page 5 of 16

Trading na	ame:			РОТА	SSIUM	M PERMANGANATE, 1% SOLUTION				
Product co	ode:	KP1-OT	-X**		Date o	of compila	tion:	21 De	ec 2022	Version: 4
	·		1		ı			•	1	
Potassium permanganate 7722-64-7						-		5	No inform	ation available
Substance name:	-									
EC No:	No: - CAS No: -									
DNEL										
					Inc	dustrial				
Route of			Acute		Acut	е		Chro	nic	Chronic
exposure:		effe	ect local	e <sup>-</sup>	ffect sys	temic		effect	local	effect systemic
Oral		-		-			-			-
Inhalation		-		-			-			-
Dermal		-		-			-			-
Critical phy	sical para	ameters:	solubility, fla	ımmab	ility, cor	rosivity:		-		
					Со	nsumer	1			
Route of			Acute	Acut			Chronic			Chronic
exposure:		effe	ect local	effect sys		temic	effect local		local	effect systemic
Oral		-		-	-		-			-
Inhalation		-		-			-			-
Dermal		-		-			-			-
PNEC						T				
Environmer	ntal prote	ection tar	get			PNEC				
Fresh water						No inform	mation	n availab	le	
Freshwater	sedimen	ts				No inforr				
Marine wat						No inform				
Marine sed						No inform				
Food chain						No inform				
Microorgan	nisms in s	sewage tr	eatment			No inform				
Soil (agricu	ltural)					No infor	mation	n availab	le	
Air						No inform	mation	n availab	le	
8.2.	Exposu	re contro	ls							
8.2.1.	Approp	riate eng	ineering co	ntrols						
	measur		ire related vent exposu l uses:	ıre		•				se personal protective e workspace.
	Structu exposu		ures to preve	ent	No info	rmation av	/ailable	е		



Page 6 of 16

Trading name:	POTA	ASSIUM PERMANGAN	ATE, 1% SOLUTIO	N
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4

	Organisational measures to prevent exposure:		Organization of work in order to reduce other worker's influence during work process.				
	Technical measures to pr exposure:	event	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.				
8.2.2.	Personal protection equi	oment					
8.2.2.1.	Eye and face protection:		Safety glasses that stick to face (preventing splashing) (EN 166) or visor.				
8.2.2.2.	Skin protection						
			ctive gloves must be according to the EU Directive 2016/425/EEC and ard EN 374.				
	Hand protection:		Glove material: nitrile rubber				
			Glove thickness: ≥0.50 mm				
			Break through time: >480 min				
	Other skin protection:		ear antistatic clothing made of natural fibers (such as cotton) with long eeves (EN 13034), and shoes that cover the entire foot (EN 10335).				
8.2.2.3.	Respiratory protection:	filter f	ctive full face mask (EN 136) or half mask (EN 140) equipped with a cor organic vapors, type "A" (boiling point >65°C) acording to EN ) used when concentration levels exceed GVI.				
8.2.2.4.	Thermal hazards:	No inf	ormation available				
8.2.3.	Environmental exposure	controls					
	Substance/mixture related measures to prevent exposure:		See Section 6				
	Structural measures to prevent exposure:		Use modern equipment.				
	Organisational measures to prevent exposure:		Adapt the work process to the required working conditions of the workplace.				
	Technical measures to prevent exposure:		See Section 6				

SECTI	SECTION 9. Physical and chemical properties								
9.1.	Information on basic physical and chemical properties								
		Value	Method						
	Physical state:	liquid	No information available						
	Colour:	dark purple	No information available						
	Odour/odour threshold:	no odor/no information available	No information available						
	Melting point / freezing point:	No information available	No information available						
	Boiling point or initial boiling point and boiling range:	No information available	No information available						



Page 7 of 16

Trading name:	POT	POTASSIUM PERMANGANATE, 1% SOLUTION							
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4					

	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	рН:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity						
10.1.	Reactivity:	See subsections 10.3 through 10.5.					
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.					
10.3.	Possibility of hazardous reactions:	No information available.					
10.4.	Conditions to avoid:	No information available.					
10.5.	Incompatible materials:	No information available.					
10.6.	Hazardous decomposition products:	No information available.					

SECTION 11. Toxic	SECTION 11. Toxicological information										
11.1. Information on toxicological effects											
Acute toxicity:											
Route of exposure:	Method	Species	Effective dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results						
Oral exposure:	No information available	-	LD <sub>50</sub>	-	-						
Dermal exposure:	No information available	_	LD <sub>50</sub>	_	_						



Page 8 of 16

Trading name:		POTASSIUM PERMANGANATE, 1% SOLUTION						
Product code:	KP1-OT-X	**	Date of	compilation	on: 21	Dec 2022	Versi	on: 4
			-	I	LC <sub>50</sub>	-		-
		!						
Specific	target organ to	oxicity – single e	exposure	(STOT SE):				
·		Specific effects	S		Target or	gan		Note
Oral exposure:	No inf	ormation availa	ble	No inform	ation ava	ilable	-	
Dermal exposure	: No inf	ormation availa	ble	No inform	ation ava	ilable	-	
Product code: KP1-OT-X** Date of color Inhalation exposure: Available Specific target organ toxicity – single exposure (Specific effects Specific effects Specific effects No information available Inhalation exposure: No information available Inhalation: Sensitization Sensitization Permal exposure: No information available Inhalation exposure:			No inform	ation ava	ilable	-		
:								
Respirat	ory irritation:		No info	rmation av	ailable			
Irritation								
	Exposur	e time S <sub>I</sub>	pecies	Eval	uation	Method		Note
	-	-		-		-	-	
Eye irritation:	-	-		-		-	-	
C : i -								
		-+:						
	: NO INTORM	ation available						
	No inform	ation available						
Sympto	ms related to t	he physical, che	mical and	l toxicologic	cal charac	teristics		
Oral exposure:	No informa	ation available						
Dermal exposure	: No informa	ation available						
	No informa	ation available						
Eye exposure:	No informa	ation available						
	:							
Repeate	d dose toxicity	(subacute, sub	chronic, c	hronic)				
	Dose		Spe	cies	Method	Evaluation		Note
Subacute oral		tion	on info	rmation lable	No informati n availab	i availahla	ation	-
Subacute dermal	No informa	tion No information available		rmation lable	No informati n availab	available	ation	-



Subacute

#### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

No

informatio

Page 9 of 16

No information

Trading name:	РОТ	ASSIUM PERMANGAN	ATE, 1% SOLUTIO	N	
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

information

No

No

information

No information

inhalation availab		ble	available		lable	n available	available	9	-
Subchronic oral	availahlo		No information available		rmation lable	No informatio n available	No infor		-
Subchronic dermal	dermal available Info		No information available			No informatio n available	No infor		-
Subchronic No information inhalation available		No information available			No informatio n available	nformatio No informatio		-	
Chronic oral No information		No information available			No informatio n available	No information available		-	
Chronic dermal	Chronic dermal No information ii		No information available			No informatio n available	No information available		-
Chronic inhalation	Chronic No information info		No information available			No informatio n available	No infor		-
Specific	target	1	y – repeated e	xposu	ire (STOT I				
			ecific effects			Target organ			Note
Subacute oral			ation available			mation availab		-	
Subacute derma			ntion available			No information available  No information available		<u>-</u>	
Subacute inhalat Subchronic oral	ion		ation available			No information available			
Subchronic derm	nal		ation available		No information available			-	
Subchronic inhal			ation available		No information available			_	
Chronic oral			ation available		No information available			-	
Chronic dermal			ation available			mation availab		-	
Chronic inhalation No information a						mation availab		-	
-		,							
CMR effects (carcinogenicity, mur			y, mutagenicity	tagenicity, reproductive toxicity)					
			No info	rmati	on availab	le			
Mutage	nicity <i>ii</i>	n-vitro:	No info	rmati	on availab	le			
Genoto	xicity:		No info	rmati	on availab	le			
Mutage	Mutagenicity in-vivo:			No information available					



Page 10 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION					
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4		

	Germ cell mutagenicity: N	o information available				
	Reproductive toxicity: No	o information available				
	Summary of evaluation of the CMR p	properties: -				
11.2	Information on other hazards:					
11.2.1.	Endocrine disrupting properties:					
	The substance/mixture does not concomponents considered to he endocrine disrupting proper according to REACH Article 57(f) Commission Delegated regulation (2017/2100 or Commission Regulat (EU) 2018/605 at levels of 0.1% higher.	nave rties or (EU) tion				
11.2.2.	Other information:					
	-					

SECTION 12. Ecological information										
12.1. Toxicity										
Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	-	-				
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	-	-				
Algae/aquatic plants	IC <sub>50</sub>	8 days	No information available	No information available	-	-				
Microorganisms	LC <sub>50</sub>	72 hours	-	-	_	-				
Chronic toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	-	-				
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	-	-				



Page 11 of 16

Trading	name:		F	POTAS	SIUM PERMAI	NGA	NATE, 1%	SOLU.	TION	
Product code: KP1-OT-X**			D	Date of compilation: 21 Dec 2022 Version: 4					ion: 4	
Algae/aq plants	uatic	IC <sub>50</sub>	72 hou	ırc	No information available No information available		-			
Other or	ganisms	5 -	-	-		-		_		-
12.2.	Persiste	ence and degrada	oility							
	Abiotic	degradation								1
		Degradation ha	f-lives		Method			Evaluati	ion	Note
Marine water	1	No information av	ailable	No ir	nformation avail	able	No inform	ation a	vailable	-
Fresh wa	ter 1	No information av	ailable	No ir	nformation availa	able	No inform	ation a	vailable	-
Air	1	No information av	ailable	No ir	nformation availa	able	No inform	ation a	vailable	-
Soil	1	No information av	ailable	No ir	nformation availa	able	No inform	ation a	vailable	-
1										
	Biodegi	radation	1							
% Degra		Time (day	s)		Method		Evaluatio	n		Note
No inforr available	mation	No infor	mation	No information available					No inforn available	nation
12.3.	Bioaccu	ımulative potentia	ıl							
	Partitio	n coefficient: n-oc	tanol/w	ater (log	y Kow):					
Value	(	Concentration	рН	°C	Method		Evalua	ation		Note
-	No av	o information ailable	-	-	No information	on	No inform available	ation	-	
		centration factor (			Mada a l		F. 1 -1			NI-4.
Val		Species		NI ! (	Method		Evaluati		NI- : C	Note
No information available No information available		mation				No information available		availab	ormation ble	
		<u> </u>								
	Chronic	ecotoxicity								



Page 12 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION					
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version:	4	

Trading	g name:			POTASSIU	JM PEKN	IANGAN	AIE, 1%	SOLUTIC	N	
Produc	ct code:	KP1-	OT-X**	Date	e of com	pilation:	21 Dec	2022	Version	: 4
	Value		Dose	Exposure time	Speci	es N	/lethod	Evalua	ation	Note
Chronic	toxicity o	n fish	LC <sub>50</sub>	No information available	No informa availabl	1	ormation ilable	No inforr available	mation	-
	toxicity o ea ( <i>Daphn</i>		EC <sub>50</sub>	No information available	No informa availabl	1	ormation ilable	No inforr available		_
12.4.	Mobility	in soil								
	Known o	r predict	ted distribut	ion in environn	nental cor	npartmen	ts:			
	No infor	mation a	vailable							
	Surface t	ension:								
	Value	!	°C	Concenti	ration		Method		١	lote
	No informati available	on a	o informati vailable	information available	on N	lo informa	nformation available		-	
	Adsorpti		•							
Transpo	ort	A/D coe Henry's c	efficient constant	log Kow	Ev	aporation	rate	Method		Note
	NI	:	nfarmatic:	No informati	an Nai:	oformotic.	_	No		

Transport		oefficient s constant	log Kow	Evaporation rate	Method	Note
Soil-water	No available	information	No information available	No information available	No information available	-
Water-air	No available	information	No information available	No information available	No information available	-
Soil-air	No available	information	No information available	No information available	No information available	-

#### 12.5. Results of PBT and vPvB assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.6. Endocrine disrupting properties



Page 13 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION						
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version:	4		

		s not contain components considered to have endocrine disrupting properties 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission t levels of 0.1% or higher.
12.7.	Other adverse effects	
	No information available	
SECTIO	N 13. Disposal consideration	ons
13.1.	Waste treatment methods	
13.1.1.	Product/Packaging dispos	sal:
	Submit for disposal to the Protection.	e legal person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste design	nations according to Law:
	No information available	
13.1.3.	Waste treatment – relevar	nt information:
	No information available	
13.1.4.	Sewage disposal – relevar	nt information:
13.1.1.		sed of into the sewage system.
	į ·	3 7
13.1.5.	Other disposal recommen	dations:
	authorized by the ministry	duct's remains into the sewage system. Submit the remains to the collectors in charge. Do not dispose of the packaging into the sewage system. Submit ectors authorized by the ministry in charge. Do not dispose of in places where
13.1.6.	Relevant Community prov	risions:
	-	
SECTIO	N 14. Transport informatio	
UN nun	Transporting/shipment by r	3082
		Environmentally hazardous substance, liquid, n.o.s. (potassium
UN pro	per shipping name:	permanganate)
Transpo	ort hazard class(es):	9



#### **SAFETY DATA SHEET**

#### According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 14 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION						
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4			

Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by	rail (RID)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport	(ADN)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by	sea (IMDG)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by	air (ICAO-TI/IATA-DGR)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-



Page 15 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION					
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4		

	These substances when carried in single or combination packagings containing a net
Further information:	quantitiy per single or inner packaging of 5 l or less for liquids or having a net mass per
	single or inner packaging of 5 kg or less for solids, are not subject to classification.

SECTIO	SECTION 15. Regulatory information					
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture					
	EU regulations					
	Authorization and/or restrictions of use					
	Authorizations:	-				
	Restrictions:	-				
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;				
		REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);				
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC guideline)					
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act				
15.2.	Chemical safety assessme	ent				
	None					

SECTION 16. Other information			
16.1. Indication of changes:	-		



Page 16 of 16

Trading name:	POTASSIUM PERMANGANATE, 1% SOLUTION				
Product code:	KP1-OT-X**	Date of compilation:	21 Dec 2022	Version: 4	

16.2.	2. Abbreviations and acronyms:		ADR: Accord relatif au transport international des marchandises dan route (European Agreement Concerning the International Carriage of Goods by Road)  IMDG: International Maritime Code for Dangerous Goods  IATA: International Air Transport Association  GHS: Globally Harmonised System of Classification and Labelling EINECS: European Inventory of Existing Commercial Chemical Subst CAS: Chemical Abstracts Service (division of the American Chemical DNEL: Derived No-Effect Level (UK REACH)  LC50: Lethal concentration, 50 percent  LD50: Lethal dose, 50 percent  PBT: Persistent, Bioaccumulative and Toxic  vPvB: very Persistent and very Bioaccumulative	of Chemicals	
16.3.	Key literature references and source of data:		-		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)				
Classif	Classification Classification		assification procedure		
16.5.	Rel	evant H statements (num	and full text)		
		272	ay intensify fire; oxidiser.		
		302	Harmful if swallowed.		
	H:	400	/ery toxic to aquatic life.		
		410	ery toxic to aquatic life with long lasting effects.		
		413	ay cause long lasting harmful effects to aquatic life.		
16.6.	Tra	ining advice:	-		
	the 16.7. Further information: We inst		"X" in the product code marks different volumes (different packagings of e product)		
16.7.			e are not responsible for consequences in case of failure to comply with tructions for use or improper use of the product described in this aterial safety data sheet.		

#### ANNEX:

**Exposure scenario resulting to Chemical safety assessment** 

-