

#### **SAFETY DATA SHEET** According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

Page 1 of 17 Trade name: **RHODANINE REAGENT** 14 Nov 2022 Version: Product code: RR-OT-X\*\* Date of compilation: 6

1.1.	Product identifier					
	Trade name:	RHODANINE REAGENT				
	Chemical name:	-				
	Catalogue number:	RR-OT-X**				
1.2.	Relevant identified	uses of the sub	ostance or m	nixture and uses advised against		
	Uses:		F	or use with Rhodanine kit.		
	Uses advised agains	st:	C	Only the identified uses are advised.		
	Reason why uses advised against:		n P	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.		
1.3.	Details of the supplier of the safety data sheet					
	Supplier:		BioGno	BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1	+385 1 2409997		
	Telefax:		+385 1	+385 1 2404039		
	E-mail of competer	it person:	msds@	msds@biognost.hr		
	National contact: -		_			
	National contact:					
1.4.	National contact: Emergency telepho	ne numbers				
1.4.			irectorate:	112		
1.4.	Emergency telepho	and Rescue D	irectorate:	112 +385 1 2348 342		

SECTI	SECTION 2. Hazards identification				
2.1.	Classification of the substa	ance or mixture			
2.1.1.	Classification according to	Regulation (EC) No	o. 1272/2008 (CL	P)	
	Hazard class and ca	tegory code:		Hazard statement*:	
	Flam. Liq. 2		H225		
2.1.2.	Additional information	Additional information			
	-	-			
*For f	ull text of Hazard- and EU Haz	zard-statements: see	e Section 16.		
2.2.	Label elements				
	Product identification:	RHODANINE	REAGENT		
	Identification number:	-			



#### **SAFETY DATA SHEET** According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

Page 2 of 17

Trade name:		RHODANINE REAGEN	RHODANINE REAGENT		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Authorisation number:	-			
	Hazard pictograms:	GHS02			
	Signal word:	Danger			
	Warning statement:	H225 Highly flammable liquid and vapor.			
	Precautionary statement:	<ul> <li>P210 Keep away from heat/sparks/open flames/hot surfaces Do not smoke.</li> <li>P233 Keep container tightly closed.</li> <li>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</li> </ul>			
	Supplemental hazard information (EU):	-			
2.3.	Other hazards				
	Results of PBT and vPvB ass PBT or a vPvB.				

SECTION 3. Co	SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	80 - 100 %	ethanol	Flam. Liq. 2; H225			

SECT	SECTION 4. First aid measures				
4.1.	Description of first aid measures				
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.			
	Following skin contact:	Remove all contaminated clothes/footwear. Thoroughly wash with water for at least 15 minutes.			



Page 3 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Following eye contact:	Rinse the eyes using mild jet of clean water for at least 20 minutes with the eyelids held wide open.	
	Following swallowing:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.	
	Self-protection of the first aider	-	
4.2.	Most important symptoms and effects, both acute and delayed		
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.	
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.	
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.	
	Following swallowing:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.	
4.3.	Indication of any immediate med	lical attention and special treatment needed	
	No information available		

SECT	SECTION 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, alcohol-resistant foam, CO2 Large fire - water spray or alcohol-resistant foam			
	Unsuitable extinguishing media:	Water with full jet			
5.2.	Special hazards arising from th	e substance or mixture			
	Hazardous byproducts of fire:	Incomplete combustion of the product.			
5.3.	Advice for firefighters				
	Stay in danger area only with self-contained open-circuit compressed air breathing apparatus and a set for protecting the body from heat dissipation (fireproof clothing).				
5.4.	Additional information				
	Cool endangered receptacles v contaminate the environment	vith water spray. Collect contaminated fire fighting water separately. Do not with extinguishing media.			

SECTIO	SECTION 6. Accidental release measures			
6.1.	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personne	For non-emergency personnel		
	Protective equipment:	Use personal protective equipment (see Section 8).		



Page 4 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Self-contained open-circuit con heat dissipation (fireproof cloth	npressed air breathing apparatus, a set for protecting the body from ing).		
6.2.	Environmental precautions:			
	•	prevent further spillage of chemicals. Prevent environmental pollution by nter the sewage system, surface water or groundwater.		
6.3.	Methods and materials for cont	tainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials		
6.3.2.	Cleaning up:	Sawdust, sand, mineral adsorbents		
6.3.3.	Other information:	Secure proper ventilation. Contact the responsible person; in case of larger spills and possible environmental pollution contact National Protection and Rescue (112). Do not use incompatible materials (see Section 10).		
6.4.	Reference to other sections			
	See Section 7 for information o	n safe handling.		
	See Section 8 for information on personal protection equipment.			
	See Section 13 for disposal information.			

SECTIO	ION 7. Handling and storage		
7.1.	Precautions for safe handling		
7.1.1.	Protection measures		
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.	
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.	
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.	
	Other measures:	Protect against electrostatic charges.	
7.1.2.	Advice on general occupational hygiene:		
	Do not eat, drink or smoke in the workspace.	Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any inc	ompatibilities	



Page 5 of 17

Trade name:		RHODANINE REAGI	NT	<u> </u>	
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure	SECTION 8. Exposure controls/personal protection						
8.1. Control para	meters						
Substance	CAS No			upational exposure limit lues/short term values		Biological limit values	
			ppr	ppm mg/m³			
Ethanol	64-17-	5	1000	)/-	1900/-	No information available	
Substance:	-						
EC No: - CAS No: -							
DNEL							
		lr	ndustria	al			
Pouto of ovnocuro	Acute	Acute	e Chronic		Chronic	Chronic	
Route of exposure:	effect local	effect syste	emic	effect local		effect systemic	
Oral	-	-		-		-	
Inhalation	1900 mg/m <sup>3</sup> (ethanol)	-	-			380 mg/m³ (ethanol)	
Dermal	-	-		-		343 mg/kg (ethanol)	
Critical physical param	neters: solubility, fl	ammability, c	orrosivi	ty:	-		
		C	onsum	er			
Pouto of exposure	Acute	Acute			Chronic	Chronic	
Route of exposure:	effect local	effect syste	emic	e	ffect local	effect systemic	
Oral	-	-		-		87 mg/kg bw/day (ethanol)	



Page 6 of 17

Trade n	Trade name:				RHODANINE REAGENT				
Product	code:	RR-OT-X**		Date of o	compilation:	14 Nov 20	022 Version: 6		
Inhalatio	n	950 mg/m <sup>3</sup> (ethanol)	-		-	114 m	ng/m³ (ethanol)		
Dermal		-	-		-	206 m	ng/kg (ethanol)		
PNEC				_					
Environn	nental protec	ction target		PNEC					
Fresh wa	iter			0.96 mg/l (	ethanol)				
Freshwat	ter sediments	s		3.6 mg/kg	(ethanol)				
Marine v	vater			0.79 mg/l (	ethanol)				
Marine s	ediments			2.9 mg/kg	(ethanol)				
Food cha	ain			380-720 m	g/kg (ethanol)				
Microorg	ganisms in se	ewage treatment		580 mg/l (e	ethanol)				
Soil (agri	icultural)			0.63 mg/kg	g (ethanol)				
Air				no informa	tion available				
8.2.	Exposure o	controls							
8.2.1.		te engineering con	trols						
	measures t	/mixture related to prevent exposur ntified uses:	e	Do not eat, or protective ed	drink or smoke in quipment.	the workspace	. Use personal		
	Structural exposure:	measures to prever	nt	No information available					
	Organisation prevent ex	onal measures to posure:		Organization during work		r to reduce othe	er worker's influence		
	Technical r exposure:	measures to prever	nt	See Section	7.2				
8.2.2.	Personal p	rotection equipme	nt						
8.2.2.1.	Eye and fa	ce protection:	of co	oncentration		gas mask that c	in case of lower levels covers the entire face		
8.2.2.2.	Skin prote	ction							
				standard EN	374.		rective 2016/425/EEC		
	Hand prote	ection:		Glove thi	terial: nitrile rubb ckness: ≥0.50 mn	n			
				Break thr	ough time: >480	min			



Page 7 of 17

Trade name:		RHODANINE REAGEN	Т		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Other skin protection:	footwear, such as ru entire foot. In case of impermeable mater	ork use cotton clothing (EN 340) and suitable abber boots (EN 20345) or shoes that cover the of spilling hazard, use clothing made of ial suitable for protection from liquid chemicals and footwear made from the same material.	
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) acording to EN 14387) used when concentration levels exceed GVI.		
8.2.2.4.	Thermal hazards:	No information ava	ilable	
8.2.3.	Environmental exposure cont	rols		
	Substance/mixture related me exposure:	easures to prevent	See Section 6	
	Structural measures to preven	nt exposure:	Use modern equipment.	
	Organisational measures to p	revent exposure:	Adapt the work process to the required working conditions of the workplace.	
	Technical measures to prever	nt exposure:	See Section 6	

9.1.	Information on basic physical an	d chemical properties	
		Value	Method
	Physical state:	liquid	no information available
	Colour:	orange	no information available
	Odour/odour threshold:	ethanol like/no information available	no information available
	Melting point / freezing point:	no information available	no information available
	Boiling point or initial boiling point and boiling range:	no information available	no information available
	Flammability:	no information available	no information available
	Lower and upper explosion limit:	no information available	no information available
	Flash point:	13 °C	no information available
	Auto-ignition temperature:	no information available	no information available
	Decomposition temperature:	no information available	no information available
	pH:	no information available	no information available
	Kinematic viscosity:	no information available	no information available
	Solubility:	no information available	no information available
	Partition coefficient n-octanol/water (log value):	no information available	no information available



Page 8 of 17

Trade name:		RHODANINE REAGEN	IT		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Vapour pressure:	No information available	no information available
	Density and/or relative density:	no information available	no information available
	Relative vapour density:	no information available	no information available
	Particle characteristics:	no information available	no information available
9.2.	Other information		
	-		

SECTIO	SECTION 10.: Stability and reactivity		
10.1.	Reactivity:	The product is stable under normal working and storage conditions.	
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.	
10.3.	Possibility of hazardous reactions:	Risk of explosion after contact with strong acids, alkali metals, alkali metal oxides, nitric acid, oxidizing substances.	
10.4.	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.	
10.5.	Incompatible materials:	Oxidants, acids, alkali metals.	
10.6.	Hazardous decomposition products:	Non-degradable if used in the described manner.	

11.1. Info	rmation on hazard	classes as defined	in Regulation (EC)	NO 1272/2008		
Acut	te toxicity:					
Route of exposure:	Method	Species	Effective Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time		Results
Oral:	-	rat	LD <sub>50</sub>	-	7.060	mg/kg (ethanol)
Dermal:	-	rabbit	LD <sub>50</sub>	-	>20.00	00 mg/kg (ethanol)
Inhalation:	-	rat	LC <sub>50</sub>	4 h (ethanol)	>8.000 mg/l (ethanol)	
Specific tar	get organ toxicity -	3 .	STOT-SE):	Target ergar		Note
	N	Specific effects	NI.	Target organ		11000
Orali	Oral: No information available		No information available		nabie	-
				:£	:1_L1_	
Dermal:	No informat	ion available	No	information ava		-
	No informat		No	information ava		-



available

#### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 9 of 17

Trade name:		RHODANINE REAGENT								
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6					

Product code:		RR-OT-X**		Date of cor	mpilation:	14 Nov	2022 Ver	sion: 6
Irritation and	d co	rrosion						
<u> </u>		Exposure 1	time S	Species	Evalua	tion	Method	Note
Skin corrosion/irritation	on	No informatio available	n No availab	information le	No information	on	No information available	_
Serious eye damage/irritatio	n	No informatio available	n No availab	information le	No information	on	No information available	_
Sensitization								
Skin sensitizatior	า:	No informa	ation available	<u> </u>				
Respiratory sensitization:		No informa	ation available					
361131112411011.								
Symptoms rel	ated	I to the physic	cal, chemical a	nd toxicologic	al characteristic	es Es		
Symptoms ref							mouth burn	nina
Oral exposure:  Swallowing may cause irritation of mucosa, tingling sensation in the m sensation; higher levels of concentration may cause nausea, abdomina In case of vomiting, aspiration causes coughing, difficult breathing. Higher levels of concentration may cause suffocation.						inal pain and	vomiting.	
Dermal exposure	e:	Slight irritati	on. After short	t exposure, res	sorption effects sensation of sk		y. Long-term	exposure
Inhalation exposure:			f large amoun neezing, heada	•	inadequately v ea.	entilated pe	rimeter may	cause
Eye exposure:		Direct eye co	ontact may ca	use slight to m	noderate irritati	on, lacrimati	on and burni	ng
	i							
Repeated dos	e to	xicity (subacu	te, subchronic	, chronic)				
		Dose	Exposure tir	ne Spec	cies Method	Eva	aluation	Note
Subacute oral		ormation [	No inform available	No nation inform on availa	ıntorma available		ormation ailable	-
Subacute dermal		ormation [	No inform available	No nation inform on availa	ıntorma available		ormation ailable	_
Subacute inhalation	No info	ormation [	No inform available	No nation inform on	nati No informa	No tion inf	ormation	-

available

available

available



Page 10 of 17

Trade name:		RHODANINE REAGENT								
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6					

Subchronic oral	No information available	No information available	No informati on available	No information available	No information available	1 -
Subchronic dermal	No information available	No information available	No informati on available	No information available	No information available	ı -
Subchronic inhalation	No information available	No information available	No informati on available	No information available	No information available	n -
Chronic oral	No information available	No information available	No informati on available	No information available	No information available	۱ -
Chronic dermal	No information available	No information available	No informati on available	No information available	No information available	۱ -
Chronic inhalation	No information available	No information available	No informati on available	No information available	No information available	۱ -
6 .6 .			TOT DE			
Specific targ	get organ toxicity	- repeated exposure (S		Target e	raan	Note
Subacute oral		Specific effect No information availal		Target o		
	a a l	No information available				-
Subacute dern Subacute inha		No information available No information availa		No information available  No information available		_
Subchronic ora		No information available			_	
Subchronic de		No information available		No information available  No information available		_
Subchronic inh		No information available		No information available		_
Chronic oral		No information available		No information a		_
Chronic derma		No information available		No information a		_
Chronic dermai  Chronic inhalation  No information available			No information a		_	
		:			<u>i</u>	
CMR effects	(carcinogenicity	, mutagenicity, reprodu	ctive toxici	ty)		
Carcinogen	city:		No info	rmation available		
Mutagenicit	y in-vitro:		No info	rmation available		



Page 11 of 17

Trade name:		RHODANINE REAGENT							
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6				

Geno	toxicity:	No information available		
Muta	genicity <i>in-vivo</i> :	No information available		
Germ	cell mutagenicity:	No information available		
Repro	oductive toxicity:	No information available		
Sumr	nary of evaluation of the CMR properties:	No information available		
11.2.	Information on other hazards:			
11.2.1.	Endocrine disrupting properties:			
	No known endocrine disrupting properties that affect human health.	t		
11.2.2.	Other information:			
	-			

SECTION 12. I	Ecological i	nformation				
12.1. Toxic	ity					
Acute (short- term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Fish	No information available	8.140 mg/l (ethanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	No information available	7.800 mg/l (ethanol)	-
Algae/aquati c plants:	IC <sub>50</sub>	72 hours	algae	No information available	5.000 mg/l (ethanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Doza	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquati c plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-



Page 12 of 17

Trade nam	ne:				F	RHODANINE	REAGE	NT		<u> </u>	
Product co	ode:	RR-OT-	-X**		Date	of compilation	on:	14	Nov 2022	Version:	6
Other					3						:
organisms	-		-		-	-		-		-	
12.2. Pe	rsister	nce and deg	gradabil	ity							
Ab	oiotic (	degradation	1		1						
		Degradatio	n half-li	ves	N	1ethod	Eν	aluatio	n	Note	
Marine water	No	informatio	n availak	ole	No infor		No inf availat	ormatic ole	on -		
Fresh water	No	informatio	n availab	ole	No infor available		No inf availat	ormatic ole	on -		
Air	No	informatio	n availak	ole	No infor		No inf availat	ormatic ole	on -		
Soil	No	informatio	n availak	ole	No information available			No information available			
							i				
Biodegra	datior	1									
% Degrada					Me	thod	Eν	aluatio	n	Note	
-	-			-			-		-		
12.3.	Bioad	ccumulative	potenti	al							
	Octa	nol-water p	artition	coefficie	ent (log Ko	w)					
Value	(	Concentrati	ion	рН	°C	Method		Evalu	ıation	Note	
-	-			-	-	-		-	-	-	
	ncent	ration Facto	or (BCF)								
Value		Sp	pecies			Method		Eval	uation	Note	9
	No information available available		No information available		Δ .	No information available		-			
Chronic e	ecotox	icity									
Value		Dose		Exposu	re time	Species	Metl	hod	Evaluatio	n No	te



Page 13 of 17

Trade name	e:	RHODANINE REAGENT							
Product co	de: RR-OT	-X**	Da	ate of compilat	ion:	14 ١	Nov 2022	Version:	6
Chronic toxion fish	city LC <sub>50</sub>	No int	formation ble	No information available	No informa availabl		No information available	-	
Chronic toxion crustacea (Daphnia)	• 1	No inta	formation ble	No information available	No informa availabl	1	No information available	-	
12.4. Mc	bility in soil								
Kn	own or predicte	d distributio	n in environi	mental comparti	ments:				
No	information av	ailable							
Sui	face tension:								
	Value	°(	C	Concentration Met		ethod		Note	
No ava	information iilable	No in available		No information available	No inform availab		-		
Adsorptic	n / desorption A/D coeff	cient	log Kow	Evaporati	on rate		//ethod	Note	
Soil-Water	No in		No informat	•			formation	-	

Transport	Henry's constant		log kow	Evaporation rate	ivietriou	Note
Soil-Water	No available	information	No information available	No information available	No information available	-
Water-Air	No available	information	No information available	No information available	No information available	-
Soil-Air	No available	information	No information available	No information available	No information available	-
	•					

12.5.	Results of PBT and vPvB assessment
	Based on available data, the product does not contain any PBT or vPvB substances.
12.6.	Endocrine disrupting properties
	Based on available data, does not contain endocrine disruptors.
12.7.	Other adverse effects
	No adverse effects are expected.

#### **SECTION 13. Disposal considerations**



Page 14 of 17

Trade name:		RHODANINE REAGENT							
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6				

13.1.	Waste treatment methods		
13.1.1.	Product/Packaging disposal		
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.		
13.1.2.	Waste codes/waste designa	•	
	Packaging that contains res	idual hazardous substances or is contaminated with hazardous substances	
13.1.3.	Waste treatment – relevant	information:	
	No information available		
13.1.4.	Sewage disposal – relevant	information:	
		d of into the sewage system.	
13.1.5.	Other disposal recommenda	ations:	
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collect authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Subthe packaging to the collectors authorized by the ministry in charge.		
13.1.6.			
	Disposal must be made according to official regulations.		
SECTIO	N 14. Transport information		
	nsporting/shipment by road (A	ADR)	
UN number		1170	
UN pro	per shipping name:	Ethanol solution	
	rt hazard class(es):	3	
Packing		II	
Environ	mental hazards:	No information available	
Special precautions for user:		-	
Tra	Transporting/shipment by rail (RID)		
UN num	nber:	1170	
UN proper shipping name:		Ethanol solution	
Transport hazard class(es):		3	
Packing	group:	II	
Environ	mental hazards:	No information available	



Page 15 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

Special precautions for user:	
Transporting/shipment by inland wat	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmental hazards:	No information available
Special precautions for user:	-
Transporting/shipment by sea (IMDG	5)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmental hazards:	No information available
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-	TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmental hazards:	No information available
Special precautions for user:	-
Further - information:	

SECTION 15. Regulatory information			
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorisation and/or restrictions on use		
	Authorisations: -		
	Restrictions: -		



Page 16 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Other EU regulations:	Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;  Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;	
		Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;  REACH Restrictions on the manufacturing, placing on the market and use of certain	
		dangerous substances, mixtures and articles (Annex XVII);	
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)		
	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values, Regulation on categories, types and classificat waste with a waste catalog and list of hazardous waste, Ordinance or Material safety data sheet, Transport of Hazardous Substances Act		
15.2.	Chemical safety assess	sment	
1	None		

SECTIO	SECTION 16. Other information				
16.1.	Indication of changes:	-			
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative			



Page 17 of 17

Trade name:		RHODANINE REAGE	ENT .		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

16.3.	Key literature references and source of data: -		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
Classific	cation	Classification procedure	
-		-	
16.5.	Relevant H statements (number and full text)		
	H: 225	Highly flammable liquid and vapor.	
16.6.	Training advice:	-	
16.7.	Further information:	** "X" in the product code marks different volumes (different packaging of t product)  Me are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.	

#### ANNEX: Exposure scenario resulting to Chemical safety assessment

-