




Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1.	Product identifier	
	Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION
	Chemical name:	-
	Catalogue number:	F4A-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with Reticulin and Reticulin Contrast staining kits.
	Uses advised against:	Only the identified uses are advised.
	Reasons why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4.	Emergency telephone numbers	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statement*:
	Flam. Liq. 2	H225
	Skin Sens. 1	H317
	Muta. 2	H341
	Carc. 1B	H350
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16.		
2.2.	Label elements	
	Product identification:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Identification number:	-
Authorisation number:	-
Hazard pictograms:	 <p>GHS02</p>  <p>GHS08</p>  <p>GHS07</p>
Signal word:	Danger
Hazard statement:	<p>H225 Highly flammable liquid and vapor.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H341 Suspected of causing genetic defects.</p> <p>H350 May cause cancer.</p>
Precautionary statement:	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</p> <p>P302 + P352 IF ON SKIN: Wash with plenty of water.</p> <p>P308+P313 IF exposed or concerned: Get medical advice/attention.</p>
Supplemental hazard information (EU):	-
2.3. Other hazards	
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	

SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

64-17-5/ 200-578-6/ 603-002-00-5	-	50 – 70 %	ethanol	Flam. Liq. 2; H225
30525-89-4/ 608-494-5/ -	-	3 – 4 %	paraformaldehyde	Acute Tox. 4; H302 Skin Irr. 2; H315 Skin Sens. 1; H317 Eye Dam. 1; H318 Acute Tox. 4; H332 STOT SE 3; H335 Muta. 2; H341 Carc. 1B; H350

SECTION 4. First aid measures		
4.1.	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove all contaminated clothes using sterile gauze. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Do not induce vomiting. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider	-
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, irritation of the mucous membrane of the nose/throat may occur (burning sensation, urge to sneeze, runny nose). High concentration levels may cause difficult breathing, coughing, chest tightness, headache, pneumonia and pulmonary edema.
	Following skin contact:	Depending on concentration and exposure time, redness accompanied by sensation of stinging and pain may occur, defatting, skin cracking, rash, swelling, burns, blisters and delayed onset of inflammations.
	Following eye contact:	Depending on concentration and exposure time, mucosa stinging, lacrimation, redness and pain may occur, as well as bleeding, delayed onset of inflammations and permanent eyesight damage.

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Following ingestion:	Depending on concentration and exposure time, stinging and possible damage to the mucous membrane of the digestive tract is possible, as well as abdominal pain, nausea, vomiting (bloody vomit is possible), vertigo, headache, eyesight disorders and permanent blindness due to optical nerve damage, loss of consciousness.
----------------------	---

4.3.	Indication of any immediate medical attention and special treatment needed
	-

SECTION 5. Firefighting measures	
5.1.	Extinguishing media
	Suitable extinguishing media: water spray or alcohol-resistant foam, dry powder, CO ₂
	Unsuitable extinguishing media: No information available
5.2.	Special hazards arising from the substance or mixture
	Hazardous by products of fire: Possible liberation of toxic carbon monoxide and formaldehyde gases due to thermal decomposition (increased temperature). Explosive mixtures of formaldehyde vapors and air also present danger.
5.3.	Advice for firefighters
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.
5.4.	Additional information
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.

SECTION 6. Accidental release measures	
6.1.	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel:
	Protective equipment: Use personal protective equipment (see Section 8).
	Accident prevention methods: Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures: Mark the area using proper signs.
6.1.2.	For emergency responders:
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).
6.2.	Environmental precautions:
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.
6.3.	Methods and materials for containment and cleaning up

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

6.3.1.	Bundling, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
6.4.	Reference to other sections	
	-	

SECTION 7. Handling and storage		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.
	Measures to prevent aerosol and dust formation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Containers materials:	Manufacturer's original packaging.
	Requirements for storage and containers:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Other information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Industrial sector specific solutions:	-
---------------------------------------	---

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Ethanol	64-17-5	1000/-	1900/-	-

Substance: -

EC No: - CAS No.: -

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	1900 mg/m ³ (ethanol)	-	-	380 mg/m ³ (ethanol)
Dermal	-	-	-	343 mg/kg (ethanol)

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	87 mg/kg bw/day (ethanol)
Inhalation	950 mg/m ³ (ethanol)	-	-	114 mg/m ³ (ethanol)
Dermal	-	-	-	206 mg/kg (ethanol)

PNEC

Environmental protection target	PNEC
Fresh water	0.96 mg/l (ethanol)
Fresh water sediments	3.6 mg/kg (ethanol)
Salt water	0.79 mg/l (ethanol)
Salt water sediments	2.9 mg/kg (ethanol)
Food chain	380-720 mg/kg (ethanol)
Microorganisms in sewage treatment	580 mg/l (ethanol)
Soil (agricultural)	0.63 mg/kg (ethanol)

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Air	no information available	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2. Personal protection equipment		
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN374. Full contact: Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Splash contact: Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min
	Other skin protection:	Complete suit protecting against chemicals (EN 340) The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type P3 (EN 143) respirator cartridges as a backup to engineering controls.
8.2.2.4.	Thermal hazards:	No information available
8.2.3. Environmental exposure controls		
	Substance/mixture related measures to prevent exposure:	See Section 6

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties			
9.1.	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Color:	colorless	No information available
	Odour/odour threshold:	sharp/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	21 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTION 10.: Stability and reactivity			
10.1.	Reactivity:	See subsections 10.3 through 10.5.	

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3.	Possibility of hazardous reactions:	No information available
10.4.	Conditions to avoid:	No information available
10.5.	Incompatible materials:	Strong oxidizing agents.
10.6.	Hazardous decomposition products:	Carbon oxides.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity:

Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral	No information available	rat	LD ₅₀	No information available	7.060 mg/kg (ethanol) 800 mg/kg (paraformaldehyde)
Dermal	No information available	rabbit	LD ₅₀	No information available	>20.000 mg/kg (ethanol) 10.000 mg/kg (paraformaldehyde)
Inhalation	No information available	rat	LC ₅₀	4 h	>8.000 mg/l (ethanol) 1.07 mg/l (paraformaldehyde)

Specific target organ toxicity - single exposure (STOT-SE):

	Specific effects	Target organ	Note
Oral	No information available	No information available	-
Dermal	No information available	No information available	-
Inhalation	No information available	No information available	-

Aspiration hazard:

Aspiration hazard:	no information available
--------------------	--------------------------

Irritation and corrosion

Exposure time	Species	Evaluation	Method	Note

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Skin corrosion/irritation:	-	-	-	-	no information available
Serious eye damage/irritation:	-	-	-	-	no information available

Sensitization

Skin sensitization:	May cause an allergic skin reaction.
Respiratory sensitization:	No information available.

Symptoms related to the physical, chemical and toxicological characteristics

Oral exposure:	Depending on concentration and exposure time, mucous membranes with retrosternal and abdominal pain, cramps, bloody vomiting, cyanosis, respiratory insufficiency, danger of perforation of the esophagus, stomach and small intestine; absorptive-toxic effects; delayed development of strictures possible.
Dermal exposure:	Depending on concentration and exposure time, superficial coagulation necrosis with hardening and tanning of the skin as well as anesthesia, allergic skin reactions (periorbital edema, urticaria, delayed development of eczema).
Inhalation exposure:	Depending on concentration and exposure time, irritation to the mucous membranes of the nose/throat (burning sensation, urge to sneeze, running nose), possibly even asthmoid reactions; for higher concentrations severe difficulty in breathing, fits of coughing, tightness in the chest, headache, reactions of the circulatory system, danger of glottic edema/cramp, bronchospasm, possible bronchiolitis, pneumonia, pulmonary edema
Eye exposure:	Dependent on the intensity of exposure slight, reversible irritation through to permanent corneal lesion: seriousness probably only visible after a latency period of some hours.

Repeated dose toxicity (subacute, subchronic, chronic)

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity - repeated exposure (STOT-RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhaling	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhaling	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhaling	No information available	No information available	-

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)

Carcinogenicity:	Presumed to have carcinogenic potential for humans
Mutagenicity <i>In-vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>In-vivo</i> :	No information available
Germ cell mutagenicity:	Suspected of causing genetic defects.
Reproductive toxicity:	No information available

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Summary of evaluation of the CMR properties:		No information available			
11.2. Information on other hazards:					
11.2.1. Endocrine disrupting properties:					
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
11.2.2. Other information:					
-					

SECTION 12. Ecological information						
12.1. Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	<i>Oncorhynchus mykiss</i> (rainbow trout)	No information available	46 – 78 mg/l (paraformaldehyde)	-
Crustacea:	EC ₅₀	48 hours	<i>Daphnia magna</i> (water flea)	No information available	42 mg/l (paraformaldehyde)	-
Algae/aquatic plants:	IC ₅₀	8 days	No information available	No information available	No information available	-
Other organisms:	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants:	IC ₅₀	72 hours	No information available	No information available	No information available	-

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Other organisms:	-	-	-	-	-
------------------	---	---	---	---	---

12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

12.3. Bioaccumulative potential

Octanol/water partition coefficient (log Pow):

Value	Concentration	pH	°C	Method	Evaluation	Note
No information available	No information available	-	-	No information available	No information available	No information available

Bioconcentration Factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on Crustacea (Daphnia)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil

Known or predicted distribution in environmental compartments:

No information available

Surface tension:

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-Water	No information available	No information available	No information available	No information available	-
Water-Air	No information available	No information available	No information available	No information available	-
Soil-Air	No information available	No information available	No information available	No information available	-

12.5. Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6. Endocrine disrupting properties

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects
 No information available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/packaging disposal:
 Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

13.1.2. Waste codes/waste designations according to law:
 15 01 10*: packaging that contains residual hazardous substances or is contaminated with hazardous substances

13.1.3. Waste treatment – relevant information:
 No information available

13.1.4. Sewage disposal – relevant information:
 Waste must not be disposed of into the sewage system.

13.1.5. Other disposal recommendations:
 Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.

13.1.6. Relevant Community provisions:
 -

SECTION 14. Transport information

Transporting/shipment by road (ADR)	
UN number	1170
UN proper shipping name:	Ethanol solution
Transport hazard classes:	3
Packing group:	II

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION			
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version: 4

Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number	1170
UN proper shipping name:	Ethanol solution
Transport hazard classes:	3
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by inland waterways (ADN)	
UN number	1170
UN proper shipping name:	Ethanol solution
Transport hazard classes:	3
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number	1170
UN proper shipping name:	Ethanol solution
Transport hazard classes:	3
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number	1170
UN Proper shipping name:	Ethanol solution
Transport hazard classes:	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	No information available

SECTION 15. Regulatory information

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EU regulations	
	Authorisation and/or restrictions on use	
	Authorisations:	-
	Restrictions:	-
	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline):	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTION 16. Other information		
16.1.	Indication of changes:	-

Trade name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION				
Product code:	F4A-OT-X**	Date of compilation:	21 December 2022	Version:	4

16.2.	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	<p>225</p> <p>302</p> <p>H: 315</p> <p>317</p> <p>318</p> <p>332</p> <p>335</p> <p>341</p> <p>350</p>	<p>Highly flammable liquid and vapor.</p> <p>Harmful if swallowed.</p> <p>Causes skin irritation.</p> <p>May cause allergic skin reaction.</p> <p>Causes serious eye damage.</p> <p>Harmful if inhaled.</p> <p>May cause respiratory irritation.</p> <p>Suspected of causing genetic defects.</p> <p>May cause cancer.</p>
16.6.	Training advice:	-
16.7.	Further notice:	<p>** "X" in the product code marks different volumes (different packaging of the product).</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

ANNEX: Exposure scenario resulting to Chemical safety assessment
-