

Page 1 of 19

Trade name:	BIOMOUNT DPX NEW				
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5

1.1.	Product identifier					
	Trade name:	BIOMOU	NT DPX NEW			
	Chemical name:	-				
	Catalogue number:	BMLE-X*	ŧ			
1.2.	Relevant identified us	es of the sul	bstance or mixt	ure and uses advised against		
	Uses:		•	medium for permanent covering of microscope samples g cover slips.		
	Uses advised against:	Uses advised against:		ntified uses are advised.		
	Reason why uses advi	device, registered at the Agency for Medic		is intended for use only as an <i>in vitro</i> diagnostic medical tered at the Agency for Medicinal Products and Medical there is no reason to use it for other purposes.		
1.3.	Details of the supplier	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax:		+385 1 2404039			
	e-mail of competent p	person:	msds@biognost.hr			
National contact: -						
1.4.	Emergency telephone numbers					
	National Protection a	nd Rescue D	irectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	TION 2. Hazards identification					
2.1.	Classification of the substance or mixture					
2.1.1.	Classification according to Regulation (EC) No 12	72/2008 (CLP)				
	Hazard class and category code:	Hazard statement*:				
	Flam. Liq. 3	H226				
	Asp. Tox. 1	H304				
	Acute Tox. 4	H312				
	Acute Tox. 4	H332				
	Eye Irr. 2	H319				
	Repr. 1B	H360Df				
	STOT RE 2	H373				
2.1.2.	Additional information					
	-					



Page 2 of 19

Trade name:	BIOMOUNT DPX NEW				
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5

* For 1	full text of Hazard- and EU Hazard	d-statements: see SECTION 16
2.2.	Label elements	
	Product identification:	BIOMOUNT DPX NEW
	Identification number:	-
	Authorisation number:	-
	Hazard pictograms:	GHS02  GHS07  GHS08
	Signal word:	Danger
	Hazard statement:	<ul> <li>H226 Flammable liquid and vapor.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H312+H332 Harmful in contact with skin or if inhaled.</li> <li>H319 Causes serious eye irritation.</li> <li>H360Df May damage the unborn child. Suspected of damaging fertility.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> </ul>
	Precautionary statements:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P280 Wear protective gloves/protective clothing/eye/protection/face protection.  P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  P308+P313 IF exposed or concerned: Get medical advice/attention.



Page 3 of 19

Trade name:	BIOMOUNT DPX NEW				
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5

	Supplemetal hazard information (EU):		
2.3.	Other hazards		
	<b>Results of PBT and vPvB assessment</b> : According to the results of its assessment, this substance is not a PBT or a vPvB.		
	Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH) - DBP.		

SECTION 3. Co	SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
1330-20-7/ 215-535-7/ 601-022-00-9	01-2119488216-32- XXXX	80 - 85 %	xylene	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 STOT RE 2; H373			
84-74-2/ 201-557-4/ 607-318-00-4	-	5 –8 %	dibutyl phthalate	Repr. 1B; H360Df Aquatic Acute 1; H400			

4.1.	ON 4. First aid measures	Description of first aid measures		
4.1.	Description of first aid frieas	sures		
	General notes:	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Immediately remove any clothing soiled by the product.		
	Following inhalation:	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.		
	Following ski contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap and rinse thoroughly. If symptoms persist, consult a doctor.		
	Following eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.		
	Following ingestion:	DO NOT induce vomiting. If symptoms persist, consult a doctor.		
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.		
4.2.	Most important symptoms and effects, both acute and delayed			



Page 4 of 19

Trade name:	BIOMOUNT DPX NEW				
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5

	Following inhalation:	High concentration vapor inhalation may cause headache, dizziness, difficult breathing and unconsciousness.	
	Following skin contact:	Causes skin irritation, redness, swelling. Prolonged or repeated contact causes defatting and dry skin.	
	Following eye contact:	Vapors irritate eyes. Splashing may cause irritation and redness.	
	Following ingestion:	Nausea, vomiting (danger of aspiration), diarrhoea. Aspiration may cause headache, vertigo, nausea, dazed feeling-unconsciousness/coma, possible hypothermia, reactions to the heart/circulatory system such as vasodilation (flush), hypotension, arrhythmia (possible ventricular fibrillation through cardiac sensitization), danger of central respiratory paralysis or of cardiac arrest; functional disturbance to the liver and kidneys and persistent disturbance to the CNS as sequelae.	
4.3.	Indication of any immediate medical attention and special treatment needed		
	No further relevant information available.		

SECTI	SECTION 5. Firefighting measures					
5.1.	Extinguishing media					
	Suitable extinguishing media:	CO <sub>2</sub> , powder or water spray. Fight larger fires with water spray or alcohol resistant foam.				
	Unsuitable extinguishing media:	water with full jet				
5.2.	Special hazards arising from the substance or mixture					
	Hazardous by products of fire:	Formation of toxic gases is possible during heating or in case of fire.				
5.3.	Advice for firefighters	Advice for firefighters				
	Use a self-contained open-circuit co	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
5.4.	Additional information					
	Collect contaminated firefighting water separately.  Do not contaminate the environment with extinguishing media.					

SECTIO	SECTION 6. Accidental release measures				
6.1.	Personal precautions, protective equi	pment and emergency procedures			
6.1.1.	For non-emergency personnel				
	Protective equipment:	Use personal protective equipment (see Section 8). Keep unprotected persons away.			
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Do not breathe in vapor, ensure adequate ventilation and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.			
	Emergency procedures:	Mark the area using proper signs.			



Page 5 of 19

Trade name:	BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5		

6.1.2.	For emergency responders:					
	3 , .	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment				
6.2.	Environmental precautions					
	Do not dispose of in sewag Protection and Rescue Dire	e, drainage system and waterways. In case of large spillage contact National ctorate (NPRD) on 112.				
6.3.	Methods and materials for	containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.				
6.3.2.	Cleaning up:	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.				
6.3.3.	Other information:	Do not use tools that may cause sparks.				
6.4.	Reference to other sections					
	See Section 7 for information on safe handling.  See Section 8 for information on personal protection equipment.  See Section 13 for disposal information.					

SECTIO	ON 7. Handling and storage	ECTION 7. Handling and storage					
7.1.	Precautions for safe handling						
7.1.1.	Protection measures						
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.					
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.					
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.					
	Other measures:	-					
7.1.2.	Advice on general occupational hygiene:						
	Do not eat, drink or smoke in the workspace. Thor	oughly wash hands after work and before eating.					
7.2.	Conditions for safe storage, including any incompa	atibilities					
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.					



Page 6 of 19

Trade name:	BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5		

	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection								
8.1. Control para	meters							
Substance		CAS No		Occupational exposure limit values/short term values			В	iological limit values
				ppm	mg	mg/m³		
Xylene (all isomers)		1330-2	.0-7	50/100	221	/442	-	
Dibutyl phthalate		84-74	2	-/-	5/	′10	-	
Substance: -								
EC No: - CAS No: -								
DNEL								
				Industrial				
Route of exposure:		te effect ocal		cute effect systemic	Chronic effect Local			Chronic effect systemic
Oral	-		-		-			-
Inhalation	-		289 mg/m³ (xylene)		-			77 mg/m³ (xylene)
Dermal	-		-		-			180 mg/kg (xylene)
Critical physical parar	neters: s	olubility, fla	mmabilit	ty, corrosivity:	-			
Consumer								
Route of exposure:		te effect ocal	Acute effect systemic		C	Chronic effect local		Chronic effect systemic
Oral	-				-			-
Inhalation	-		174 mg	g/m³ (xylene)	-			14,8 mg/m³ (xylene)



8.2.2.2.

Skin protection

### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 7 of 19

							rage	. 7 01 13	
Trade name	e:			E	BIOMOU	NT DPX NEW			
Product co	de:	BMLE-X**	Date	of com	pilation:	26 June 2024	Version:	5	
Dermal		-	-			-	180 mg/k	g (xylene)	
PNEC									
Environmen	tal prote	ction target			PNEC				
Fresh water					0.327 mg	g/l (xylene)			
Freshwater sediments					12.46 mg	g/kg (xylene)			
Marine wate	er				0.327 mg	g/l (xylene)			
Marine sediments					12.46 mg	g/kg (xylene)			
Food chain					0.327 mg	g/l (xylene)			
Microorganisms in sewage treatment					6.58 mg/	l (xylene)			
Soil (agricultural)					2.31 mg/kg (xylene)				
Air					No information available				
8.2.	Exposur	re controls							
8.2.1.	Approp	riate engineering co	ontrols						
	measur	nce/mixture related es to prevent exposi identified uses:	ure	Use per the wor	•	ective equipment. Do	not eat, drink	or smoke in	
	Structur exposur	ral measures to prev re:	/ent	No info	formation available				
	_	sational measures to exposure:	)	during work process.				s influence	
	Technic exposur	al measures to prevre:	ent						
8.2.2.	Persona	al protection equipm	nent:						
8.2.2.1.	Eye and	I face protection:		tested		safety glasses Use ec oved under appropri EU)		•	



Page 8 of 19

Trade name:	BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5		

	Hand protection:	Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.  Full contact:  Glove material: Viton Glove thickness: 0.7 mm Break through time: 480 min  Splash contact:  Glove material: Nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min
	Other skin protection:	Complete suit protecting against chemicals, flame retardant antistatic protective clothing (EN 13688). The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
8.2.2.3.	Respiratory protection:	Where risk assessment shows air-purifying respirators are appropriate use type ABEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties						
9.1.	Information on basic physical and chemical properties					
		Value	Method			
	Physical state:	liquid	No information available			
	Color:	colorless	No information available			
	Odour/odour threshold:	aromatic/no information available	No information available			
	Melting point / freezing point:	No information available	No information available			



Page 9 of 19

Trade name:	BIOMOUNT DPX NEW					
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5	

۰۷.	-		
.2.	Particle characteristics:  Other information	No information available	No information available
	Relative vapour density:	No information available	No information available
	Density and/or relative density	Insoluble in water	No information available
	Vapour pressure:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Solubility:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	рН:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Flash point:	29 °C	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flammability:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available

SECTIO	SECTION 10.: Stability and reactivity							
10.1.	Reactivity:	No relevant information available.						
10.2.	Chemical stability:	The product is chemically stable under recommended storage conditions.						
10.3.	Possibility of hazardous reactions:	No dangerous reactions known.						
10.4.	Conditions to avoid:	Sources of heat, flames and sparks.						
10.5.	Incompatible materials:	Strong oxidizing agents.						
10.6.	Hazardous decomposition products:	Carbon monoxide.						

SECTION 11. Toxic	SECTION 11. Toxicological information										
11.1. Information	Information on hazard classes as defined in Regulation (EC) No 1272/2008										
Acute toxi	Acute toxicity:										
Route of exposure:	Method	Species	Effective Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results						
Oral:	No information available	rat	LD <sub>50</sub>	No information available	3.523 mg/kg (xylene) 6.279 mg/kg (DBP)						



Page 10 of 19

									Page	10 of 19
Trade name:		BIOMOUNT DPX NEW								
Product code:	BMLE-X*	*	Dat	e of c	compilation	on:	26 June	2024	Version:	5
Dermal:	No informavailable	mation	rabbit LD <sub>50</sub>			No information available		>1.700 mg/kg (xylene > 21.000 mg/kg (DBP		
Inhalation:	No inforr available	nation	rat LC <sub>50</sub>			4 h		29.09 mg/l	(xylene)	
Specific t	arget organ	toxicity -	single	expo	sure (STO	Γ-SE):				
			ic effe					t organ		Note
Oral:	No inforn	nation av	ailable	<u>,                                    </u>		No	nformati	on available	-	
Dermal:	No inforn	nation av	ailable	<u>)</u>		No	nformati	on available	-	
Inhalation:	No inform	nation av	ailable	<u> </u>		Res	oiratory s	ystem	May caus	se respiratory
Aspiratio	n hazard:				ay cause re nters respir	•	•	ation. May b	e fatal if swal	lowed and
				·						
Irritation	and corrosic	on								
		Expos time		Sp	pecies	Eva	luation	Method	١	Note
Skin corrosion/irri	tation	24h		rabbit - (xylene)		-		-	Causes skir	irritation.
Serious eye damage/irritation		-		-		-		-	No informa	ation available
· · · · · · · · · · · · · · · · · · ·										
Sensitizat	tion									
Skin sensitization:	No ir	nformatio	n avai	lable						
Respiratory sensitization:	No ir	nformatic	n avai	lable						
Symptom	ns related to									
Oral exposure:	Nausea, vomiting (danger of aspiration), diarrhoea. Aspiration may cause headache, vertigo, nausea, dazed feeling-unconsciousness/coma, possible hypothermia, reactions to the heart/circulatory system such as vasodilation (flush), hypotension, arrhythmia (possible ventricular fibrillation through cardiac sensitization), danger of central respiratory paralysis of cardiac arrest; functional disturbance to the liver and kidneys and persistent disturbance to the CNS as sequelae.							to the ossible ry paralysis or		
Dermal exposure:				dness,	swelling. I	Prolo	nged or r	repeated con	tact causes d	efatting and
Inhalation exposure:	breathing	g and suff	focatin	g. Hig	h concent	ratio	n vapor ii	nhalation ma		ough, difficult ache, malaise



Page 11 of 19

Trade name:		BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5			

Eye exposure:	·	e eyes. Splashing , photophobia.	may cause irr	ritation and redne	ss, lacrimatio	on, pain, swelling,
Repeate	ed dose toxicity (su	ubacute, subchro	onic, chronic)			
, -	Dose	Exposure time	Species	Method	Evaluation	n Note
Subacute oral	No information available	No information available	No information available	No information available	No informatio available	on -
Subacute dermal	No information available	No information available	No information available	No information available	No informatio available	on -
Subacute inhalation	No information available	No information available	No information available	No information available	No informatio available	on -
Subchronic oral	No information available	No information available	No information available	No information available	No informatio available	on -
Subchronic dermal	No information available	No information available	No information available	No information available	No informatio available	on -
Subchronic inhalation	No information available	No information available	No information available	No information available	No informatio available	on -
Chronic oral	No information available	No information available	No information available	No information available	No informatio available	on -
Chronic dermal	No information available	No information available	No information available	No information available	No informatio available	on -
Chronic inhalation	No information available	No information available	No information available	No information available	No informatio available	on -
Specific	target organ toxic	<u> </u>	•	•		N1 - 2
Subacute oral		Specific e		Target or		Note
Subacute orai		No information		No information a		_
Subacute inhalat		No information		No information available -		_
Subchronic oral	- · -	No information		No information a		_



Page 12 of 19

Trade name:	BIOMOUNT DPX NEW								
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5				

Subchro	onic dermal	No information	n available	No information available	-			
Subchro	onic inhalation	No information	ı available	No information available	-			
Chronic	oral	No information	n available	No information available	-			
Chronic	dermal	No information	n available	No information available	-			
Chronic inhalation No information		n available	Central nervous system, liver, kidney	May cause damage to organs				
	CMR effects (carcinoger	nicity, mutagenici	ty, reproducti	ve toxicity)				
	Carcinogenicity:		No informa	tion available				
	Mutagenicity in-vitro:		No informa	tion available				
	Genotoxicity:		No informa	tion available				
	Mutagenicity in-vivo:		No information available					
	Germ cell mutagenicity:		No information available					
	Reproductive toxicity:			Presumed human reproductive toxicant (Dibutyl phthalate). Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. (Dibutyl phthalate).				
	Summary of evaluatio properties:	n of the CMR	No informa	tion available				
11.2.	Information on other ha							
11.2.1.	Endocrine disrupting pr							
	This substance/mixture considered to have properties affecting hur to REACH Article Regulation (EU) 2018, Delegated Regulation (EU)	endocrinedisrup man health, accor 57(f), Commis 605 or Commis	oting rding ssion ssion					
11.2.2.	Other informations:							
	_							

SECTION 12. Ecologic	SECTION 12. Ecological information										
12.1. Toxicity											
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note					



Page 13 of 19

Trade name:		BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5			

Fish	LC <sub>50</sub>	96 hours	Oncorhynchus mykiss (rainbow trout)	No information available	2.60 mg/l (xylene) 0.48 mg/l (DBP)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	No information available	0.96 mg/l (xylene) 2.99 mg/l (DBP)	-
Algae/aquatic plants:	IC <sub>50</sub>	72 hours	Pseudokirchneriella subcapitata	No information available	4.36 mg/l (xylene)	-
Other organisms:	-	-	-	-	-	_
Chronic (long-term) toxicity	Doza	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Oncorhynchus mykiss (rainbow trout) (DBP)	NOEC – 99 d	0.1 mg/l (DBP)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna (DBP)	NOEC – 21 d	0.158 mg/l (DBP)	_
Algae/aquatic plants:	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms:	-	-	-	_	-	-

#### 12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

% Degradation	Time (days)	Method	Evaluation	Note
-	No information available	No information available	No information available	-



Page 14 of 19

Trade name:	BIOMOUNT DPX NEW					
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5	

12.3.	Bioad	ccumulativ	e potent	ial								
	Octa	nol-water <sub>l</sub>	partition	coeffi	cient (	log Kow	)					
Valu	ıe	Concent	ration	рŀ	1	°C	Method		Evaluation	n	No	te
<u>-</u>		No info available	rmation	-	-	_ :	No information available	No i avail	nformatio able	on -		
	Bioco	oncentratio	n Factor	· (BCF)								
V	/alue		Spe			<u> </u>	Method	Eva	aluation		Not	e
-		-					ormation	-		-		
	ï											
	Chro	nic ecotoxi	city	-								
	Valu	ue	Do	ose	Exposure time		Species	M	lethod	Evalu	ıation	Note
Chronic	Chronic toxicity on fish LC5		LC <sub>50</sub>		No information available		No information available	No infor avail	mation able	No informa availabl		-
	Chronic toxicity on EC <sub>51</sub>		EC <sub>50</sub>		No information available		No information available	No infor avail	mation able	No informa availabl		-
12.4.	Mob	ility in soil										
		-	cted dis	tributio	on in e	nvironm	ental compartm	ents:				
		nformation										
	Surfa	ice tension	•									
	Value		°C		Concentrat	tion		Method		Note		
			No availa			No information available		No information available		vailable	-	
	Adso	orption / de	sorption	<u> </u>								
Transpo	ort	A/D coe Henry's			log	Kow	Evaporation	n rate	Metl	hod	N	ote



13.1.4.

13.1.5.

Sewage disposal – relevant information:

Other disposal recommendations:

Waste must not be disposed of into the sewage system.

### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 15 of 19

Trade i	name:			В	ІОМО	NT DPX	NEW			
Produc	ct code:	BMLE-X**		Date of comp	oilation:	26 Jun	e 2024	Version: 5		5
Soil-Wa	nter No	information able	No avai	information lable			No inform available	ation	-	
Water-	Air No availa	information able	No avai	information lable	No information available		No inform available	ation	-	
Soil-Air	No availa	information able	No avai	information lable	No info		No inform available	ation	-	
12.5.	This subst	PBT and vPvB as ance/mixture co o, or very persiste	ntains	no component						nulative and
12.6.	Endocrine	disrupting prop	erties							
	according	ance/mixture doo to REACH Article n (EU) 2018/605	e 57(f	) or Commission	n Delegat				•	•
12.7.	Other adv	erse effects								
	No advers	e effects are exp	ectec	l.						
SECTIO	N 13. Disp	osal considerati	ons							
13.1.	Waste p	rocessing metho	ds							
13.1.1.	Product	/Packaging dispo	osal:							
	Submit t Protection	for disposal to th on.	ie leg	al person autho	rized by t	he Minist	ry of Environ	mental	and Na	ture
13.1.2.	Waste co	odes/waste desig	gnatio	ons according to	o Low:					
	Disposa	l must be made a	accor	ding to official r	egulation	is.				
13.1.3.	Waste tr	retment – relevar	nt info	ormation						
·	No infor	mation available	)							



Page 16 of 19

Trade name:	BIOMOUNT DPX NEW						
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5		

authorized by the minist	roduct's remains into the sewage system. Submit the remains to the collectors ry in charge. Do not dispose of the packaging into the sewage system. Submit lectors authorized by the ministry in charge. Do not dispose of in places where
13.1.6. Relevant Community pro	ovisions:
Disposal must be made	according to official regulations.
SECTION 14. Transport informati	on
Transporting/shipment by	road (ADR)
UN number:	1307
UN proper shipping name:	Xylenes
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by	rail (RID)
UN number:	1307
UN proper shipping name:	Xylenes
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by	inland waterways (ADN)
UN number:	1307
UN proper shipping name:	Xylenes
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by	sea (IMDG)
UN number:	1307
UN proper shipping name:	Xylenes
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	-
Special precautions for user:	-



Page 17 of 19

Trade name:	BIOMOUNT DPX NEW					
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5	

Transport in bulk condition in accordance with Annex II. of MARPOL 73/78 and IBC Codex:	_
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1307
UN proper shipping name:	Xylenes
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	-
Special precautions for user:	-
Further information: -	

5.1. Safety, health and envir	Safety, health and environmental regulations/legislation specific for the substance or mixture				
EU regulations	EU regulations				
Authorisation and/or re	strictions on use				
Authorisations:	-				
Restrictions:	-				
Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);				



Page 18 of 19

Trade name:	BIOMOUNT DPX NEW					
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5	

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTIO	ON 16	. Other information	
16.1.	Indi	cation of changes:	-
16.2.	Abbreviations and acronyms:		ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  IMDG: International Maritime Code for Dangerous Goods  IATA: International Air Transport Association  GHS: Globally Harmonised System of Classification and Labelling of Chemicals  EINECS: European Inventory of Existing Commercial Chemical Substances  CAS: Chemical Abstracts Service (division of the American Chemical Society)  DNEL: Derived No-Effect Level (UK REACH)  LC50: Lethal concentration, 50 percent  LD50: Lethal dose, 50 percent  PBT: Persistent, Bioaccumulative and Toxic  vPvB: very Persistent and very Bioaccumulative
16.3.	Key literature references and source of data:		-
16.4.	16.4. Classification and procedure 1272/2008 (CLP)		used to derive the classification for mixture according to Regulation (EC)
Classifi	catior	1	Classification procedure
_			-
16.5.	Rele	evant H statements (num	per and full text)
		H226	Flammable liquid and vapor.
		H304	May be fatal if swallowed and enters airways.
		H312	Harmful in contact with skin.
		H332	Harmful if inhaled.
	H:	H315	Causes skin irritation.
		H319	Causes serious eye irritation.
		H335	May cause respiratory irritation.
		H360Df	May damage the unborn child. Suspected of damaging fertility.
		H373	May cause damage to organs through prolonged or repeated exposure.
		H400	Very toxic to aquatic life.
16.6.	Trai	ning advice:	-



Page 19 of 19

Trade name:	BIOMOUNT DPX NEW				
Product code:	BMLE-X**	Date of compilation:	26 June 2024	Version:	5

16.7.	Further information:	** "X" in the product code marks different volumes (different packaging of the product)  We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.
		material safety data sheet.

#### ANNEX: Exposure scenario resulting to Chemical safety assessment

\_