

Page 1 of 17

Trading name:		HISTAN	OL 100		
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6

1.1	Product identifier	Product identifier				
	Trading name:	HISTANOL 1	HISTANOL 100			
	Chemical name:	Ethyl alcoho	I			
	Catalogue number:	H100-X**				
1.2	Relevant identified use	Relevant identified uses of the substance or mixture and uses advised against				
	Uses:		For use	in histocytology and cytology sample processing.		
	Uses advised against:		Only the comsum	e identified uses are advised. Unsuitable for human aption.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent p	erson:	msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection an	d Rescue Dire	ctorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			_		

SECTIO	ECTION 2. Hazards identification			
2.1	Classification of the substance or mixture			
2.1.1	Classification according to Regu	ulation (EC) No 12	272/2008 (CLP)	
	Hazard class and category code: Hazard statements*:			Hazard statements*:
	Flam. Liq. 2 H225			
2.1.2.	Additional information			
	-			
*For ful	text of Hazard- and EU Hazard-	statements: see S	ECTION 16	
2.2	Label elements			
	Product identification:	HISTANOL 100		
	Identification number:	-		
	Authorization number:	-		



Page 2 of 17

Trading name:	HISTANOL 100				
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H225 Highly flammable liquid and vapor.
	Precautionary statements:	<ul> <li>P210 Keep away from heat, hot sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> </ul>
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	The product has no other know	n specific hazards for human or environment.
	Results of PBT and vPvB assess PBT or vPvB substances.	ment: Based on available data, the product does not contain any
	Endocrine disrupting property:	Based on available data, does not contain endocrine disruptors.

SECTION 3. Co	SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	min. 99 %	ethanol	Flam. Liq. 2; H225	

SECTI	SECTION 4. First aid measures		
4.1	Description of first aid measu	res	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.	
	Following inhalation:	Take the victim into fresh air, loosen his clothes and place him in a comfortable position. If breathing difficulty occurs, administer artificial respiration. In case of complaints call a physician.	
	Following skin contact:	Remove the contaminated clothes. Wash the skin surface under plenty of running water. Seek medical assistance if the symptoms of irritation remain.	



Page 3 of 17

Trading name:	HISTANOL 100				
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6

	Following eye contact:	In case of contact with eyes flush with water holding eyelids apart and moving the eyeballs (for at least 10 minutes). If the symptoms remain, immediately call in ophthalmologist.		
	Following ingestion:	Place the victim in a comfortable position. Rinse the mouth with clean water. If the victim is conscious induce vomiting. Do not give the victim anything orally, and do not induce vomiting if the victim is unconscious or suffers from convulsions.		
	Self-protection of the first aider:	-		
4.2	Most important symptoms and ef	Most important symptoms and effects, both acute and delayed		
	Following inhalation:	Inhalation of larger quantities may affect the central nervous system.		
	Following skin contact:	Prolonged or repeated dermal contact may cause the defatting and dryness of the skin.		
	Following eye contact:	May irritate the eyes.		
	Following ingestion:	Ingestion of larger quantities may affect the central nervous system.		
4.3		cal attention and special treatment needed ne body, obtain medical treatment (gastric lavage, activated carbon).		

SECTI	ON 5. Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media:	Extinguishing powder, alcohol-resistant foam, water, carbon-dioxide.
	Unsuitable extinguishing media:	Water with full jet.
5.2	Special hazards arising from the su	ibstance or mixture
	Hazardous combustion products:	Highly flammable liquid and vapour. In case of fire, smoke, and other combustion products (carbon monoxide, carbon dioxide) may be formed, the inhalation of such combustion products can have serious adverse effects on health. Vapours may form an explosive mix with air. Vapours may be ignited by open flames, sparks, electrical equipment, or static charge. Vapours may travel to great distances, ignite in contact with ignition sources and flash back to the primer source (container). Vapours of ethyl alcohol mix greatly with air and may form an explosive mixture. Air containing 3.3 – 19 % ethyl alcohol vapours may explode in contact with ignition sources. Diluting the mixture with large amounts of water results in the loss of its flammability (around 10 % concentration of ethyl alcohol).
5.3	Advice for firefighters	
	Wear full protective clothing and s water spray. Use water spray to dis	elf-contained breathing apparatus. Cool the fire affected containers with sipate alcohol vapours.
5.4	Additional information	
	-	



Page 4 of 17

Trading name:		HISTA	NOL 100		
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6

6.1	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
•••••	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Avoid contact with skin, eyes and clothing and inhaling gases, vapours and aerosols. Ensure adequate ventilation. Vapours may accumulate at floor level in low and confined spaces. Remove all heat, ignition and spark sources, turn off machines. Ignition spark arrestor must not be operated in the danger area. Use spark-proof tools. Be aware of the risk of slipping.			
6.2	Environmental precautions: Dispose of the spillage and the resulting waste according to the applicable environmental regulations. not allow the product and the resulting waste to enter sewers/soil/surface or ground water. Notify respective authorities in accordance with local law in the case of environmental pollution immediately			
6.3	Methods and material for cont	ainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.		
6.3.2.	Cleaning up:	Collect the spilled product with inert, non-combustible absorbent (e.g. sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution).		
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).		
6.4	Reference to other sections	Reference to other sections		
	See Section 7 for information of	on safe handling.		
	See Section 8 for information on personal protection equipment.			
	See Section 13 for disposal information.			

SECTIC	SECTION 7. Handling and storage					
7.1	Precautions for safe handling					
7.1.1.	Protection measures					



\_ \_ C 4 7

					Page 5 of 1	7		
ig name:	HISTANOL 100							
ct code:	H100-X**	Revisior	n date:	Version:	6			
Measures	to prevent fire:			away from heat, h flames and othe	Use in well ventilated storage rooms. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use non-sparkling tools and equipment			
Measures	to prevent aerosol a	nd dust generatio	Ensure adequate v	entilation.				
Measures	to protect the envirc	nment:	Prevent spilling int and waterways.	o the sewage syste	m			
Other me	asures:		Protect against ele	Protect against electrostatic charges.				
2. Advice on general occupational hygiene:								
Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.								
Conditions for safe storage, including any incompatibilities								
Technical	measures and storag	e conditions:	rom sources of heat and ignition, in its original, ned and hermetically sealed packaging, away oxidizing agents, food, feed and articles of					
Packaging	g materials:		Manufa	Manufacturer's original packaging.				
Requirem	ents for storage roon	ns and vessels:	Keep away from food and drink. Keep the containers tightly closed.					
Advices fo	or storage equipment	:	be resis directly	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.				
Further in	formation on storage	e conditions:	Do not place the unused material in the storage room and do not use empty containers for storing othe chemicals. Do not store with incompatible materials (see Section 10).					
	<ul> <li>ct code:</li> <li>Measures</li> <li>Measures</li> <li>Measures</li> <li>Measures</li> <li>Other me</li> <li>Advice or</li> <li>Do not ea</li> <li>Condition</li> <li>Technical</li> <li>Packaging</li> <li>Requirem</li> <li>Advices for</li> </ul>	ct code:       H100-X**         Measures to prevent fire:       Measures to prevent aerosol and Measures to protect the enviror         Measures to protect the enviror       Other measures:         Advice on general occupational Do not eat, drink or smoke in the Conditions for safe storage, incompared and storage         Technical measures and storage         Packaging materials:         Requirements for storage equipment	ct code:       H100-X**       Revision         Measures to prevent fire:       Measures to prevent aerosol and dust generation         Measures to protect the environment:       Measures to protect the environment:         Other measures:       Advice on general occupational hygiene:         Do not eat, drink or smoke in the workspace. The Conditions for safe storage, including any incon         Technical measures and storage conditions:	ct code:       H100-X**       Revision date:         Measures to prevent fire:       Measures to prevent aerosol and dust generation:         Measures to protect the environment:       Measures to protect the environment:         Other measures:       Advice on general occupational hygiene:         Do not eat, drink or smoke in the workspace. Thoroughly to conditions for safe storage, including any incompatibilitie         Technical measures and storage conditions:       Store in away from consumple storage rooms and vessels:         Packaging materials:       Manufa         Requirements for storage rooms and vessels:       Keep and tightly of the storage rooms and vessels:         Advices for storage equipment:       Do not and do the resist directly ventilate         Further information on storage conditions:       Do not and do the chemic	ct code:       H100-X**       Revision date:       05 Dec 2022         Measures to prevent fire:       Use in well ventila away from heat, h flames and othe smoking. Use n equipment.       Use in well ventila away form heat, h flames and othe smoking. Use n equipment.         Measures to prevent aerosol and dust generation:       Ensure adequate v         Measures to protect the environment:       Prevent spilling int and waterways.         Other measures:       Protect against ele         Advice on general occupational hygiene:       Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work a conditions for safe storage, including any incompatibilities         Technical measures and storage conditions:       Store in a well-ventilated place away from sources of heat an unopened and hermetically from oxidizing agents, food consumption.         Packaging materials:       Manufacturer's original packag.         Requirements for storage rooms and vessels:       Keep away from food and drin tightly closed.         Advices for storage equipment:       Do not place the unused of be resistant to chemicals. The directly leads into sewage ventilation.         Do not place the unused mat and do not use empty cont	g name:       HISTANUL 100         ct code:       H100-X**       Revision date:       05 Dec 2022       Version:         ct code:       H100-X**       Revision date:       05 Dec 2022       Version:         Measures to prevent fire:       Use in well ventilated storage rooms away from heat, hot surfaces, sparks flames and other ignition source smoking. Use non-sparking tools equipment.       Measures to prevent aerosol and dust generation:       Ensure adequate ventilation.         Measures to protect the environment:       Prevent spilling into the sewage syste and waterways.       Prevent spilling into the sewage syste and waterways.         Other measures:       Other measures:       Protect against electrostatic charges.         Advice on general occupational hygiene:       Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.         Conditions for safe storage, including any incompatibilities       store in a well-ventilated place, protected from su away from sources of heat and ignition, in its or unopened and hermetically sealed packaging, from oxidizing agents, food, feed and artic consumption.         Packaging materials:       Manufacturer's original packaging.         Requirements for storage rooms and vessels:       Keep away from food and drink. Keep the contain tightly closed.         Advices for storage equipment:       The storage must be made of hard material; floor be resistant to chemicals. There must be no drai directly leads into sewage system. Secure prentitation.     <		

7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection								
8.1 Control parameters								
Substance	CAS No	•	exposure limit t term values	Biological limit values				
		ppm	mg/m <sup>3</sup>					
Ethanol	64-17-5	1000/-	1900/-	-				
Substance name: -								



Page 6 of 17

Trading na	ame:					HIS	STANO	L 100			
Product co	ode:	H100-X	**		Revisio	on date	:	05 Dec 2022		Version:	6
	i		-		1						
EC No:		-	CAS No	:	-						
DNEL											
					In	dustrial					
Route of		Αсι	ıte		Acute		Cł	nronic		Chronic	
exposure:		effect	local	effe	ct systemi	с	effe	ct local	e	effect systemic	
Oral		-		-		-			-		
Inhalation		1900 mg (ethanol)		-		-			380 mg	/m <sup>3</sup> (ethanol)	
Dermal		al parameters: solubility, flammability, co			-			343 mg	/kg (ethanol)		
Critical phy	sical para	meters: s	olubility,	flamm	ability, coı	rrosivity		-			
					Co	onsume					
Route of		A	cute		Acute		Cł	nronic		Chronic	
exposure:		effeo	t local	effe	ct systemi	с	effe	ct local	e	effect systemic	
Oral		-		-		-			87 mg/l	kg bw/day (etha	anol)
Inhalation		950 m (ethar	0	-		-			114 mg	/m <sup>3</sup> (ethanol)	
Dermal		-		-		-			206 mg	/kg (ethanol)	
PNEC											
Environmer	ntal prote	ection tar	get			PNEC					
Fresh water	•					0.96 m	g/l (eth	anol)			
Freshwater	sedimen	ts				3.6 mg	/kg (etł	nanol)			
Marine wat	er					0.79 m	g/l (eth	anol)			
Marine sed	iments					2.9 mg/kg (ethanol)					
Food chain						380-72	20 mg/k	g (ethanol)			
Microorgar	nisms in s	ewage tr	eatment			580 m	g/l (etha	anol)			
Soil (agricu	ltural)					0.63 m	g/kg (e	thanol)			
Air						no info	ormatio	n available			
8.2	Exposu	re contro	ls								
8.2.1.	Approp	riate eng	ineering (	control	s						
			ire related e during i			concer concer existing	ntration ntration g scien	limit it is the levels down t	e employ o a minir iological	vith no contro ver's duty to k num achievable means, where p workers.	keep e by
	Structu exposu		ires to pre	event		In acco	ordance	with Section 7.			



Page 7 of 17

					Page 7 of 17					
Trading name:		HISTANOL 100								
Product code: H100-X**		Revisi	Revision date: 05 Dec 2022 Version:							
	Orgar expos	nisational measures to pr sure:	event	J	on of work in order to r luring work process.	educe other worker'	S			
	Techr	nical measures to prevent	exposure:	In pursuance of work is proper foresight needed to avoid spilling onto clothes and floors and to avoid contact with eyes and skin. Use according to general application methods and with adequate ventilation						
				Use non-s	parkling ventilation syst	em.				
					propriate personal prot d eye-wash station.	ective equipment, sa	afety			
8.2.2.	Perso	nal protection equipmen	t	1						
8.2.2.1.	Eye a	nd face protection:	on: Use appropriate, chemical-proof protective glasses/face shield			e glasses/face shield	(EN			
8.2.2.2.	Skin p	kin protection								
	Hand	Hand protection: Use ap			nemical-resistant protec	ctive gloves (EN 374)	•			
	Other	skin protection:	Use ap	ppropriate protective clothing.						
8.2.2.3.	Respi	ratory protection:	concer in the contac	In case of normal usage and ventilation, it is not necessary concentration of ethyl alcohol exceeds occupational exposure lin in the air, use a self-contained breathing apparatus. For s contact and if the oxygen content of the air is greater than 18 %, a protective gas mask with filter A (EN 14837/A1).						
8.2.2.4.	Thern	nal hazards:	No the	rmal hazard	s known.					
8.2.3.	Environmental exposure controls									
		ance/mixture related ures to prevent exposure	: See Se	ction 6						
	Struct expos	tural measures to prevent sure:	t Use m	odern equipment.						
	-	nisational measures to nt exposure:	Adapt workpl	•	ocess to the required w	orking conditions of	the			
	Techr expos	nical measures to prevent sure:	See Se	See Section 6						

SECTI	SECTION 9. Physical and chemical properties							
9.1	Information on basic physical and chemical properties							
		Value	Method					
	Physical state:	liquid	No information available					
	Colour:	colourless	No information available					
	Odour/odour threshold:	ethanol like/no information available	No information available					
	Melting point / freezing point:	No information available	No information available					



Page 8 of 17

Trading name:	HISTANOL 100						
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6		

	Boiling point or initial boiling point and boiling range:	No information available	No information available		
	Flammability:	No information available	No information available		
	Lower and upper explosion limit:	lower: 3.3 Vol % upper: 19 Vol %	No information available		
	Flash point:	13 °C	No information available		
	Auto-ignition temperature:	363 ℃	No information available		
	Decomposition temperature:	No information available	No information available		
	pH:	No information available	No information available		
	Kinematic viscosity:	No information available	No information available		
	Solubility:	in water completely miscible	No information available		
	Partition coefficient n- octanol/water (log value):	No information available	No information available		
	Vapour pressure:	No information available	No information available		
	Density and/or relative density:	0.79 – 0.7921 (20°C)	No information available		
	Relative vapour density:	No information available	No information available		
	Particle characteristics:	No information available	No information available		
9.2	Other information				
	Explosive properties: the vapours f	rom ethyl alcohol form an expl	osive mixture with air		

SECTI	SECTION 10. Stability and reactivity						
10.1	Reactivity:	See Section 10.5.					
10.2	Chemical stability:	Stable within normal temperature and general work conditions.					
10.3	Possibility of hazardous reactions:	See Section 10.5.					
10.4	Conditions to avoid:	Keep away from heat, sparks, open flames, strong heating and ignition sources. No smoking.					
10.5	Incompatible materials:	Strong oxidizing agents (inorganic strong acid, nitric acid, perchlorates, peroxy compounds, perchloric acid, permanganates etc.), alkali metals, alkali earth metals.					
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.					

SECTIO	SECTION 11. Toxicological information								
11.1	11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008								
	Acute toxic	ity:							
Route o exposur		Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results			



Page 9 of 17

							Page 9	0117
Trading name:	HISTANOL 100							
Product code:	H100-X**		Revision date:		05 Dec 2	.022	Versior	n: 6
Oral:	-	rat (ethano		LD <sub>50</sub>	0	-		60 mg/kg
Dermal:	-	rabbit (etha	-	LD <sub>50</sub>	-	-		0.000 mg/l
Inhalation:	-	rat (ethano	ol)	LC <sub>50</sub>	)	4 h	>8	.000 mg/l
Specific t	arget organ to	oxicity – single e	vnosure					
opeenie a		Specific effects	.xposure	. (310132)	Target orgai	n	No	te
Oral:		ation available		No info	ormation avail		-	
Dermal:		ation available			ormation avail		_	
Inhalation:		ation available			ormation avail		_	
Aspiration	n hazard:		No inf	ormation a	available.			
:								
Irritation	and corrosion							
	Exp	osure time	Sp	oecies	Evaluation	Method	N	ote
Skin corrosion/irritatior	-		-		-	-	-	
Serious eye damage/irritation	-		-		-	-	-	
Sensitizat	ion							
Skin sensitization:	-	o information a	vailablo					
Respiratory sensiti		o information a						
Respiratory sensiti			valiable.					
Symptom	s related to th	ne physical, che	mical an	d toxicoloo	nical character	istics		
Oral exposure:	Absorpt unconsc	ion of great iousness and al g may occur. Re	quant cohol pc	ities may pisoning. In	cause dizz	ziness, dru wing great c		ausea and
Dermal exposure:	After pr cracking	olonged or re of skin.	peated	exposure s	symptoms ma	y include:	defatting, d	ryness and
Inhalation exposur	Δ.	e: Inhalation of great quantities may cause dizziness, euphoria and mild irritation of the mucc membranes.						
Eye exposure:	May cau	ise irritation and	d rednes	S.				
Reneated	dose toxicity	(subacute, subo	-hronic -	chronic)				
Nepealeu		Exposure		a.			•	
	Dose	time	Spe	ecies	Method	Evaluat	ion N	lote



Page 10 of 17

Trading name:		HISTA	NOL 100	5	
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 11 of 17

Trading name:	HISTANOL 100						
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6		

	Carcinogenicity: Ba	Based on available data, the classification criteria are not met.				
	Mutagenicity <i>in vitro</i> : Ba	ased on available data, the classification criteria are not met.				
	Genotoxicity: Ba	ased on available data, the classification criteria are not met.				
	Mutagenicity <i>in vivo</i> : Ba	ased on available data, the classification criteria are not met.				
	Germ cell mutagenicity: Ba	ased on available data, the classification criteria are not met.				
	Reproductive toxicity: Ba	ased on available data, the classification criteria are not met.				
	Summary of evaluation of the CMR properties:	Based on available data, the classification criteria are not met.				
11.2	Information on other hazards:					
11.2.1.	Endocrine disrupting properties:					
	Based on available data, does not contain endocrine disruptors.					
11.2.2.	Other information:					

SECTION 12. Ecologie	cal informat	ion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	golden orf	No information available	8.140 mg/l /48 h (ethanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	daphnia magna	No information available	7.800 mg/l (ethanol)	-
Algae/aquatic plants	IC <sub>50</sub>	4 days	algae	No information available	5.000 mg/l / 7d (ethanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-



Page 12 of 17

	1						Page 12 01 1	1
Trading name	:			HIST	ANOL 100			
Product code	: F	H100-X**		Revision date:	05 Dec 20	)22	Version:	6
Crustacea:		EC <sub>50</sub>	48 hours	No information available	n No information available		ation -	
Algae/aquatic plants IC <sub>50</sub>		IC <sub>50</sub>	72 hours	No information available	No information available	No informa available	ation _	-
Other organisms		-	-	-	-	-		
12.2								
		and degradat	oility					
Abioti		adation						
	De	egradation h	alt-lives	Method	Evaluatio		Note	
Marine water	No i	nformation a	wailable	No information available	No informatio available	n -		
Fresh water	sh water No information availa		ivailable	No information available	No information available		-	
Air	No information available		No information available	No information available				
Soil	No information available		No information available	No informatio available	-			
Biode	gradati	ion						
% Degradati	-	Time (d	days)	Method	Evaluatio	n	Note	
No information			formation	No information available	No informatio available	n No	information	
	1					:		
		tive potentia						
		er partition c						
Value Log Pow: ~	Cor -	ncentration	рН 	°C Method	Evalu		Note	es no
0.32							pioaccumulate	
Biocor Value	ncentra	ation factor (I Specie		Method	Evaluat	ion	Note	
value		Specie	د.	Methou	∟vaiudt		NOLE	



Page 13 of 17

Tradir	ng name:						HISTAN	NOL 10	0				
Produ	ct code:	H100	I-X**		Revis	ion da	ate:	05 D	ec 202	22		Version:	6
BCF: 0.	66	No availa	inform ble	ation	No infor available		on	No info availab		on	-		
	Chronic	ecotoxici	tv										
	Value		Dose	-	osure ime	Spe	ecies	Meth	nod	Eval	uation	Note	<u>.</u>
Chroni	c toxicity c	on fish	LC <sub>50</sub>	No infor availa	mation able	No inforr availa	mation able	No inform availab		No inforn availa	nation ble	-	
	c toxicity c cea ( <i>Daphr</i>		EC <sub>50</sub>	No infor availa	mation able	No inforr availa	mation able	No inform availab		No inforn availa	nation ble	-	
12.4	Mobility	vin coil											
12.4	-		ed distributi	on in e	nvironme	ental c	ompart	ments:					
		rmation a											
	Surface												
	Valu	e	°C	C	oncentrat	tion		Metho	d			Note	
	No informa available		o formation ⁄ailable		informat ailable	ion	No inf availal	ormation ble	n	-			
	Adsorpt	ion / deso	orption										
Transp	ort		oefficient s constant	lc	og Kow	E١	/aporati	on rate		Methoo	b	Note	
Soil-wa	ater	No i available	nformation	No ir availa	nformatio able		o inform ailable	nation	No ir availa	nformat able	tion	-	
Water-	-air	No i available	nformation	No ir availa	nformatio able		o inform ailable	nation	No ir availa	nformat able	tion	-	
Soil-ai	r	No i available	nformation e	No ir availa	nformatio able		o inform 'ailable	nation	No ir availa	nformat able	tion	-	
12.5			d vPvB asses										
	Based o	n availabl	e data, the p	produc	t does no	t cont	ain any	PBT or v	PvB su	bstance	es.		



Page 14 of 17

Trading name:		HISTANOL 100						
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6			

12.6.	Endocrine disrupting properti	es
	Based on available data, does	not contain endocrine disruptors.
12.7.	Other adverse effects	
	Do not let the product or its r	esidues reach sewer system, waterways and soil.
SECTIO	N 13. Disposal considerations	5
13.1	Waste treatment methods	
13.1.1.	Product/Packaging disposal	
	Submit for disposal to the le Protection.	egal person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste designa	tions according to Law:
13.1.2.	<u></u>	idual hazardous substances or is contaminated with hazardous substances
	r denaging that contains res	
13.1.3.	Waste treatment – relevant	information:
	No information available	
13.1.4.	Sewage disposal – relevant	information:
	Waste must not be disposed	d of into the sewage system.
	i	
13.1.5.	Other disposal recommendation	ations:
	authorized by the ministry i	luct's remains into the sewage system. Submit the remains to the collectors in charge. Do not dispose of the packaging into the sewage system. Submit
	burnt.	tors authorized by the ministry in charge. Unused product residues may be
13.1.6.	Relevant Community provisi	ions:
	Disposal must be made acco	ording to official regulations.
SECTIO	N 14 TRANSPORT INFORMA	ΓΙΟΝ
	Transporting/shipment by roa	ad (ADR)
UN num	nber:	1170
UN proj	per shipping name:	Ethanol solution
Transpo	ort hazard class(es):	3
Packing	group:	П



Page 15 of 17

Trading name:		HISTA	NOL 100		
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6
	:	1	1		
Environmentally ha	zardous:	-			
Special precautions	Special precautions for user:				
Transporti	ng/shipment by rail (RI	D)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		II			
Environmentally ha	zardous:	-			
Special precautions	s for user:	-			
Inland wat	erway transport (ADN)				
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:					
Environmentally ha	zardous:	-			
Special precautions	s for user:	-			
Transporti	ng/shipment by sea (IN	/IDG)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		II			
Environmentally ha	zardous:	-			
Special precautions	s for user:	-			
Transport in bulk a of MARPOL 73/78 a	according to Annex II and the IBC code:	-			
Transporti	ng/shipment by air (IC/	40-TI/IATA-DGR)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		II			
Environmentally ha	zardous:	-			
Special precautions	s for user:	-			
Further information	n: -				

**SECTION 15. Regulatory information** 



Page 16 of 17

Trading name:	HISTANOL 100						
Product code:	H100-X**	Revision date:	05 Dec 2022	Version:	6		

	EU regulations				
	Authorization and/or restrictions of use				
	Authorizations:	-			
	Restrictions:	-			
	Other EU regulations:	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</li> <li>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</li> <li>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety</li> </ul>			
		<ul> <li>of workers from the risks related to chemical agents at work;</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</li> <li>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</li> <li>REACH Restrictions on the manufacturing, placing on the market and use of certain</li> </ul>			
	Information according 19	dangerous substances, mixtures and articles (Annex XVII);			
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC- guideline)				
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act			
15.2	Chemical safety assessment				
	None				

SECTION 16. Other information					
16.1	Indication of changes:	-			



Page 17 of 17

Trading name: Product code: H100-X**			HISTANOL 100				
		H100-X**	Revision date:	05 Dec 2022	Version:	6	
16.2	Abbrevia	tions and acronyms:	DNEL:Derived No-Effect LLC50:Lethal concentrationLD50:Lethal dose, 50 percPBT:Persistent, Bioaccur	t Concerning the Internations of Code for Dangerous Gonsport Association d System of Classification a of Existing Commercial Cl Service (division of the Amevel (UK REACH) n, 50 percent cent	onal Carriage of Dang ods and Labelling of Chem hemical Substances	gerous	
16.3.	Key litera source of	ture references and data:	Manufacturer's MSDS file.				
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)						
Classification			Classification procedure				
-	-		-				
16.5.	Relevant	Relevant H statements (number and full text)					
	H: 2	225	Highly flammable liquid and vapor.				
16.6.	Training a	advice:	-				
16.7.	Further information:		** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.				

### ANNEX: Exposure scenario resulting to chemical safety assessment