

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 1 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

1.1	Product identifier	the substance	c, iiixtai t	e and of the company/undertaking		
	Trading name:	HISTANOL	HISTANOL 80			
	Chemical name:	Ethyl alcoh	Ethyl alcohol			
	Catalogue number:	H80-X**				
1.2			nixture and uses advised against			
	Uses:		For use	in histocytology and cytology sample processing.		
	Uses advised against:	Uses advised against:		e identified uses are advised. Unsuitable for human nption.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent	oerson:	msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone number					
	National Protection a	nd Rescue Dir	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	ON 2. Hazards identification				
2.1	Classification of the substan	Classification of the substance or mixture			
2.1.1	Classification according to R	Regulation (EC) No 12	272/2008 (CLP)		
	Hazard class and cat	egory code:	Hazard statements*:		
	Flam. Liq. 2		H225		
2.1.2.	Additional information				
	-				
*For fu	ll text of Hazard- and EU Haza	rd-statements: see S	SECTION 16		
2.2	Label elements				
	Product identification:	HISTANOL 80			
	Identification number:	-			
	Authorization number:	-			



Page 2 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	Hazard pictograms:	GHS02		
	Signal word:	Danger		
	Hazard statements:	H225 Highly flammable liquid and vapor.		
	Precautionary statements:	P210 Keep away from heat, hot sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P403+P235 Store in a well-ventilated place. Keep cool.		
	Supplemetal hazard information (EU):	-		
2.3	Other hazards			
	The product has no other know	n specific hazards for human or environment.		
	Results of PBT and vPvB assessing PBT or vPvB substances.	ment: Based on available data, the product does not contain any		
	Endocrine disrupting property:	Based on available data, does not contain endocrine disruptors.		

SECTION 3. Co	SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	~ 80%	ethanol	Flam. Liq. 2; H225	

SECT	SECTION 4. First aid measures				
4.1	Description of first aid measure	es .			
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Take the victim into fresh air, loosen his clothes and place him in a comfortable position. If breathing difficulty occurs, administer artificial respiration. In case of complaints call a physician.			
	Following skin contact:	Remove the contaminated clothes. Wash the skin surface under plenty of running water. Seek medical assistance if the symptoms of irritation remain.			



Page 3 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	Following eye contact:	In case of contact with eyes flush with water holding eyelids apart and moving the eyeballs (for at least 10 minutes). If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Place the victim in a comfortable position. Rinse the mouth with clean water. If the victim is conscious induce vomiting. Do not give the victim anything orally, and do not induce vomiting if the victim is unconscious or suffers from convulsions.
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Inhalation of larger quantities may affect the central nervous system.
	Following skin contact:	Prolonged or repeated dermal contact may cause the defatting and dryness of the skin.
	Following eye contact:	May irritate the eyes.
	Following ingestion:	Ingestion of larger quantities may affect the central nervous system.
4.3	Indication of any immediate medi	cal attention and special treatment needed
	If larger quantities have entered the	ne body, obtain medical treatment (gastric lavage, activated carbon).

SECTION	ON 5. Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media:	Extinguishing powder, alcohol-resistant foam, water, carbon-dioxide.
	Unsuitable extinguishing media:	Water with full jet.
5.2	Special hazards arising from the su	ubstance or mixture
	Hazardous combustion products:	Highly flammable liquid and vapour. In case of fire, smoke, and other combustion products (carbon monoxide, carbon dioxide) may be formed, the inhalation of such combustion products can have serious adverse effects on health. Vapours may form an explosive mix with air. Vapours may be ignited by open flames, sparks, electrical equipment, or static charge. Vapours may travel to great distances, ignite in contact with ignition sources and flash back to the primer source (container). Vapours of ethyl alcohol mix greatly with air and may form an explosive mixture. Air containing 3.3 – 19 % ethyl alcohol vapours may explode in contact with ignition sources. Diluting the mixture with large amounts of water results in the loss of its flammability (around 10 % concentration of ethyl alcohol).
5.3	Advice for firefighters	
	Wear full protective clothing and s water spray. Use water spray to dis	elf-contained breathing apparatus. Cool the fire affected containers with ssipate alcohol vapours.
5.4	Additional information	
	-	



Page 4 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

6.1	Personal precautions, protective	ve equipment and emergency procedures		
6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Avoid contact with skin, eyes and clothing and inhaling gases, vapours and aerosols. Ensure adequate ventilation. Vapours may accumulate at floor level in low and confined spaces. Remove all heat, ignition and spark sources, turn off machines. Ignition spark arrestor must not be operated in the danger area. Use spark-proof tools. Be aware of the risk of slipping.			
6.2	Environmental precautions:			
	Dispose of the spillage and the resulting waste according to the applicable environmental regulations. Do not allow the product and the resulting waste to enter sewers/soil/surface or ground water. Notify the respective authorities in accordance with local law in the case of environmental pollution immediately.			
6.3	Methods and material for containment and cleaning up			
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.		
6.3.2.	Cleaning up:	Collect the spilled product with inert, non-combustible absorbent (e.g. sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution).		
6.3.3.	Secure proper ventilation. Do not use incompatible materials (see Sectio 10).			
6.4	Reference to other sections			
	See Section 7 for information	on safe handling.		

SECTIO	SECTION 7. Handling and storage			
7.1	Precautions for safe handling			
7.1.1.	Protection measures			



Page 5 of 17

Trading name:	HISTANOL 80				
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	Measures to prevent fire:		Use in well ventilated storage rooms. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use non-sparkling tools and equipment.	
	Measures to prevent aerosol and dust generation	n:	Ensure adequate ventilation.	
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.	
	Other measures:		Protect against electrostatic charges.	
7.1.2.	Advice on general occupational hygiene:			
	Do not eat, drink or smoke in the workspace. The	oroughly was	sh hands after work and before eating.	
7.2	Conditions for safe storage, including any incom	patibilities		
	Technical measures and storage conditions:	away from unopened	well-ventilated place, protected from sunlight, a sources of heat and ignition, in its original, and hermetically sealed packaging, away dizing agents, food, feed and articles of ion.	
	Packaging materials:	Manufactu	ırer's original packaging.	
	Requirements for storage rooms and vessels:	Keep away	r from food and drink. Keep the containers sed.	
	Advices for storage equipment:	be resistar	pe must be made of hard material; floors must nt to chemicals. There must be no drain that leads into sewage system. Secure proper i.	
	Further information on storage conditions:	Do not place the unused material in the storage rand do not use empty containers for storing chemicals. Do not store with incompatible materials Section 10).		
7.3	Specific end use(s)			
	Recommendations:	-		
	Industrial sector specific solutions:	-		

SECTION 8. Exposure controls/personal protection								
8.1 Control parameters	8.1 Control parameters							
Substance	CAS No	•	exposure limit term values	Biological limit values				
		ppm	mg/m³					
Ethanol	64-17-5	1000/-	1900/-	-				
Substance name: -								



Page 6 of 17

									rage o or r	<i>i</i>
Trading na	ame:					HIST	ANOL 80			
Product co	ode:	H80-X**			Revisio	n date:	05 Dec	2022	Version:	6
		1					1			
EC No:		-	CAS No	:	-					
DNEL										
				1	Inc	dustrial				
Route of		Acu			Acute		Chronic		Chronic	
exposure:		effect	local	effe	ct systemic		effect local		effect systemic	
Oral		1000	13	-		-		-		
Inhalation		1900 mg (ethanol)		-		-		38	30 mg/m³ (ethanol)	
Dermal		-		-		-		34	l3 mg/kg (ethanol)	
Critical phy	sical para	meters: s	olubility,	flamm	ability, cor	rosivity:	-	•		
					Co	nsumer	·			
Route of		Ac	ute		Acute		Chronic		Chronic	
exposure:		effec	t local	effe	ct systemi	C	effect local		effect systemic	
Oral		-		-		-		87	mg/kg bw/day (eth	anol)
Inhalation		950 m (ethan	_	-		-		11	4 mg/m³ (ethanol)	
Dermal		-		-		-		20	06 mg/kg (ethanol)	
PNEC										
Environmer	ntal prote	ection targ	get			PNEC				
Fresh water	r					0.96 mg/l (ethanol)				
Freshwater	sedimen	ts				3.6 mg/kg (ethanol)				
Marine wat	er					0.79 mg/l (ethanol)				
Marine sed	iments					2.9 mg/kg (ethanol)				
Food chain						380-720 mg/kg (ethanol)				
Microorgan	nisms in s	ewage tre	eatment			580 mg/l (ethanol)				
Soil (agricu	ltural)					0.63 mg/kg (ethanol)				
Air				no information available						
8.2	Exposu	re control	S							
8.2.1.	Approp	riate eng	ineering	control	S					
		bstance/mixture related measures to event exposure during identified uses:				In case of a hazardous material with no controlled concentration limit it is the employer's duty to keep concentration levels down to a minimum achievable by existing scientific and technological means, where the hazardous substance poses no harm to workers.				keep le by
	Structu exposu	ral measu re:	res to pr	event		In accord	ance with Sec	ction 7.		



Page 7 of 17

Trading name:	HISTANOL 80				
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	Organisational measures to preve exposure:	ent	Organization of work in order to reduce other worker's influence during work process.		
	Technical measures to prevent ex	posure:	In pursuance of work is proper foresight needed to avoid spilling onto clothes and floors and to avoid contact with eyes and skin. Use according to general application methods and with adequate ventilation.		
	•	•	Use non-sparkling ventilation system.		
			Provide appropriate personal protective equipment, safety shower and eye-wash station.		
8.2.2.	Personal protection equipment				
8.2.2.1.	Eye and face protection:	Use appropriate, chemical-proof protective glasses/face shield (EN ISO 16321-1:2022, EN 166).			
8.2.2.2. Skin protection					
	Hand protection:	Use ap	ppropriate, chemical-resistant protective gloves (EN 374).		
	Other skin protection:	Use appropriate protective clothing.			
8.2.2.3.	Respiratory protection:	concer in the contac	e of normal usage and ventilation, it is not necessary. If ntration of ethyl alcohol exceeds occupational exposure limits air, use a self-contained breathing apparatus. For short at and if the oxygen content of the air is greater than 18 %, use ective gas mask with filter A (EN 14837/A1).		
8.2.2.4.	Thermal hazards:	No the	ermal hazards known.		
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Se	ction 6		
	Structural measures to prevent exposure:	Use m	odern equipment.		
	Organisational measures to prevent exposure:	Adapt workpl	the work process to the required working conditions of the ace.		
	Technical measures to prevent exposure:	See Se	ction 6		

SECTI	SECTION 9. Physical and chemical properties						
9.1	Information on basic physical and chemical properties						
		Value	Method				
	Physical state:	liquid	No information available				
	Colour:	colourless	No information available				
	Odour/odour threshold:	ethanol like/no information available	No information available				
	Melting point / freezing point:	No information available	No information available				



Page 8 of 17

Trading name:	HISTANOL 80			_	
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	lower: 3.3 Vol % upper: 19 Vol %	No information available
	Flash point:	20 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	рН:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	in water completely miscible	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	~ 0.843 (20°C)	No information available
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	Explosive properties: the vapours f	rom ethyl alcohol form an expl	osive mixture with air

SECTIO	ON 10. Stability and reactivity		
10.1	Reactivity:	See Section 10.5.	
10.2	Chemical stability:	Stable within normal temperature and general work conditions.	
10.3	Possibility of hazardous reactions:	See Section 10.5.	
10.4	Conditions to avoid:	Keep away from heat, sparks, open flames, strong heating and ignition sources. No smoking.	
10.5	Incompatible materials:	Strong oxidizing agents (inorganic strong acid, nitric acid perchlorates, peroxy compounds, perchloric acid, permanganat etc.), alkali metals, alkali earth metals.	
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.	

SECTION 11. Toxicological information							
11.1 Information	11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008						
Acute toxi	Acute toxicity:						
Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results		



Page 9 of 17

	!						Page 9 C	71 17
Trading name:				HIST	ANOL 80			
Product code:	H80-X**		Revision date: 05 Dec 2		2022	Version:	6	
Oral:	-	rat (ethano		LD ₅₀)	-		0 mg/kg
Dermal:	-	rabbit (ethar		LD ₅₀)	-		000 mg/l
Inhalation:	-	rat (ethano	ol)	LC ₅₀		4 h	>8.0	000 mg/l
C:fi t		visia e sincela se		(CTOT CE)				
Specific to		xicity – single ex pecific effects	xposure	(STOT SE):		n	Note	2
Oral:		tion available		No info	Target orga ormation avail		INOLE	
Dermal:		tion available			ormation avail			
Inhalation:	No informa	tion available		No info	ormation avail	able -		
Aspiration	n hazard:		No inf	ormation a	vailable			
Aspiration	ii iidzai'd.		140 1111	Offilation a	valiable.			
Irritation	and corrosion							
i i	Ехро	osure time	Sp	ecies	Evaluation	Method	No	te
Skin corrosion/irritatior	n: -		_		-	-	-	
Serious eye damage/irritation	-		-		-	-	-	
Sensitizat	tion							
Skin sensitization:		information av	/ailable.					
Respiratory sensiti		information av						
respiratory serisit.	240011.	, mormation as	andore.	<u> </u>				
Symptom	ns related to th	e physical, chen	nical an	d toxicolog	jical character	ristics		
Oral exposure:	unconsci	on of great ousness and alc may occur. Rep	ohol po	oisoning. Ín	case of swallo	wing great qu	ıantities, nau	isea and
Dermal exposure:	After pro	olonged or rep of skin.	eated	exposure s	symptoms ma	ay include: de	efatting, dry	ness an
Inhalation exposui	re: Inhalatio membrar	n of great quant nes.	tities ma	ay cause diz	ziness, eupho	oria and mild ir	ritation of th	ie mucou
Eye exposure:	May caus	se irritation and	rednes	S.				
Repeated	dose toxicity	(subacute, subc	hronic,	chronic)				
	Dose	Exposure	Sne	ecies	Method	Evaluatio	n Na	ote



Page 10 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	_
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 11 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	CMR effects (carcinogenicity; mutagenicity,	; reproductive toxicity)
	Carcinogenicity:	Based on available data, the classification criteria are not met.
	Mutagenicity in vitro:	Based on available data, the classification criteria are not met.
	Genotoxicity:	Based on available data, the classification criteria are not met.
	Mutagenicity in vivo:	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
	Reproductive toxicity:	Based on available data, the classification criteria are not met.
	Summary of evaluation of the CM properties:	R Based on available data, the classification criteria are not met.
11.2	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	Based on available data, does not conta endocrine disruptors.	in
11.2.2.	Other informations:	
_	-	

SECTION 12. Ecologic	cal informat	ion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	golden orf	No information available	8.140 mg/l /48 h (ethanol)	-
Crustacea:	EC ₅₀	48 hours	daphnia magna	No information available	7.800 mg/l (ethanol)	-
Algae/aquatic plants	IC ₅₀	4 days	algae	No information available	5.000 mg/l / 7d (ethanol)	_
Other organisms	-	-	-	-	_	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-



Value

Species

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

te: 05 De			
00 00	c 2022	Version:	
tion No informatic available	on No infor		
tion No informatic available	on No infor	i -	
-	-	-	
Evalu	uation	Note	
n No inform available	nation -		
n No inform available	nation -	-	
n No inform available			
No information available No information			
Evalu	uation	Note	
n No inform available		No information vailable	
thod E	Evaluation	Note	<u>,</u>
-		The product of bioaccumulate	
Met			_ The product of

Method

Evaluation

Note



Page 13 of 17

Trading name:		HISTAN	OL 80	-	
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	duct code: H80-X**		: H80-X** Revision date: 05		05 D	No information available			Version:			
BCF: 0.66		No informa		ation No information available							-	
	Chronic e	ecotoxicit	y	1	1				1			
	Value		Dose		osure ime	Species	Meth	nod	Eval	uation	n Note	
Chronic	toxicity or	n fish	LC ₅₀	No infor availa	mation	No information available	No informavailab		No inforn availa		ı -	
	toxicity or a (<i>Daphni</i>		EC ₅₀	No infor availa	mation	No information available	No inform availab		No inforn availa		-	
12.4	Mobility i	in soil										
	Known o	r predicte	ed distributi	on in e	environme	ntal compart	ments:					
	No inforn	mation av		on in e	environme	ental compart	tments:					
	No inform	mation av	railable									
	No inform Surface to Value	mation av	railable °C		oncentrati		ments: Metho	od			Note	
	No inform	ension average ension: Notion info	railable °C	Co		ion	Metho		-		Note	
	No inform Surface to Value No informati	ension average ension: Notion info	°C ormation	Co	oncentrati informati	ion on No inf	Metho		_		Note	
	No inform Surface to Value No informati	ension avenuension avenuension info	°C ormation ailable	Co	oncentrati informati	ion on No inf	Metho		-		Note	
Transpoi	No informati available Adsorption	ension average in a variation average in a va	°C ormation ailable	No ava	oncentrati informati	ion on No inf	Metho formation ble	n	Method	1	Note	
Transpoi	No informati available Adsorption	nation average ion / deso A/D con Henry's	°C ormation ailable rption efficient	No ava	oncentrati informati nilable og Kow	on No infavailal	Methodological Method	1	Method			
	No informati available Adsorption rt er	on / deso A/D co Henry's No in available	°C ormation ailable rption efficient constant	No availa	oncentrati informati nilable og Kow nformation able	Evaporati No informavailable	Methodological Method	No ir avail	Method nformat able	ion		

Based on available data, the product does not contain any PBT or vPvB substances.



SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 14 of 17

Trading name:			HIST	ANOL 80		
Produc	t code:	H80-X**	Revision date:	05 Dec 2022	Version:	6
12.6.	Endocrine	e disrupting properti	es			
	Based on	available data, does	not contain endocrine disru	ıptors.		
12.7.	Other adv	verse effects				
	Do not le	t the product or its r	esidues reach sewer system	, waterways and soil.		
SECTIO	N 13. Disp	osal consideration	s			
13.1	Waste t	reatment methods				
	*					
13.1.1.	Produc	t/Packaging disposal	:			
	Submit Protect	•	egal person authorized by tl	ne Ministry of Environme	ental and Nature	
	FIOLECT	1011.				
13.1.2.	Waste o	codes/waste designa	tions according to Law:			
	Packag	ing that contains res	idual hazardous substances	or is contaminated with	hazardous substan	ces
13.1.3.	Waste t	reatment – relevant	information:			
	No info	rmation available				
13.1.4.	Sewage	e disposal – relevant	information:			
	Waste i	must not be dispose	d of into the sewage system			
	:					
13.1.5.		lisposal recommend				
	authori	zed by the ministry	luct's remains into the sewa in charge. Do not dispose o tors authorized by the min	of the packaging into the	e sewage system. S	Submit
13.1.6.	Relevar	nt Community provis	ions:			
	Disposa	al must be made acc	ording to official regulations	5.		
				•	-	

Transporting (abis properties and (ADD)
Transporting/shipment by road (ADR)

SECTION 14 TRANSPORT INFORMATION

,	g,g,g,		
UN number:	1170		
UN proper shipping name:	Ethanol solution		
Transport hazard class(es):	3		
Packing group:	II		



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 15 of 17

Trading name:		HISTAN	IOL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (R	ID)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (II	MDG)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	



Page 16 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

15.1	EU regulations	nmental regulations/legislation specific for the substance or mixture
	Authorization and/or rest	victions of uso
	-	rictions of use
	Authorizations:	
	Restrictions:	-
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
		REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 19 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessme	ent
	None	

SECTION 16. Other information		
	16.1 Indication of changes:	-



SAFETY DATA SHEET rding to Regulation (EC) No. 1907/

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 17 of 17

Trading name:		HISTAN	OL 80		
Product code:	H80-X**	Revision date:	05 Dec 2022	Version:	6

	,			
16.2	Abbreviations and acronyms	ADR: Accord relatif au transport international des marchandises dangereuses paroute (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative		
16.3.	Key literature references and source of data:	Manufacturer's MSDS file.		
16.4.	Classification and procedure 1272/2008 (CLP)	used to derive the classification for mixture according to Regulation (EC)		
Classific	cation	Classification procedure		
_		-		
16.5.	Relevant H statements (num	per and full text)		
	H: 225	Highly flammable liquid and vapor.		
16.6.	Training advice:	-		
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.		

ANNEX: Exposure scenario resulting to chemical safety assessment
-