

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trading name:	HISTANOL EP 95
	Chemical name:	-
	Catalogue number:	HEP95-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Rehydrating/dehydrating agent.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

### SECTION 2. Hazards identification

2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Flam. Liq. 2	H225
	Eye Irrit. 2	H319
	STOT SE 3	H336
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see SECTION 16		
2.2	Label elements	
	Product identification:	HISTANOL EP 95
	Identification number:	-

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Authorization number:	-
Hazard pictograms:	  GHS02                      GHS07
Signal word:	Danger
Hazard statements:	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness
Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental hazard information (EU):	-

**2.3 Other hazards**

**Endocrine Disrupting Properties:**

No known endocrine disrupting properties.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3. Composition/information on ingredients**

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	50 – 70 %	ethanol	Flam. Liq. 2; H225
67-63-0/ 200-661-7/ 603-117-00-0	-	30 - 50 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

**SECTION 4. First aid measures**

**4.1 Description of first aid measures**

General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
----------------	--

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-

<b>4.2</b>	<b>Most important symptoms and effects, both acute and delayed</b>
------------	--

	Following inhalation:	Central nervous system depression, prolonged or repeated exposure can cause: nausea, headache, vomiting, narcosis, drowsiness.
	Following skin contact:	Defatting, dry skin.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Overexposure may cause mild, reversible liver effects. Aspiration may lead to: lung edema, pneumonia

<b>4.3</b>	<b>Indication of any immediate medical attention and special treatment needed</b>
------------	---

		-
--	--	---

<b>SECTION 5. Firefighting measures</b>	
---	--

<b>5.1</b>	<b>Extinguishing media</b>
------------	----------------------------

	Suitable extinguishing media:	Carbon dioxide (CO <sub>2</sub> ), foam, dry powder.
	Unsuitable extinguishing media:	No information available.

<b>5.2</b>	<b>Special hazards arising from the substance or mixture</b>
------------	--

	Hazardous combustion products:	Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
--	--------------------------------	--

<b>5.3</b>	<b>Advice for firefighters</b>
------------	--------------------------------

		Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.
--	--	--

<b>5.4</b>	<b>Additional information</b>
------------	-------------------------------

		Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.
--	--	--

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

**SECTION 6. Accidental release measures**

6.1	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3	Methods and material for containment and cleaning up	
6.3.1.	Bundling, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

**SECTION 7. Handling and storage**

7.1	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Other measures:	Protect against electrostatic charges.
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging. Suitable material: HDPE containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

<b>SECTION 8. Exposure controls/personal protection</b>				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
Ethanol	64-17-5	1000/-	1900/-	
Propan-2-ol	67-63-0	400/500	999/1250	-
Substance name: -				
EC No: - CAS No: -				
<b>DNEL</b>				
<b>Industrial</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Inhalation	1900 mg/m <sup>3</sup> (ethanol)	-	-	380 mg/m <sup>3</sup> (ethanol) 500 mg/m <sup>3</sup> (propan-2-ol)
Dermal	-	-	-	343 mg/kg (ethanol) 888 mg/kg bw/day (propan-2-ol)

Critical physical parameters: solubility, flammability, corrosivity: -

**Consumer**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	87 mg/kg bw/day (ethanol) 26 mg/kg bw/day (propan-2-ol)
Inhalation	950 mg/m <sup>3</sup> (ethanol)	-	-	114 mg/m <sup>3</sup> (ethanol) 89 mg/m <sup>3</sup> (propan-2-ol)
Dermal	-	-	-	206 mg/kg (ethanol) 319 mg/kg (propan-2-ol)

**PNEC**

Environmental protection target	PNEC
Fresh water	0.96 mg/l (ethanol)
Freshwater sediments	3.6 mg/kg (ethanol)
Marine water	0.79 mg/l (ethanol)
Marine sediments	2.9 mg/kg (ethanol)
Food chain	380-720 mg/kg (ethanol)
Microorganisms in sewage treatment	580 mg/l (ethanol)
Soil (agricultural)	0.63 mg/kg (ethanol)
Air	no information available

**8.2 Exposure controls**

**8.2.1. Appropriate engineering controls**

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	In accordance with Section 7.
Organizational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.
8.2.2.	<b>Personal protection equipment</b>	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	<b>Skin protection</b>	
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Full contact: Glove material: butyl rubber Glove thickness: ≥ 0.50 mm Time until perforation: > 480 min Splash contact: Glove material: nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min
	Other skin protection:	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	<b>Environmental exposure controls</b>	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

**SECTION 9. Physical and chemical properties**

9.1 Information on basic physical and chemical properties

	Value	Method
--	-------	--------

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Physical state:	liquid	No information available
	Colour:	colourless	No information available
	Odour/odour threshold:	alcohol like/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	22 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	-		

### SECTION 10. Stability and reactivity

10.1	Reactivity:	See subsections 10.3 through 10.5.
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No dangerous reactions known.
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.
10.5	Incompatible materials:	Acids, bases, oxidants.
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.

### SECTION 11. Toxicological information

11.1	Information on toxicological effects
	Acute toxicity:



Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results
Oral:	-	rat	LD <sub>50</sub>	-	7.060 mg/kg (ethanol) 5.840 mg/kg (2-propanol)
Dermal:	-	rabbit	LD <sub>50</sub>	-	> 20.000 mg/l (ethanol) 12.800 mg/kg (2-propanol)
Inhalation:	-	rat (2-propanol)	LC <sub>50</sub>	4 h	> 8.000 mg/l (ethanol) 37.5 mg/l – vapor (2-propanol)

**Specific target organ toxicity – single exposure (STOT SE):**

	Specific effects	Target organ	Note
Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	may cause drowsiness or dizziness

**Aspiration hazard:** No information available.

**Irritation and corrosion**

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	-
Serious eye damage/irritation	-	rabbit	-	-	causes serious eye irritation

**Sensitization**

Skin sensitization:	No information available.
Respiratory sensitization:	No information available.

**Symptoms related to the physical, chemical and toxicological characteristics**

Oral exposure:	No information available.
Dermal exposure:	No information available.

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Inhalation exposure:	No information available.
Eye exposure:	No information available.

Repeated dose toxicity (subacute, subchronic, chronic)

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
Carcinogenicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vitro</i> :	Based on available data, the classification criteria are not met.
Genotoxicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vivo</i> :	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
Summary of evaluation of the CMR properties:	Based on available data, the classification criteria are not met.

11.2	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	No known endocrine disrupting properties that affect human health.
11.2.2.	Other information:
	-

**SECTION 12. Ecological information**

12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Pimephales promelas	No information available	8.140 mg/l (ethanol) 9.640 mg/l (2-propanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	No information available	7.800 mg/l (ethanol) 13.299 mg/l (2-propanol)	-

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Algae/aquatic plants	IC <sub>50</sub>	4 days	algae	No information available	5.000 mg/l (ethanol) > 1,000 mg/l (2-propanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

**12.2 Persistence and degradability**

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
53 %	5 days	aerobic	No information available	Readily biodegradable

**12.3 Bioaccumulative potential**

Octanol-water partition coefficient (log K<sub>ow</sub>)

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Value	Concentration	pH	°C	Method	Evaluation	Note
≤ 4	-	-	-	-	-	No bioaccumulation is to be expected

Bioconcentration factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

**12.4 Mobility in soil**

Known or predicted distribution in environmental compartments:

No information available

Surface tension:

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log K <sub>ow</sub>	Evaporation rate	Method	Note

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

**12.5. Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6. Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects**

No further relevant information available.

**SECTION 13. Disposal considerations**

**13.1 Waste treatment methods**

**13.1.1. Product/Packaging disposal:**

Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

**13.1.2. Waste codes/waste designations according to Law:**

Packaging that contains residual hazardous substances or is contaminated with hazardous substances

**13.1.3. Waste treatment – relevant information:**

No information available

**13.1.4. Sewage disposal – relevant information:**

Waste must not be disposed of into the sewage system.

**13.1.5. Other disposal recommendations:**

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
--	---

13.1.6.	Relevant Community provisions:
	Disposal must be made according to official regulations.

<b>SECTION 14 TRANSPORT INFORMATION</b>
---

	Transporting/shipment by road (ADR)
--	-------------------------------------

UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

	Transporting/shipment by rail (RID)
--	-------------------------------------

UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

	Inland waterway transport (ADN)
--	---------------------------------

UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

	Transporting/shipment by sea (IMDG)
--	-------------------------------------

UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	
	-

**SECTION 15. Regulatory information**

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
	Other EU regulations: <p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)



Trading name:	<b>HISTANOL EP 95</b>				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment
	None

**SECTION 16. Other information**

16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	Manufacturer's MSDS file.
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H: 225	Highly flammable liquid and vapor.
	H: 319	Causes serious eye irritation.
	H: 336	May cause drowsiness or dizziness.
16.6.	Training advice:	-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

<b>ANNEX: Exposure scenario resulting to chemical safety assessment</b>
-