

Page 1 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

1.1.	Product identifier					
	Trade name:	MAY-GRUEN	WALD SOLUTION			
	Chemical name:	-				
	Catalogue number:	MG-OT-X**				
1.2.	Relevant identified uses of the substance or mixture and uses advised against					
	Uses:	For use in hematology and cytology.				
	Uses advised against:	Only the identified uses are advised.				
	Reason why uses advised against:	device, registe	s intended for use only as an <i>in vitro</i> diagnostic medical ered at the Agency for Medicinal Products and Medical here is no reason to use it for other purposes.			
1.3.	Details of the supplier of the safety data sheet					
	Supplier:	BioGnost Ltd.				
	Address:	Medjugorska 59, Zagreb				
	Telephone number:	+385 1 2409997				
	Telefax:	+385 1 24040	39			
	e-mail of competent person:	msds@biogno	<u>ost.hr</u>			
	National contact:					
1.4.	Emergency telephone numbers	Emergency telephone numbers				
	National Protection and Rescue	e Directorate:	112			
	Medical information:		+385 1 2348 342			
	Other information:		-			

SECTIC	SECTION 2. Hazards identification				
2.1.	Classification of the substance or mixture				
2.1.1.	Classification according to Regulation (EC) No	1272/2008 (CLP)			
	Hazard class and category code: Hazard statement*:				
	Flam. Liq. 2 H225				
	Acute Tox. 3 H301				
	Acute Tox. 3 H311				
	Acute Tox. 3	H331			
	STOT SE 1	H370			
2.1.2.	Additional information				
* For fu	* For full text of Hazard- and EU Hazard-statements: see SECTION 16				
2.2.	Label elements				



Page 2 of 18

Trade name:				MAY-GRUFNW	ALD SOLUTION	i age	2 of 18
Product		MG-OT-X**	Dat	e of compilation:	22 Dec 2022	Version:	6
11000000	couc.	MG OT X	Du			version.	U
	Product ic	lentification:	MAY-G	RUENWALD SOLUTIO	N		
	Identificat	ion number:	-				
	Authorisa	tion number:	-				
	Hazard pi	ctograms:	GHS02 GHS06				
	Signal wo	rd:	Dange	r			
	Hazard sta	atements:	H225 H301+ H370	Highly flammable liq H311+H331 Toxic if sv Causes damage to or	vallowed, in contact v	vith skin or if i	nhaled.
	Precautio	nary statements:	P233 P280 protect P301+ P302+ P304+ positio	Keep away from heat n sources. No smoking Keep container tightl Wear protective glow tion. P310 IF SWALLOWED: P352 IF ON SKIN: Wash P340 IF INHALED: Rem n comfortable for brea P311 IF exposed or cor	y closed. es, protective clothing Immediately call a PC h with plenty of soap love victim to fresh ai athing.	g, eye protecti DISON CENTEF and water. r and keep at	on, face R/doctor. rest in a
	Suppleme informatio	etal hazard on (EU):	-				
2.3.	Other haz	ards					
		e Disrupting Pro	-				
				perties nt : According to the r	esults of its assessme	nt, this substa	ince is not a



Page 3 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307- 44-xxxx	95-100 %	methanol	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370		

SECTI	ON 4. First aid measures	
4.1.	Description of first aid n	neasures
	General notes:	First aider needs to protect himself.
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration, if necessary also oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration.
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink one glass (100 ml) of 40% ethanol (adult dose). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour). Do not attempt to neutralise.
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.
4.2.	Most important sympto	ms and effects, both acute and delayed
	Following inhalation:	Irritation to the airways and possible damage to the lung probably only through very high vapor concentrations, then even absorptive-toxic effects.
	Following skin contact:	Minor/no irritation, degreasing action, following massive contact watch for danger of skin absorption and possibly delayed onset of systemic effects.
	Following eye contact:	Slight through to moderate irritation due to the liquid and concentrated vapors, conjunctivitis, later chemosis, apparently minor probability of cornea damage, later occurring visual disturbances are caused not primarily through local contact but are systemically related (following absorption).
	Following ingestion:	Stomach and bowel irritation, feeling unwell, nausea, vomiting, strong abdominal pain. Absorption may cause toxic effects.



_

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 4 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6
	*			·	

4.3. Indication of any immediate medical attention and special treatment needed

SECTIO	SECTION 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	water spray, foam, dry powder, CO ₂			
	Unsuitable extinguishing media:	No information available			
5.2.	Special hazards arising from the subs	tance or mixture			
	Hazardous by products of fire:	Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.			
5.3.	Advice for firefighters				
	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.				
5.4.	Additional information				
	Remove container from danger zone contaminating surface water or the g	and cool with water. Prevent fire extinguishing water from round water system.			

SECTIO	SECTION 6. Accidental release measures				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				
	Protective equipment:		Use personal protective equipment (see Section 8).		
	Accident prevention methods:		Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.s		
	Emergency procedures	:	Mark the area using proper signs.		
6.1.2.	For emergency respon	ders:			
	Use protective equipm (see Section 8).	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).			
6.2.	Environmental precaut	ions:			
	Do not let product enter drains. Risk of explosion.				
6.3.	Methods and materials for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Cover drains. Collect, bind and pump off spills.			



Page 5 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

6.3.2.	For cleaning:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.			
6.3.3.	Other information:	Do not use tools that may cause sparks.			
6.4.	Reference to other se	Reference to other sections			
	See Section 7 for info	e Section 7 for information on safe handling.			
	See Section 8 for information on personal protective equipment.				
	See Section 13 for dis	See Section 13 for disposal information.			

SECTIO	ON 7. Handling and storage					
7.1.	Precautions for safe handling	Precautions for safe handling				
7.1.1.	Protection measures					
	Measures for fire prevention:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition and direct sunlight. Do not smoke. Take precautionary measures against static discharge.				
	Measures for preventing spray and dust formation	Secure proper ventilation. Prevent formation of aerosols.				
	Environmental precautions:	Prevent spilling into the sewage system and waterways.				
	Other measures:	Protect against electrostatic charges.				
7.1.2.	Advice on general occupational hygiene:					
	Do not eat, drink or smoke in the workspace. The	bughly wash hands after work and before eating.				
7.2.	Conditions for safe storage, including any incompatibilities					
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.				
	Packaging materials:	Manufacturer's original packaging.				
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.				
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.				



Page 6 of 18

Trade name:			MAY	-GRUENWA	ALD SOLUTION		
Product code:		MG-OT-X**	Date of comp	Date of compilation:		Version:	6
Further information on storage conditions:		and do i chemica	place the unused m not use empty conta ls. Do not store with tion 10).	ainers for stor	ing other		
7.3.	Specific e	nd use(s)					

7.5.					
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECTION 8. E	xposur	e contro	ols/persona	l protec	tion			
8.1. Cont	rol para	meters						
Substance CAS N		No	Occupational expos values/short term		•			
					ppm	mg/m ³		
Methanol			67-56	5-1	200	260	(7.0 mg/	nol/mol of creatinine* 'g of creatinine*), shift urinary excretion
* For all result consideration	s pertai	ning cre	atinine leve	ls, creatir	nine concentrati	on < 0.5 g/l and	d > 3.0 g/	l may not be taken into
Substance:	-							
EC No:	-		CAS No:	-				
DNEL								
					Industrial			
Route of		A	Acute	Acute		Chronic		Chronic
exposure:		effe	ect local	effe	ect systemic	effect lo	cal	effect systemic
Oral		-		-		-		-
Inhalation		260 m (metha	-	260 mg (metha		260 mg/m ³ (methanol)		260 mg/m ³ (methanol)
Dermal		-		40 mg/	g/kg (methanol)			40 mg/kg (methanol)
Critical physic	al parar	neters: s	olubility, fla	mmabilit	y, corrosivity:		-	
					Consumer	1		
Route of		A	Acute		Acute	Chron	ic	Chronic
exposure:		effe	ect local	effe	ect systemic	effect lo	cal	effect systemic
Oral		-		8 mg/k	g (methanol)	-		8 mg/kg (methanol)
Inhalation		50 mg (metha		50 mg/m ³ (methanol)		50 mg/m ³ (methanol)		50 mg/m ³ (methanol)
Dermal -			8 mg/k	g (methanol)			8 mg/kg (methanol)	
PNEC								



Page 7 of 18

Trade name:		MAY-GRUENWAL	D SOLUTION		
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

Environmental protection target	PNEC	
Fresh water	154 mg/l (methanol)	
Freshwater sediments	570.4 mg/kg (methanol)	
Marine water	15.4 mg/l (methanol)	
Marine sediments	No information available	
Food chain	No information available	
Microorganisms in sewage treatment	100 mg/l (methanol)	
Soil (agricultural)	23.5 mg/kg (methanol)	
Air	No information available	

8.2.	Exposure controls	
8.2.1.	Appropriate engineering measures	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
8.2.2.2.	Skin protection:	1
		The protective gloves to be used must comply with the specification of EC Directive 2016/425 and the related standard EN374. Full contact:
		Glove material: butyl rubber
	Hand protection:	Glove thickness: 0.70 mm
		Break through time: > 480 min
		Splash contact:
		Gloves material: viton (R)
		Glove thickness: 0.70 mm
		Break through time: >120 min



Page 8 of 18

					J		
Trade name:		MAY-GRUENW	MAY-GRUENWALD SOLUTION				
Product o	Product code: MG-OT-X** Da		Date of compilation:	22 Dec 2022	Version:	6	
	Othe	r skin protection:	The type of prote the concentration	atic suit protecting ag ective equipment mu on and amount of th oplace and shoes that	ist be selected ne dangerous	according to substance a	
8.2.2.3.	8.2.2.3. Respiratory protection:		filter type: gas entrepeneur ha	Required when vapours/aerosols are generated. Recommended filter type: gas filter AX, colour code brown (EN 371). The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out			

		according to the instructions of the producer.			
8.2.2.4.	Thermal hazards:	No information available			
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Section 6			
	Structural measures to prevent exposure:	Use modern equipment. Do not let product enter drains. Risk of explosion.			
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.			
	Technical measures to prevent exposure:	See Section 6			

1.	Information on basic physical and	chemical properties	
		Value	Method
	Physical state:	liquid	No information available
	Colour:	blue	No information available
	Odour/odour threshold:	methanol like/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	65 °C (at 1.013 hPa)	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	lower: 6 % (V) methanol upper: 36.5 % (V) methanol	No information available
	Flash point:	12 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available



Page 9 of 18

Trade name:		MAY-GRUENW	ALD SOLUTION		
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6
	n coefficient n- /water (log value):	No information availabl	e No	information ava	ailable
	pressure:	128 hPa (20 °C)		information ava	•• • •

9.2.	Other information		
0.0	Particle characteristics:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Density and/or relative density	No information available	No information available
	vapour pressure.		

SECTIO	ON 10.: Stability and reactivity	
10.1.	Reactivity:	Vapours may form explosive mixture with air.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3.	Possibility of hazardous reactions:	 Risk of explosion with: Oxidizing agents, alkali metals, nitric acid, sulphuric acid, hydrogen peroxide, permanganic acid, sodium hypochlorite. The substance can react dangerously with: halogens, oxidizing agents, reducing agents, acids, acetyl bromide, alkylaluminium solutions, beryllium hydride, chloroform, chromium(VI)-oxide, cyanuric chloride, alkaline-earth metals, magnesium splinters, phosphorus trioxide, Raney-nickel/hydrogenation, acid anhydrides, acid halogenides, tetrachloromethane/light metals.
10.4.	Conditions to avoid:	Sources of heat, sparks, and ignition.
10.5.	Incompatible materials:	Various plastics, magnesium, zinc alloys, aluminium and galvanised iron.
10.6.	Hazardous decomposition products:	No information available.

SECTION 11. To:	SECTION 11. Toxicological information								
11.1. Informat	Information on hazard classes as defined in Regulation (EC) No 1272/2008								
Acute to	oxicity:								
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results				
Oral:	No information available	rat	LD ₅₀	-	100 mg/kg (methanol)				
Dermal:	No information available	rabbit	LD ₅₀	-	300 mg/kg (methanol)				



Page 10 of 18

					Page 10	01 10
Trade name:		MA	Y-GRUENWA	ALD SOLUTION	1	
Product code:	MG-OT-X**	Date of cor	mpilation:	22 Dec 2022	2 Version:	6
Inhalation:	No information available	rat	LC	50 4 I	h 3.1 r (meth	-
Specific	target organ toxicity	/ - sinale exposu	re (STOT-SE):			
		fic effects		Target organ	No	te
Oral:	No information av			rmation available	9 -	
Dermal:	No information av	ailable	No info	rmation available	2 -	
Inhalation:	No information av	ailable	Eyes		mixture caus damage to c	
Aspiratio	on hazard:	No ir	nformation avai	ilable		
Irritation	and corrosion		· ·			
	Exposure t	ime Spec	cies Evalua	ation Method		
Skin corrosion/irritatic	n -	-	-	-	drying-out effe resulting in rou chapped skin	
Serious eye damage/irritation	-	-	-	-	irritations of m membranes	iucous
Sensitiza	tion					
Skin sensitization		se sensitization.				
Respiratory sensitization:	No informatio					
Sympton	ns related to the ph	vsical chomical a	and toxicologics			
Oral exposure:	Stomach and bow	el irritation, acido	osis, drop in blo	ood pressure, fee	ling unwell, vomitin ver, kidney, cardiac.	ıg, strong
Dermal exposure:	-	irritation, defattir	ng; prolonged e		use absorption and	greater
Inhalation exposure:	Airways irritation a drowsiness, heada		-	-	apor concentration	n, dizziness
Eye exposure:		indness, irreversi	•		osis, lesser possibili e. Visual impairmen	•
Darras	d dogo taxiaita (a.)		- chrozia)			
кереаte	d dose toxicity (suba	acute, subchronic	., chronic)	1		



Page 11 of 18

Trade name:		MAY-GRUENW	MAY-GRUENWALD SOLUTION					
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6			

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 12 of 18

Trade name:		MAY-GRUENWAL	D SOLUTION		
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

	CMR effects (carcinogenicity, mutagenicity, re	productive toxicity)
	Carcinogenicity:	No information available
	Mutagenicity in-vitro:	No information available
	Genotoxicity:	No information available
	Mutagenicity <i>in-vivo</i> :	No information available
	Germ cell mutagenicity:	No information available
	Reproductive toxicity:	No information available
	Summary of evaluation of the CMR properties:	No information available
11.2.	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	No known endocrine disrupting properties that affect human health.	
11.2.2.	Other informations:	
	-	

SECTION 12. Ecologi	SECTION 12. Ecological information									
12.1. Toxicity										
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC ₅₀	96 hours	Lepomis macrochirus (Bluegill sunfish)	No information available	No informatio n available	15.400 mg/l (methanol)				
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	No informatio n available	>18.260 mg/l (methanol)				
Algae/aquatic plants:	IC ₅₀	8 days	Pseudokirchneriella subcapitata (green algae)	No information available	No informatio n available	22.000 mg/l (methanol)				
Other organisms	-	-	-	-	-	-				
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC ₅₀	96 hours	No information available	No information available	No informatio n available	-				



Page 13 of 18

Trade nam	e:				MAY-GRUENV	VALD S	OLUTI	ON				
Product co	de:	MG-OT-X**	•	Date of	compilation:	22	Dec 20)22	Version: 6		6	
Crustacea:		EC ₅₀	48 hour	'C	information inf				natio lable	_		
Algae/aquatic plants:		IC ₅₀	72 hour	'C	nformation lable	No inform availal		No inform n avail		-		
Other orgar	Other organisms -		-	-		-		-		-		
12.2. Per	sistenc	e and degrada	ability									
		gradation	,									
ł		<u>.</u> Degradation h	alf-lives		Method			Eval	luatio	n	٩	Vote
Marine wate		information a			nformation avai	lable	No in	ıformati	on av	ailable	-	
Fresh water	No	information a	vailable	No i	nformation avai	lable	No in	formati	on av	ailable	-	
Air No information ava			vailable	No i	nformation avai	lable No informatio			on av	ailable	-	
Soil No information available				No i	No information available			ıformati	on av	ailable	-	
Bic	degrad	ation										
% Degrad	5	Time (da	avs)		Method	F۱	valuatio	n		N	ote	
99%		30 days	<u> </u>		OECD Test Guieline 301D		No information available			readily biodegradable (methanol)		
12.3. Bic	accum	ulative potenti	al									
Oc	tanol-w	ater partition	coefficie	ent (log Ko	ow)							
Value	Со	ncentration	рН	°C	Method		Evalua	ation N		lote		
- 0.77 (methanol)	No availa	information able	-	-	experimental		No information available		bioaccumula not expected			ı is
Ric		tration Factor			1	1						
1		Spec			Method	F	valuatio	on		N	ote	
Value No information available		No informat		No i	Method No information available		Evaluation No information available		Note No informatio available			



Page 14 of 18

Trade name:		MAY-GRUENWAL	D SOLUTION		
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

	Chro	nic ecotoxicity	/								
	Valu	ue	Dose Exposure Species Method		Eval	uation	Note				
Chronic toxicity on fish		LC ₅₀	No information available		o formation vailable	No inform availal	available			-	
Chronic crustac		•	EC ₅₀	No information available	1	o formation vailable	No inform availal		No infor available		-
12.4.	Mobi	ility in soil									
	Know	vn or predicte	d distributi	on in enviro	nmen	tal compartn	nents:				
	No ir	nformation av	ailable			-					
	Surfa	ice tension:									
		Value	c	°C Concentration				Method			Note
	No availa	information able	No ir available	nformation	nformation a	e No information available			-		
	Adso	orption / deso	rption								
Transpo	ort	A/D coef Henry's cc		log Ko	w	Evaporatio	n rate	Me	thod	No	te
Soil-Wa	ater	No in available	formation	No information available		No informa available	ation No info availabl		o information		
Water-	Air	No in available	formation	No inform available	ation	No informa available	ation	No information available		-	
Soil-Air	-	No in available	formation	No inform available	ation	No informa available	ation	No info available		-	
12.5.		lts of PBT and									
	Subs	tance(s) in the	e mixture d	o(es) not me	eet the	e criteria for l	PBT or vl	PvB			
12.6.	Endo	crine disrupti	ng properti	ies							
		substance/mix rding to REAC			•						•



Page 15 of 18

Trade name:	MAY-GRUENWALD SOLUTION					
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6	

12.7.	Other adverse effects				
	No adverse effects are expected.				
SECTIO	DN 13. Disposal considerations				
13.1.	Waste treatment methods				
13.1.1.	Product/Packaging disposal:				
	-	cording to the national and local rules and regulations. Do not or disposal to the legal person authorized by the Ministry of			
13.1.2.	Waste codes/waste designations accor	ding to Law:			
	No information available	<u> </u>			
	·				
13.1.3.	Waste codes/waste designations accor	ding to Low:			
	15 01 10*: packaging that contains residuate substances	dual hazardous substances or is contaminated with hazardous			
13.1.4.	Sewage disposal – relevant information	ז:			
	Waste must not be disposed of into the sewage system.				
13.1.5.	Other disposal recommendations:				
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.				
13.1.6.	Relevant Community provisions:				
	Disposal must be made according to o	fficial regulations.			
SECTIO	DN 14. Transport information				
	Transporting/shipment by road (ADR)				
UN num	mber: 1992				
UN prop	oper shipping name: Flamm	able liquid, toxic, n.o.s. (methanol solution)			
Transpo	ort hazard class(es): 3 (6.1)				
Packing	g group: II				
Environr	nmental hazards: -				
Special _I	precautions for user: -				



Page 16 of 18

Trade name:	MAY-GRUENWALD SOLUTION					
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6	

Transporting/shipment by rail (RI	D)
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by inland	waterways (ADN)
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	1DG)
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	11
Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
	-

SECTIO	SECTION 15. Regulatory information				
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				



Page 17 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

	Authorisations and/or res	
	Authorisations:	-
	Restrictions:	-
	Other EU regulations:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/92 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organi solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 10 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 19 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessme	ent
	None	

SECTIO	SECTION 16. Other information				
16.1.	Indication of changes:	-			
	PBT	Stable, bioaccumulative and toxic			
		vPvB	Strongly stable and strongly bioaccumulative.		
		LD ₅₀	Lethal dose, 50%		
	Abbreviations and	LC ₅₀	Lethal concentration, 50%		
16.2.	Abbreviations and acronyms:	STOT-SE	Specific target organ toxicity – single exposure		
	acronyms.	IMDG	International Maritime Dangerous Goods		
		IATA	International Air Transport Association		
		GHS	Globally Harmonized System of Classification and		
			Labelling of Chemicals		



-

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 18 of 18

Trade name:	MAY-GRUENWALD SOLUTION				
Product code:	MG-OT-X**	Date of compilation:	22 Dec 2022	Version:	6

16.3.	-	literature references source of data:	-
16.4.		sification and procedure 2/2008 (CLP)	used to derive the classification for mixture according to Regulation (EC)
Classifie	catior	ן	Classification procedure
-			-
16.5.	Rele	evant H statements (numl	ber and full text)
	H:	225	Highly flammable liquid and vapor.
		301+311+331	Toxic if swallowed, in contact with skin or if inhaled.
		370	Causes damage to organs (eyes).
16.6.	Trai	ning advice:	-
16.7.	.7. Further information:		 ** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment