

Page 1 of 16

Trade name:	PROPYLENE GLYCOL, 85%						
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4			

1.1.	Product identifier				
	Trade name:	PROPYLENE	GLYCOL, 8	85%	
	Chemical name:	-	-		
	Catalogue number:	PG85-X**	PG85-X**		
1.2.	Relevant identified us	es of the substa	ince or mi	xture and uses advised against	
	Uses:		For use	e with Sudan Black B Lipid kit.	
	Uses advised against:		Only th	he identified uses are advised.	
	Reason why uses advi	sed against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device and there is no reason to use it for other purposes.		
1.3.	Details of the supplier of the safety data sheet				
	Supplier: BioG		Gnost Ltd	inost Ltd.	
	Address: Me		edjugorska 59, Zagreb		
	Telephone number: +3		385 1 2409997		
	Telefax: +3		385 1 2404039		
	e-mail of competent person: msd		ds@biognost.hr		
	National contact:	National contact: -			
1.4.	Emergency telephone number				
	National Protection and Rescue Director		torate:	112	
	Medical information:			+385 1 2348 342	
		Other information:			

SECTIO	ON 2. Hazards identification							
2.1.	Classification of the substance or mixture							
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)							
	Hazard class and cate	egory code:	Hazard statement*:					
	Not identified as hazardous s	ubstance.	-					
2.1.2.	Additional information							
	-							
* For fu	ıll text of Hazard- and EU Hazar	d-statements: see S	ECTION 16					
2.2.	Label elements							
	Product identification:	PROPYLENE G	LYCOL, 85%					
	Identification number: -							
	Authorisation number:	-						
	Hazard pictograms:	-						



Page 2 of 16

Trade name:	PROPYLENE GLYCOL, 85%						
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4			

	Signal word:	-
	Hazard statement:	-
	Precautionary statements:	-
	Supplemetal hazard information (EU)	-
2.3.	Other hazards	
	Endocrine Disrupting Properties:	
	No known endocrine disrupting prop	erties.

SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
-	_	_	Contains no hazardous substances	-		

SECTI	ON 4. First aid measures					
4.1.	Description of first aid meas	sures				
	General notes:	-				
	Following inhalation:	Remove person to fresh air. If breathing stops, immediately apply artificial respiration. If breathing difficulties occur, use emergency breathing apparatus. If the symptoms persist, immediately consult a physician.				
	Following skin contact:	Remove all contaminated clothes using sterile gauze. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.				
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least minutes. If the symptoms remain, immediately call in ophthalmologist.				
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Do not induce vomiting.  Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.				
	Self-protection of the first aider:	-				
4.2.	Most important symptoms and effects, both acute and delayed					
	Following inhalation:	No information available				
	Following skin contact:	No information available				
	Following eye contact:	No information available				
	Following ingestion:	No information available				
4.3.	Indication of any immediate	medical attention and special treatment needed				



Page 3 of 16

Trade name:				
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

No information available	
--------------------------	--

SECTI	ON 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:		Water, CO <sub>2</sub> , foam, dry powder		
	Unsuitable extinguishing medi	a:	No information available		
5.2.	Special hazards arising from th	ne substa	ance or mixture		
	Hazardous combustion products:	No information available.			
5.3.	Advice for firefighters				
	Firefighters must always use fireproof suit and self-sustaining breathing apparatus with open circle that contains pressurized air in case of fire in closed space.				
5.4.	Additional information				
	Prevent spills and water used for putting out fire from contaminating waterways by enclosing and covering drains.				

SECTIO	ON 6. Accidental release measures				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	6.1.1. For non-emergency personnel				
	Protective equipment:	Use protective equipment in accordance with Section 8. Do not get in eyes or on skin. Do not inhale vapor/aerosols. Remove the persons not directly involved in rescuing procedure from the scene of event.			
	Accident prevention methods:	Keep away from heat, flames and sparks.  Secure proper ventilation.  Prevent electrostatic charge buildup.  Use only grounded devices and equipment.  Do not release in drains - explosion hazard.			
	Emergency procedures:	In case of accident secure the location and evacuate the personnel not involved in recovery.			
6.1.2.	For emergency responders:				
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).				
6.2.	Environmental precautions:				
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.				
6.3.	Methods and material for containing	nent and cleaning up			



Page 4 of 16

Trade name:	PROPYLENE GLYCOL, 85%					
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4		

6.3.1.	Bunding, covering of drains; capping procedures:	Sand bags.			
6.3.2.	Cleaning up:	Where possible, soak up the product using inert matter, such as sand, silica gel, saw dust). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.			
6.3.3.	Other information:	Recovery of contaminated area should only be conducted by qualified person that uses stipulated protective equipment. Prevent the waste water from entering waterways.			
6.4.	Reference to other sections				
	See Section 7 for information about secure handling.				
	See Section 8 for information about personal protective equipment.				
	See Section 13 for information about containment.				

SECTIO	ON 7. Handling and storage						
7.1.	Precautions for safe handling						
7.1.1.	Protective measures						
	Measures to prevent fire:	Keep away from heat, flames and sparks. Secure proper ventilation.					
	Measures to prevent aerosol and dust generatio	Adequate ventilation of the rooms where the product is kept and handled. Containers must be firmly closed.					
	Measures to protect the environment:	Keep the containers firmly closed in vertical position when the product is not used. Prevent the product from entering waterways, sewerage and drainage systems by using barrage and semi-barrage made of sand, as well as covering the drainage by using plastic foil.					
	Other measures:	-					
7.1.2.	Advice on general occupational hygiene:						
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.						
7.2.	Conditions for safe storage, including any incom	patibilities					
	Technical measures and storage conditions:	In dry, cold and well-ventilated space. Containers must be firmly closed. Maintain adequate ventilation of the rooms where the product is kept and handled.					
	Packaging materials:	Manufacturer's original packaging.					



Page 5 of 16

Trade name:		PROPYLEN	E GLYCOL, 85%	
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	Keep away from heat, flames, sparks and sunlight.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	Secure stations for rinsing eyes and showering in the vicinity of work area.
	Industrial sector specific solutions:	-

Recor	Recommendations:					Secure stations for rinsing eyes and showering in the vicinity of work area.				
Industrial sector specific solutions:				_	-					
SECTION 8. Ex	nosura	contro	ols/nersona	l protec	tion					
		meters	, persona	. p.otec						
Substa	ance		CAS No			Occupational exposure limit values/short term values		В	Biological limit values	
					ppm	ppm mg/m³				
-			-		-		-		-	
Substance name:	-					_				
EC No:	-		CAS No:	-						
DNEL										
					Industrial	_				
Route of exposure:		te effect local		cute effect systemic	C	Chronic e local		Chronic effect systemic		
Oral		-		-		-			-	
Inhalation		-		-		-			-	
Dermal		-		-		-			-	
Critical physica	l paran	neters: s	olubility, fla	mmabilit	ty, corrosivity:					
					Consumer					
Route of expo	sure.	Acu	te effect	A	cute effect	C	Chronic e	effect	Chronic effect	
	Jui C.		local		systemic		local		systemic	
Oral		-		-		-			-	
Inhalation		-		-		-			-	
Dermal		-		-		-			-	
PNEC										



Page 6 of 16

Trade name:		PROPYLE	NE GLYCOL, 85%	
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

Environm	ental protection target	PNEC				
Fresh wat	er	No information available				
Freshwate	er sediments	No information available				
Marine w	ater	No information available				
Marine se	ediments	No information available				
Food cha	in	No information available				
Microorg	anisms in sewage treatment	No information available				
Soil (agric	cultural)	No information available				
Air		No information available				
8.2.	Exposure controls					
8.2.1.	Appropriate engineering control	5				
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.				
	Structural measures to prevent exposure:	In accordance with Section 7.				
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.				
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.				
8.2.2.	Personal protection equipment					
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.				
8.2.2.2.	Skin protection					
		Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374.				
	Hand protection:	Glove material: nitrile rubber				
		Glove thickness: ≥0.50 mm				
		Break through time: >480 min				
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).				
8.2.2.3.	Respiratory protection:	Suitable mask or half mask equipped with a combined "A-P" filter and used when concentration levels exceed GVI.				
8.2.2.4.	Thermal hazards:	No information available				
8.2.3.	Environmental exposure controls					



Page 7 of 16

Trade name:				
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

Substance/mixture related measures to prevent exposure:	See Section 6
Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

	Information on basic physical and chemical properties					
		Value	Method			
	Physical state:	liquid	No information available			
	Colour:	colourless	No information available			
	Odour/odour threshold:	No information available	No information available			
	Melting point / freezing point:	No information available	No information available			
	Boiling point or initial boiling point and boiling range:	No information available	No information available			
	Flammability:	No information available	No information available			
	Lower and upper explosion limit:	No information available	No information available			
	Flash point:	No information available	No information available			
	Auto-ignition temperature:	No information available	No information available			
	Decomposition temperature:	No information available	No information available			
	pH:	No information available	No information available			
	Kinematic viscosity:	No information available	No information available			
	Solubility:	No information available	No information available			
	Partition coefficient noctanol/water (log value):	No information available	No information available			
	Vapour pressure:	No information available	No information available			
	Density and/or relative density	No information available	No information available			
	Relative vapour density:	No information available	No information available			
	Particle characteristics:	No information available	No information available			
2.	Other information					

### **SECTION 10.: Stability and reactivity**



Page 8 of 16

Trade name:	PROPYLENE GLYCOL, 85%				
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4	

10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	No information available.
10.5.	Incompatible materials:	No information available.
10.6.	Hazardous decomposition products:	No information available.

11.1. Informatio	n on toxicological effe	ects				
Acute toxic	city:					
Route of exposure:	Method	Species	Effective dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposui	e time	Results
Oral:	No information available	-	No information available	No infor avail		-
Dermal:	No information available	_	No information available	No infor avail		_
Inhalation:	No information available	_	No information available		No information available	
Specific ta	rget organ toxicity – s	ingle exposure (	(STOT SE):			
	Specific	effects	Target or	gan		Note
Oral:	No information avai	ilable	No information	available	-	
Dermal:	No information avai	ilable	No information	available	-	
Inhalation:	No information avai	ilable	No information	available	-	
Aspiration	hazard:	-				
Irritation a	nd corrosion					
iiiiatioii a	1			1		

Irritation and corrosion								
	Exposure time	Species	Evaluation	Method	Note			
Skin corrosion/irritation:	-	-	-	-	No information available			
Serious eye damage/irritation	-	-	-	-	No information available			



Page 9 of 16

Trade name:		PROPYLENE GLYCOL, 85%						
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4				

Sensitiz	ation					
Dermal exposure	: No informatio	n available				
Inhalation exposure:	No informatio	n available				
Sympto	ms related to the p	hysical, chemic	al and toxicolog	ical characteristi	cs	
Oral exposure:	No informatio	n available				
Dermal exposure	: No informatio	n available				
Inhalation exposure:	No informatio	n available				
Eye exposure:	No informatio	n available				
Repeate	ed dose toxicity (su	bacute, subchro	onic, chronic)		:	
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral No information available		No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-



Page 10 of 16

Trade name:			PROPYLEN	E GLYCOL, 85%	5			
Product code:	PG85-X**	Date of comp	pilation: 14 November 2022			Ve	rsion:	4
Chronic inhalation	intormation		information information		No informa availabl		-	
Specific	target organ tox	icity – repeated e	xposure (STO)	RE):				
	Specific effects			Target orga	n		No	te
Subacute oral	·			nformation availa	ble	-		
Subacute derma				nformation availa	ble	-		
Subacute inhalat	ion No info	ormation available	e Noi	nformation availa	ble	-		
Subchronic oral	No info	ormation available	e Noi	nformation availa	ble	-		
Subchronic derm	ochronic dermal No information available			nformation availa	ble	-		
Subchronic inhal	ation No info	ormation available	e No i	nformation availa	ble	-		
Chronic oral	No info	ormation available	e No i	No information available				
Chronic dermal	No inf	ormation available	e No i	nformation availa	ble	-		
Chronic inhalation	n No inf	ormation available	e No information available -					
Carcino	genicity:	icity; mutagenicity	No informat	ion available				
	nicity <i>in-vitro</i> :		No information available					
Genoto			No information available					
	nicity in-vivo:		No information available					
	ell mutagenicity:		No information available					
Reprod	uctive toxicity:		No informat	ion available				
Summa propert	,	n of the CMR	No informat	ion available				
11.2. Informa	tion on other ha	zards:						
11.2.1. Endocri	ne disrupting pro	perties:						
	wn endocrine dis ect human health	rupting propertie	S					
11.2.2. Other in	nformation:							
_	<u> </u>							

tes:

12.1. Toxicity



Page 11 of 16

Trade name:		PROPYLENE GLYCOL, 85%							
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4					

Product code	:: F	G85-X**	Date of c	ompilation:	14 November 2022		Version:	4
			-		1			
Acute (short-te toxicity	erm)	Dose	Exposure time	Species	Method	Evaluation	l	Note
Fish		LC <sub>50</sub>	96 hours	No information available	_	No information available	i _	
Crustacea:		EC <sub>50</sub>	48 hours	No information available	-	No informatior available	1 -	
Algae/aquatic	plants	IC <sub>50</sub>	72 hours	No information available	-	No information available	۱ -	
Other organisr	ns	-	-	-	-	-	-	
Chronic (long- toxicity	term)	Dose	Exposure time	Species	Method	l Evaluation		Note
Fish		LC <sub>50</sub>	96 hours	No information available	-	No information available	1 -	
Crustacea:		EC <sub>50</sub>	48 hours	No information available	-	No information - available		
Algae/aquatic	plants	IC <sub>50</sub>	72 hours	No information available	-	No information available	۱ -	
Other organisr	ns	-	-	-	-	-	-	
<u> </u>								
12.2. Persis	tence a	ınd degradab	oility					
Abiot	ic degra	adation			1			
	D	egradation h	nalf-lives	Method		Evaluati	on	Note
Marine water	No i	nformation a	vailable	No information av	/ailable	No information a	available	-
Fresh water	No i	nformation a	vailable	No information av	ailable/	No information a	available	-
Air	No i	nformation a	vailable	No information av	ailable/	No information a	available	-
Soil			vailable	No information available		No information available		-

ыочедта	luation			
% Degradation	Time (days)	Method	Evaluation	Note
No information available	No intermation available		No information available	No information available

12.3.	12.3. Bioaccumulative potential							
	Octanol-water partition coefficient (log Kow)							
Valu	Value   Concentration   pH   °C   Method   Evaluation   Note							



Trade name:

# SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

**PROPYLENE GLYCOL, 85%** 

Page 12 of 16

Produc	t code	e:	PG85	-X** Date of compilation: 14 November 202		22 Version: 4		ո: 4					
No informa available	availahle		_	No information available		No availa	informa able	ation	n No information available				
		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8											
	Rioco	ncen	tration	factor (BC	 F)								
V	alue		cracion	Species	/	N	/lethod	2 2 3 4 4 4 7 7	Fva	luation		No	te
No info	No information available available			No info availabl	rmatio	n N	No information available			No information available			
	Claura												
	Chror	nic ec	otoxicit	У	Гу				2 2 3 4 4 5 8 8				
	Value		Dose		Exposure time		Species		Method E		valuation	Note	
Chronic	Chronic toxicity on fish		LC <sub>50</sub>		No information available		rmation lable			No information available		-	
Chronic crustace		-	)	EC <sub>50</sub>	No infor avail	mation able		rmation lable	No infor availa	mation able	1	ormation ilable	-
				1			i						
12.4.	Mobi	lity in	soil										
	Know	n or	predicte	ed distribu	ution in e	environm	ental c	ompartme	ents:				
	No in	form	ation av	ailable									
	Surfac	ce ter	nsion:										
	Vá	alue		°C	С	ioncentra	tion	1	Method	l		Note	
	No inforn availa			ormation ailable		informat ailable	tion	No inforr available			-		
	ا		م / حا	t.									
Transpo		Α	n / deso	ficient	lo	og Kow	Ev	aporation	rate	Meth	nod	ľ	Note
	1	П	eilly S CC	JIISLAIIL									



Page 13 of 16

Trade name:		PROPYLENE GLYCOL, 85%								
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4						

	:	1	:	:	:
Soil-wat	ter No informati available	on No information available	No information available	No information available	-
Water-a	nir No informati available	on No information available	No information available	No information available	-
Soil-air	No informati available	on No information available	No information available	No information available	-
12.5.	Results of PBT and vPvB a	ssessment			
	No information available				
12.6.	Endocrine disrupting prop	erties			
	No known endocrine disr	pting properties that	affect the environm	nent.	
3					
12.7.	Other adverse effects				
	No information available				
SECTIO	N 13. Disposal considerat	ions			
13.1.	Waste treatment metho	ds			
13.1.1.	Product/Packaging disp	osal:			
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature			and Nature	
	Protection.				
13.1.2.	Waste codes/waste des	anations according to	Low:		
	15 01 10*: packaging th			s or is contaminated	I with hazardous
	substances				
13.1.3.	Waste treatment – relev	ant information:			
	No information availabl	2			
13.1.4.	Sewage disposal – relev	ant information:			
	Waste must not be disp	osed of into the sewa	ge system.		
13.1.5.	Other disposal recomm	endations:			



Page 14 of 16

Trade name:		PROPYLE		
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

	authorized by the minist	oduct's remains into the sewage system. Submit the remains to the collectors ry in charge. Do not dispose of the packaging into the sewage system. Submit lectors authorized by the ministry in charge. Do not dispose of in places where
13.1.6.	Relevant Community pro	ovisions:
		gement Act, Ordinance on Waste Management, Regulation on categories, of waste with waste catalog and list of hazardous waste
SECTIO	N 14. Transport informati	on
	Transporting/shipment by	road (ADR)
UN num	ber:	Not subject to transport regulations
UN prop	per shipping name:	-
Transpo	rt hazard class(es):	-
Packing	group:	-
Environr	nental hazards:	-
Special p	precautions for user:	-
	Transporting/shipment by	rail (RID)
UN number:		Not subject to transport regulations
UN prop	er shipping name:	-
Transpo	rt hazard class(es):	-
Packing	group:	-
Environr	mental hazards:	-
Special p	precautions for user:	-
	Transporting/shipment by	inland waterways (ADN)
UN num	ber:	Not subject to transport regulations
UN prop	er shipping name:	-
Transpo	rt hazard class(es):	-
Packing	group:	-
Environr	nental hazards:	_
Special p	precautions for user:	-
	Transporting/shipment by	sea (IMDG)
UN num	ber:	Not subject to transport regulations
UN prop	er shipping name:	-
Transpo	rt hazard class(es):	-
Packing	group:	-
Environr	nental hazards:	Not subject to transport regulations



Page 15 of 16

Trade name:	PROPYLENE GLYCOL, 85%			
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4

Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Further information: -	

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture			
	EU regulations			
	Authorisations and/or res	strictions of use		
	Authorisations:	-		
	Restrictions:	-		
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 10 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);		



Page 16 of 16

Trade name:		PROPYLENE GLYCOL, 85%			
Product code:	PG85-X**	Date of compilation:	14 November 2022	Version: 4	

	National regulation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTIO	ON 16. Other information			
16.1.	Indication of changes:	-		
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  IMDG: International Maritime Code for Dangerous Goods  IATA: International Air Transport Association  GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances  CAS: Chemical Abstracts Service (division of the American Chemical Society)  DNEL: Derived No-Effect Level (UK REACH)  LC50: Lethal concentration, 50 percent  LD50: Lethal dose, 50 percent  PBT: Persistent, Bioaccumulative and Toxic  vPvB: very Persistent and very Bioaccumulative		
16.3.	Key literature references and source of data:	-		
16.4.	Classification and procedure 1272/2008 (CLP)	used to derive the classification for mixture according to Regulation (EC)		
Classifi	ication	Classification procedure		
-		-		
16.5.	Relevant H statements (num	ber and full text)		
	H: -	-		
16.6.	Training advice:	-		
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings the product)  We are not responsible for consequences in case of failure to comply wit instructions for use or improper use of the product described in this material safety data sheet.		

AN	N	Ε	X	
----	---	---	---	--

**EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT** 

-