Page 1 of 17

Trading name:	HISTANOL EP 9010						
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2		

SECTI	ON 1: Identification of t	he substance	e/mixture	and of the company/undertaking	
1.1	Product identifier				
	Trading name:	HISTANOL EP 9010			
	Chemical name:	-			
	Catalogue number:	HEP91-X**			
1.2	Relevant identified uses of the substance			nixture and uses advised against	
	Uses:		Rehydra	ting/dehydrating agent.	
	Uses advised against:		Only the	identified uses are advised.	
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.		
1.3	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb		
	Telephone number:		+385 1 2409997		
	Telefax.:		+385 1 2404039		
	e-mail of competent p	erson:	msds@biognost.hr		
	National contact:		-		
1.4	Emergency telephone	number			
	National Protection an	d Rescue Dire	ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTION 2. Hazards identification						
2.1	Classification of the substan	ce or mixture				
2.1.1	Classification according to R	Regulation (EC) No 12	272/2008 (CLP)			
	Hazard class and category code: Hazard statements*:					
	Flam. Liq. 2 H225					
2.1.2.	Additional information					
	-					
*For fu	Ill text of Hazard- and EU Haza	rd-statements: see S	ECTION 16			
2.2	Label elements					
	Product identification:	HISTANOL EP 9	010			
	Identification number:	-				
	Authorization number:	-				



Page 2 of 17

Trading name:	HISTANOL EP 9010					
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2	

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H225 Highly flammable liquid and vapor.
	Precautionary statements:	 P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye/protection/face protection.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Cor	SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
64-17-5/ 200-578-6/ 603-002-00-5	-	≥ 90 %	ethanol	Flam. Liq. 2; H225			
67-63-0/ 200-661-7/ 603-117-00-0	-	< 9 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336			

SECTI	SECTION 4. First aid measures				
4.1	Description of first aid measures				
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well- ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.			
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.			
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.			



Page 3 of 17

Trading name:	HISTANOL EP 9010						
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2		

	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Defatting, dry skin.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medi	cal attention and special treatment needed
	-	

SECTIO	SECTION 5. Firefighting measures					
5.1	Extinguishing media	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol resistant foam				
	Unsuitable extinguishing media:	Water with full jet				
5.2	Special hazards arising from the su	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	Formation of toxic gases is possible during heating or in case of fire.				
5.3	Advice for firefighters	Advice for firefighters				
	Use a self-contained open-circuit of	compressed air breathing apparatus and fireproof clothing.				
5.4	Additional information					
	Collect contaminated fire fighting extinguishing media.	water separately. Do not contaminate the environment with				

SECTIO	SECTION 6. Accidental release measures				
6.1	Personal precautions, protective	equipment and emergency procedures			
6.1.1.	For non-emergency personnel				
	Protective equipment: Use personal protective equipment (see Section 8).				
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.			
	Emergency procedures:	Mark the area using proper signs.			
6.1.2.	For emergency responders:				

Page 4 of 17

Trading name:	HISTANOL EP 9010					
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2	

	Use protective equipment; in (see Section 8).	case of inadequate ventilation use adequate airways protective equipment
6.2	Environmental precautions:	
	Do not dispose of in sewage, Protection and Rescue Direct	drainage system and waterways. In case of large spillage contact National orate (NPRD) on 112.
6.3	Methods and material for cor	ntainment and cleaning up
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
		on personal protection equipment.
	See Section 13 for disposal in	formation.

SECTIO	ON 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	a r	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.		
	Measures to prevent aerosol and dust generation	n: S	Secure proper ventilation.		
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.		
	Other measures:	F	Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. The	proughly wash	hands after work and before eating.		
7.2	Conditions for safe storage, including any incom	patibilities			
	Technical measures and storage conditions:	well ventilate	tly closed and upright set containers in a ed storage rooms at temperatures ranging 5 °C. Protect from heat and direct sunlight.		
	Packaging materials:		er's original packaging. Unsuitable material le: aluminium.		



Page 5 of 17

Trading name:		HISTANOL	EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection								
8.1 Control pa	arameters							
Substance	•	CA	S No			exposure limit term values	Biological	limit values
				рр	m	mg/m ³		
Ethanol		64-	-17-5	100	0/-	1900/-		-
Propan-2-ol		67-	-63-0	400/	500	900/1250		-
Substance name:	-							
EC No:	-	CAS No	: -					
DNEL								
				Indus	strial			
Route of	Αςι	ute	Acut	te		Chronic	(Chronic
exposure:	effect	local	effect sys	stemic		effect local	effe	ct systemic
Oral	-		-		-		26 mg/kg	(propan-2-ol)
Inhalation	-		-		-		500 mg/m ³ 950 mg/m ³	(propan-2-ol) (ethanol)
Dermal	-		-		-		888 mg/kg 343 mg/kg	(propan-2-ol) (ethanol)
Critical physical pa	Critical physical parameters: solubility, flammability, corrosivity:							
				Consi	umer			
Route of	A	cute	Acu	te		Chronic	(Chronic
exposure:	effe	ct local	effect sys	stemic		effect local	effeo	ct systemic
Oral	-		-		-		-	

Page 6 of 17

Tuesditte						Page 6 of 17		
Trading na	ame:			HISTAN	OL EP 9010			
Product co	ode:	HEP91-X**	Rev	ision date:	05 July 2024	Version: 2		
Inhalation		-	-	-		89 mg/m ³ (propan-2-ol) 114 mg/m ³ (ethanol)		
Dermal		-	-	-		319 mg/kg (propan-2-ol) 206 mg/kg (ethanol)		
PNEC								
Environmer	ntal prot	ection target		PNEC				
Fresh water	r			0.96 mg/l	(ethanol)			
Freshwater	· sedimer	nts		3.6 mg/kg	(ethanol)			
Marine wat	ter			0.79 mg/l	(ethanol)			
Marine sed	liments			no informa	ation available			
Food chain	1			no informa	ation available			
Microorgar	nisms in s	sewage treatment		no informa	no information available			
Soil (agricu	ıltural)			0.63 mg/kg	0.63 mg/kg (ethanol)			
Air								
Air				no informa	ation available			
Air				no informa	ition available			
Air 8.2	Exposu	re controls		no informa	ation available			
8.2	•	re controls priate engineering	controls	no informa	ation available			
8.2	Approp Substa		ed measures to	Use the pr	oduct in well ventil equipment. Do not	ated rooms. Use personal : eat, drink or smoke in the		
8.2	Approp Substa preven	priate engineering nce/mixture relate t exposure during tral measures to p	ed measures to identified use	Use the protective workspace	oduct in well ventil equipment. Do not	-		
	Approp Substa preven Structu exposu	priate engineering nce/mixture relate t exposure during iral measures to p ire: sational measures	ed measures to identified use revent	Use the proprotective workspace In accorda	oduct in well ventil equipment. Do not nce with Section 7.	eat, drink or smoke in the		
8.2	Approp Substa preven Structu exposu Organi exposu	priate engineering nce/mixture relate t exposure during iral measures to p ire: sational measures	ed measures to identified use revent to prevent	Use the proprotective workspace In accorda Organizati influence c Secure pro- concentrat	oduct in well ventil equipment. Do not nce with Section 7. on of work in order luring work process per workspace ven	to reduce other worker's s. tilation in order to keep ow permitted levels. Secure		
8.2	Approp Substa preven Structu exposu Organi exposu Technie	priate engineering nce/mixture relate t exposure during iral measures to p ire: sational measures ire:	ed measures to identified use revent to prevent revent exposur	Use the proprotective workspace In accorda Organizati influence c Secure pro- concentrat	oduct in well ventil equipment. Do not nce with Section 7. on of work in order luring work proces per workspace ven ion levels in air bel	to reduce other worker's s. tilation in order to keep ow permitted levels. Secure		
8.2	Approp Substa preven Structu exposu Organi exposu Technic Person	priate engineering nce/mixture relate t exposure during iral measures to p ire: sational measures ire: cal measures to pr	ed measures to identified use revent to prevent revent exposur pment Safe leve	Use the proprotective workspace In accorda Organizati influence concentrat stations fo	oduct in well ventil equipment. Do not nce with Section 7. on of work in order luring work process per workspace ven ion levels in air bel r rinsing eyes and s stick to face (EN 16 tion in air; protectiv	to reduce other worker's s. tilation in order to keep ow permitted levels. Secure		



Page 7 of 17

Trading	name:		HISTAN	OL EP 9010	Page 7 01 17		
Product code:		HEP91-X**	Revision date:	05 July 2024	Version:	2	
	Hand	protection:	Regulation (EU) 20 Full contact: Glove mate Glove thick Time until p Splash contact: Glove mate	ves have to satisfy the s 16/425 and the related rial: butyl rubber ness: ≥ 0.50 mm perforation: > 480 min rial: nitrile rubber ness: 0.4 mm	-		
	Other	skin protection:	During everyday w suitable footwear, cover the entire for of impermeable m	igh time: 35 min ork use antistatic clothi such as rubber boots (E ot. In case of spilling ha aterial suitable for prote VC, himex) and footwea	N 20345) or shoes t azard, use clothing r ection from liquid	made	
8.2.2.3. Respir		atory protection:	If the concentration level exceeds the GVI values (or beca inadequate ventilation), use a filter for organic vapors, typ (boiling point >65°C) according to EN 14387.				
8.2.2.4.	Therm	al hazards:					
8.2.3. Enviro		nmental exposure controls					
		ance/mixture related ires to prevent exposure:	See Section 6				
	Struct expos	ural measures to prevent ure:	Use modern equip	ment.			
	-	isational measures to nt exposure:	Adapt the work pro workplace.	ocess to the required w	orking conditions of	f the	
	Techn expos	ical measures to prevent ure:	See Section 6				

SECTION 9. Physical and chemical properties						
9.1	Information on basic physical and chemical properties					
		Value	Method			
	Physical state:	liquid	No information available			
	Colour:	colourless	No information available			
	Odour:	alchohol like	No information available			
	Odor threshold:	No information available	No information available			
	pH:	No information available	No information available			
	Melting point / freezing point;	No information available	No information available			



Page 8 of 17

Trading name:		HISTANC	DL EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	17°C	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapour pressure:	No information available	No information available
	Vapour density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility(ies):	No information available	No information available
	Partition coefficient: n- octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	No information available
	Oxidising properties:	No information available	No information available
.2	Other information		

SECTIO	SECTION 10. Stability and reactivity			
10.1	Reactivity:	See subsections 10.3 through 10.5.		
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).		
10.3	Possibility of hazardous reactions:	No dangerous reactions known.		
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.		
10.5	Incompatible materials:	No further relevant information available.		
10.6	Hazardous decomposition products:	Carbon monoxide.		

SECTIC	SECTION 11. Toxicological information		
11.1	Information on toxicological effects		
	Acute toxicity:		



Product code:	LED01_V*							
	Product code: HEP91-X**			Revision date:		024	Version:	
Route of exposure:	Method	Species	Dose LD ₅₀ or ATEr		Exposure time		Results	
Oral:	-	rat	LD ₅₀		-	>2,000 mg/kg (2-propanol) 7,060 mg/kg (ethanc		
Dermal:	-	rabbit	LD ₅₀		-	>2,000 mg/kg (2-propanol)		
Inhalation:	-	rat	LC ₅₀		4 h	20 mg/l (2-propanol) 20,000 mg/l (ethanol)		
Specific tar	<u> </u>	oxicity – single		TOT SE			Note	
Oral:		Specific effect		Nia : f	Target organ			
Orai: Dermal:	No information available No information available			No information available No information available			-	
Inhalation:	No informa		No information available			may cause drowsiness or dizziness		
Aspiration	hazard:		No inform	nation	available.			
Irritation ar	nd corrosion	l						
	Exp	osure time	Speci	es	Evaluation	Method	Note	
Skin corrosion/irritation:	-		-		-	-	-	
Serious eye damage/irritation	-		-		-	-	causes serious ey irritation	
Sensitizatio								
Sensitization:		o information	availablo					
Respiratory sensitization.		o information						
			available.					
Symptoms	related to the	ne physical, ch	emical and t	oxicolo	gical characteri	stics		
Oral exposure:	No info	mation availa	ble.					
Dermal exposure:	No info	mation availa	ble.					
Inhalation exposure	: No infoi	mation availa	ble.					
-	No info	mation availa	ble.					
Eye exposure:								
Eye exposure:								



Page 10 of 17

Trading name:		HISTANOL	EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):							
	Specific effects	Target organ	Note				
Subacute oral	No information available	No information available	-				
Subacute dermal	No information available	No information available	-				
Subacute inhalation	No information available	No information available	-				
Subchronic oral	No information available	No information available	-				
Subchronic dermal	No information available	No information available	-				
Subchronic inhalation	No information available	No information available	-				
Chronic oral	No information available	No information available	-				
Chronic dermal	No information available	No information available	-				
Chronic inhalation	No information available	No information available	-				



Page 11 of 17

Trading name:		HISTANC	DL EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

11.3	General notes:							
	Other observations:	No information available						
	Classification observations:	No information available						
11.2	Practical experiences:							
	Summary of evaluation of the CMR properties:	Based on available data, the classification criteria are not met.						
	Reproductive toxicity: Ba	Based on available data, the classification criteria are not met.						
	Germ cell mutagenicity: Ba	Based on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.						
	Mutagenicity <i>in vivo</i> : Ba							
	Genotoxicity: Ba	ased on available data, the classification criteria are not met.						
	Mutagenicity <i>in vitro</i> : Ba	ased on available data, the classification criteria are not met.						
	Carcinogenicity: Ba	ased on available data, the classification criteria are not met.						
	CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)							

SECTION 12. Ecologie	SECTION 12. Ecological information									
12.1 Toxicity										
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC ₅₀	96 hours	fish	No information available	100-1,000 mg/l (2-propanol)	-				
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	>1,000 mg/l (2-propanol)	-				
Algae/aquatic plants	IC ₅₀	4 days	algae	No information available	>1,000 mg/l (2-propanol)	-				
Other organisms	-	-	-	_	-	-				
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note				
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-				



						_			Page 1	2 of 17	
Trading	g name:					HISTAN	OL EP 9010				
Produc	t code:	Η	EP91-X**		Revi	sion date:	05 July	2024	Vers	sion:	ź
Crustace	2a:		EC ₅₀	48 hours		information ilable	No information available	No info availab	ormation lle	-	
Algae/a	quatic pl	ants	IC ₅₀	72 hours		No information available Available		No info availab	ormation lle	-	
Other or	rganisms	5	-	-	-		-	-		-	
10.0	Develote			- 1114							
12.2	Abiotic		nd degradal	oility							
			gradation h	alf-lives	N	1ethod	Evalua	tion	1	Note	
Marine	water		nformation a			ormation	No informa available		-		
Fresh water No information		nformation a	available	No info availab	ormation lle	No information available		-			
Air No information availa		available	No info availab	ormation lle	No informa available	tion	-				
Soil No information available		No info availat	ormation lle	No informa available	tion	-					
	Biodegr	adatic	20								
% Dec	gradatio		Time (davs)	N	lethod	Evalua	tion	1	Vote	
No infor available	rmation			formation		ormation	No informa available		No inform available		
10.0			• • •				:				
12.3			ive potentia r partition c)					
Value			ntration	pH	°C	Method	Ev	aluation		Note	
-	-					-	-		-		
	Bioconc	entrat	tion factor (BCE							
Vá	alue		Speci		1	Vethod	Evalu	iation		Note	
No infor		N	•	formation		ormation	No inform available		-		



Tradin	g name:				HI	STANC)L EP 90)10		Page 13 of	
	ct code:		P91-X**	Revis	sion d			uly 202	4	Version:	
	Chroni	c ecoto>	kicity								
	Value		Dose	Exposure time	Spe	ecies	Metł	nod	Evaluatio	on N	lote
Chroni	c toxicity	on fish	LC ₅₀	No information available	No infori availa	mation able	No inform availab		No informatic available	on -	
	c toxicity cea (<i>Daph</i>		EC ₅₀	No information available	No infori availa	mation able	No inform availab		No informatic available	n -	
12.4	Mobilit	y in soil									
	1	•		on in environm	ental o	compart	ments:				
		•	n available								
	Surface	e tensioi	n:								
Value °C				Concentra	Concentration Met			bd		Note	
	No No information information available available			No information No information available available			ormation _ ble				
	۵dsorr	tion / d	esorption								
			coefficient								
Fransp	ort		's constant	log Kow	E١	Evaporation rate		Ν	lethod	No	ote
Soil-wa	ater N av	o vailable	information	No informatic available		o inform vailable	nation	No in availa	formation ble	-	
Water-	air N av	o vailable	information	No informatio available		o inform vailable	nation	No in availa	formation ble	-	
Soil-air	. N av	o vailable	information	No informatic available		o inform vailable	nation	No in availa	formation ble	-	
12.5	Results	of PBT	and vPvB asses	ssment							
	Not ap	plicable									
12.6	Other a	adverse	effects								
				on available.							



Page 14 of 17

Trading name:		HISTANOL	EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

	N 13. Disposal considerati	
13.1	Waste treatment method	IS
13.1.1.	Product/Packaging dispo	osal:
	Submit for disposal to the Protection.	e legal person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste desig	gnations according to Law:
	Packaging that contains	residual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – releva	int information:
	No information available	
13.1.4.	Sewage disposal – releva	nt information:
	Waste must not be dispo	osed of into the sewage system.
13.1.5.	Other disposal recomme	ndations:
	authorized by the minist	oduct's remains into the sewage system. Submit the remains to the collectors y in charge. Do not dispose of the packaging into the sewage system. Submit ectors authorized by the ministry in charge.
13.1.6.	Relevant Community pro	
	Disposal must be made a	according to official regulations.
SECTIO	N 14 TRANSPORT INFORM	ΛΑΤΙΟΝ
	Transporting/shipment by	road (ADR)
UN num	ıber:	1170
UN prop	per shipping name:	Ethanol solution
Transpo	rt hazard class(es):	3
Packing	group:	II
Environ	mentally hazardous:	-
Special	precautions for user:	-
	Transporting/shipment by	rail (RID)
UN num	ıber:	1170
UN prop	per shipping name:	Ethanol solution
Transpo	rt hazard class(es):	3
Packing	group:	П
Environ	mentally hazardous:	_

Page 15 of 17

Trading name:		HISTANC	DL EP 9010		
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

Inland waterway transport (ADN)UN numeric1170UN propericEthanol solutionUN properic3PackingIIPacking-Special-Transporting/shipment by sear-UN numeric1170UN numeric1170UN numeric1170UN numeric1170UN numeric1170UN numeric3Packing-PackingIIPacking-Special-Insporting/shipment:3Packing-Special-Insporting/shipment:-Special-Insporting/shipment:-Special-Insporting/shipment:-Special-Insporting/shipment:-Special-Insporting/shipment:-Insporting/shipment by according to Anner IIInsporting/shipment by according to Anner IIInsporting/shipment:1170UN numeric1170UN numericSitanol solutionInsporting/shipment:Sitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmericSitanol solutionInsporting/shipmeric <td< th=""><th></th></td<>	
UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Transporting/shipment by sea (IMDG)UN number:1170UN number:SolutionTransporting/shipment by sea (IMDG)UN number:1170Special precautions for user:3Packing proup:IIEthanol solutionTransporting/shipment by are (ISE)3Packing proup:IIEnvironmentally hazardous:-Special precautions for user:-Special precautions for user:<	
Transport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Transporting/shipment by sea (IMDG)UN number:1170UN proper shipping name:Ethanol solutionTransporting/shipment:3Packing group:IIInsporting/shipment:-Transporting/shipment:3Packing group:IIInsporting/shipment:-Special precautions for user:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Intransport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-UN number:1170UN number:1170UN number:1170UN number:SolutionIntransporting/shipment:Ethanol solutionTransporting/shipment:Ethanol solutionIntransport hazard class(es):3ApplicationIIIIntransport hazard class(es):IIIIntransport hazard class(es):IIIApplicationIIIApplicationIIIApplicationIIIApplicationIIIApplicationIIIIIntransport hazard class(es):IIIApplicationIIIApplicationIIIApplicationIIIApplicationIIIIApplicationIIIIApplicationIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Packing PackingIIEnviro-Enviro-Specialransporting/shipment by sea (IMDG)UN nume1170UN provershipping name:1170UN provershipping name:SalanaPacking3Packing-Special-Special-Special-Transporting/shipment by air (IC-Special-Special-Transporting/shipment by air (IC-UN nume1170UN nume1170UN nume1170UN nume1170UN provershipping name:1170UN provershipping name:3Addition1170UN provershipping name:1170SpecialSalanaTransporting/shipment by air (ICSalanaUN provershipping name:3SpecialSalanaTransporting/shipment by air (ICSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaSpecialSalanaS	
EnviroImage: metally hazardous:-Specialrecautions for user:-Transporting/shipment by sea (IMDG)Intransporting/shipment by sea (IMDG)UN numeer:1170UN numeer:Sthanol solutionTransporting/shipment:Sthanol solutionTransport:NationPacking roup:IIEnviro-Special precautions for user:-Special precaution for user:-	
Special precautions for user:-Transporting/shipment by sea (INDG)UN number:1170UN norper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:IIEnviromentally hazardous:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Transporting/shipment by air (ICO-TI/IATA-DGR)1170UN number:1170UN number:1170Special precautions for user:-Transporting/shipment by air (ICO-TI/IATA-DGR)UN number:1170Special preciping name:-Special preciping name:-Spec	
Transporting/shipment by sea (IMDG)UN number:1170UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Transporting/shipment by air (ICO-TI/IATA-DGR)1170UN number:1170UN number:Stanol solutionTransport hazard class(es):3In packing group:IIIn packing group:II	
UN number:1170UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Transporting/shipment by air (ICAO-TI/IATA-DGR)1170UN number:1170UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:II	
UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Transporting/shipment by air (ICV-TI/IATA-DGR)Transporting/shipment by air (ICV-TI/IATA-DGR)UN number:1170UN proper shipping name:Sthanol solutionTransport:3Packing roup:II	
Transport hazard class(es):3Packing group:IIEnvironmentally hazardous:-Special precautions for user:-Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:-Transporting/shipment by air (ICAO-TI/IATA-DGR)UN number:1170UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:II	
Packing group:IIEnviron	
Environmentally hazardous: - Special precautions for user: - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: - Transporting/shipment by air (ICCO-TI/IATA-DGR) UN number: 1170 UN proper shipping name: Ethanol solution Transporting/shipment by air (ICCO-TI/IATA-DGR) UN proper shipping name: I170 UN proper shipping name: Ithanol solution Transporting/shipment by air (ICCO-TI/IATA-DGR)	
Special precautions for user: - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: - Transporting/shipment by air (ICO-TI/IATA-DGR) - UN number: 1170 UN proper shipping name: Ethanol solution Transporting/shipment 3 Packing group: II	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: - Transporting/shipment by air (ICAO-TI/IATA-DGR) UN number: 1170 UN proper shipping name: Ethanol solution Transporting/shipment 3 Packing group: II	
of MARPOL 73/78 and the IBC code: - Transporting/shipment by air (ICAO-TI/IATA-DGR) UN number: 1170 UN proper shipping name: Ethanol solution Transport hazard class(es): 3 Packing group: II	
UN number:1170UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:II	
UN proper shipping name:Ethanol solutionTransport hazard class(es):3Packing group:II	
Transport hazard class(es):3Packing group:II	
Packing group: II	
Environmentally hazardous: -	
Special precautions for user: -	

SECTION 15. Regulatory information			
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorization and/or restrictions of use		
	Authorizations:	-	
	Restrictions:	-	



Page 16 of 17

Trading name:	HISTANOL EP 9010				
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2
	:	•	:	. :	

	None	
15.2	Chemical safety assessme	nt
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
	Information according 199 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	Other EU regulations:	 EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives

SECTIO	SECTION 16. Other information			
16.1	Indication of changes:	-		
		PBT	Stable, bioaccumulative and toxic	
		vPvB	Strongly stable and strongly bioaccumulative.	
16.2	Abbreviations and acronyms:	LD ₅₀	Lethal dose, 50%	
		LC ₅₀	Lethal concentration, 50%	
		тсој	Specific target organ toxicity - single exposure	
16.3.	Key literature references and source of data:	Manufacturer's MSDS file.		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)			
Classification Classification procedure		ocedure		
-				
16.5.	Relevant H statements (number and full text)			
	H: H225 I	Highly flammable liquid and vapor.		
16.6.	Training advice:			



_

SAFETY DATA SHEET **BIOGNOST**[®] According to Regulation (EC) No. 1907/2006

Page 17 of 17

Trading name:	HISTANOL EP 9010				
Product code:	HEP91-X**	Revision date:	05 July 2024	Version:	2

		** "X" in the product code marks different volumes (different packagings of the product)
16.7.	Further information:	We are not responsible for consequences in case of failure to comply with
		instructions for use or improper use of the product described in this
		material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment