

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trading name:	LEUKOGNOST FIXATIVE
	Chemical name:	-
	Catalogue number:	LKF-X*
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use in cytochemical diagnostics of leukemia.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification

2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2




Flam. Liq. 2	H225
Acute Tox. 4	H302
Acute Tox. 4	H312
Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Irr. 2	H319
Acute Tox. 4	H332
STOT SE 3	H336
Muta. 2	H341
Carc. 1B	H350
	EUH066

2.1.2.	Additional information
	-

*For full text of Hazard- and EU Hazard-statements: see SECTION 16

2.2 Label elements

Product identification:	LEUKOGNOST FIXATIVE
Identification number:	-
Authorization number:	-

Hazard pictograms:	 GHS02
	 GHS07
	 GHS08
Signal word:	Danger

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Hazard statements:	<p>H225 Highly flammable liquid and vapor.</p> <p>H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H341 Suspected of causing genetic defects.</p> <p>H350 May cause cancer.</p>
Precautionary statements:	<p>P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke.</p> <p>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</p> <p>P301+P330+P331 IF SWALLOWED: rinse mouth. DO NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308 + P313 IF exposed or concerned: Get medical advice/attention.</p>
Supplemental hazard information (EU):	EUH066 Repeated exposure may cause skin dryness or cracking.
2.3	Other hazards
	-

SECTION 3. Composition/information on ingredients

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
67-64-1/ 200-662-2/ 606-001-00-8	-	≥ 70 % - < 90 %	acetone	Flam. Liq. 2; H225 Eye Irr. 2; H319 STOT SE 3; H336 EUH066
50-00-0/ 200-001-8/ 605-001-00-5	01-2119488953-20- XXXX	7 - 10 %	formaldehyde, 37%	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B; H314 Skin. Sens. 1, H317 Muta. 2; H341 Carc. 1B; H350

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

SECTION 4. First aid measures

4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Defatting, dry skin.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures

5.1	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO2 Large fire - water spray or alcohol resistant foam
	Unsuitable extinguishing media:	No information available
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	Carbon monoxide (CO)
5.3	Advice for firefighters	

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.
5.4	Additional information
	Do not contaminate the environment with extinguishing media.

SECTION 6. Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: Use personal protective equipment (see Section 8).
	Accident prevention methods: Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.
	Emergency procedures: Mark the area using proper signs.
6.1.2.	For emergency responders:
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).
6.2	Environmental precautions:
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.
6.3	Methods and material for containment and cleaning up
6.3.1.	Bunding, covering of drains; capping procedures: Sand or clay barriers.
6.3.2.	Cleaning up: Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information: Do not use incompatible materials (see Section 10).
6.4	Reference to other sections
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. Handling and storage	
7.1	Precautions for safe handling
7.1.1.	Protection measures

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Acetone	67-64-1	500	1210	No information available
Formaldehyde	50-00-0	2	2.5	No information available
Substance name:	-			
EC No:	-	CAS No:	-	

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

DNEL				
Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	1 mg/m ³ (formaldehyde)	-	0.5 mg/m ³ (formaldehyde)	1210 mg/m ³ (acetone) 9 mg/m ³ (formaldehyde)
Dermal	-	-	0.037 mg/cm ² (formaldehyde)	186 mg/kg (acetone) 240 mg/kg (formaldehyde)
Critical physical parameters: solubility, flammability, corrosivity:			-	
Consumer				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	4.1 mg/kg (formaldehyde)
Inhalation	-	-	200 mg/m ³ (acetone) 0.1 mg/m ³ (formaldehyde)	3.2 mg/m ³ (formaldehyde)
Dermal	-	-	62 mg/kg (acetone) 0.012 mg/cm ² (formaldehyde)	120 mg/kg (formaldehyde)
PNEC				
Environmental protection target	PNEC			
Fresh water	10.6 mg/l (acetone) 0.47 mg/l (formaldehyde)			
Freshwater sediments	30.4 mg/kg (acetone) 2.44 mg/kg (formaldehyde)			
Marine water	1.06 mg/l (acetone) 0.47 mg/l (formaldehyde)			
Marine sediments	3.04 mg/kg (acetone) 2.44 mg/kg (formaldehyde)			
Food chain	No information available			
Microorganisms in sewage treatment	100 mg/l (acetone) 0.19 mg/l (formaldehyde)			
Soil (agricultural)	29.5 mg/kg (acetone) 0.21 mg/kg (formaldehyde)			
Air	No information available			
8.2	Exposure controls			

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

8.2.1.	Appropriate engineering controls	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	In accordance with Section 7.
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	<p>The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Full contact:</p> <p style="margin-left: 20px;">Glove material: butyl rubber</p> <p style="margin-left: 20px;">Glove thickness: \geq 0.50 mm</p> <p style="margin-left: 20px;">Time until perforation: > 480 min</p> <p>Splash contact:</p> <p style="margin-left: 20px;">Glove material: nitrile rubber</p> <p style="margin-left: 20px;">Glove thickness: 0.4 mm</p> <p style="margin-left: 20px;">Break through time: 35 min</p>
	Other skin protection:	During every day work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties

9.1	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	Visual inspection
	Color:	colourless	Visual inspection
	Odour/odour threshold:	acetone like/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	5.25 – 5.35	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
	Physical state:	No information available	No information available
9.2	Other information		
	-		

SECTION 10. Stability and reactivity

10.1	Reactivity:	See subsections 10.3 through 10.5.
------	-------------	------------------------------------

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No dangerous reactions known.
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.
10.5	Incompatible materials:	No further relevant information available.
10.6	Hazardous decomposition products:	Carbon monoxide.

SECTION 11. Toxicological information					
11.1 Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results
Oral:	-	rat	LD ₅₀	-	>2,000 mg/kg (acetone)
Dermal:	-	rat	LD ₅₀	-	>2,000 mg/kg (acetone)
Inhalation:	-	rat	LD ₅₀	4 h	20 mg/l (acetone)
Specific target organ toxicity – single exposure (STOT SE):					
	Specific effects		Target organ		Note
Oral:	No information available		No information available		-
Dermal:	No information available		No information available		-
Inhalation:	No information available		No information available		may cause drowsiness or dizziness
Aspiration hazard:					
			No information available.		
Irritation and corrosion					
	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	-
Serious eye damage/irritation	-	-	-	-	causes serious eye irritation
Sensitization					
Skin sensitization:	-				
Respiratory sensitization:	-				

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Symptoms related to the physical, chemical and toxicological characteristics						
--	--	--	--	--	--	--

Oral exposure:	No information available.
Dermal exposure:	No information available.
Inhalation exposure:	No information available.
Eye exposure:	No information available.

Repeated dose toxicity (subacute, subchronic, chronic)						
--	--	--	--	--	--	--

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):			
	Specific effects	Target organ	Note

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
Carcinogenicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vitro</i> :	Based on available data, the classification criteria are not met.
Genotoxicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vivo</i> :	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
Summary of evaluation of the CMR properties:	Based on available data, the classification criteria are not met.

11.2.	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	No known endocrine disrupting properties that affect human health.
11.2.2.	Other informations:
	-

SECTION 12. Ecological information						
12.1	Toxicity					
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Fish	LC ₅₀	96 hours	fish	No information available	>1,000 mg/l (acetone)	-
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	>1,000 mg/l (acetone)	-
Algae/aquatic plants	IC ₅₀	8 days	algae	No information available	>1,000 mg/l (acetone)	-
Other organisms	-	72 hours	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2 Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

--	--	--	--	--	--

12.3	Bioaccumulative potential
-------------	----------------------------------

	Octanol-water partition coefficient (log Kow)
--	---

Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

--	--

	Bioconcentration factor (BCF)
--	-------------------------------

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

--	--

	Chronic ecotoxicity
--	---------------------

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

--	--

12.4	Mobility in soil
-------------	-------------------------

	Known or predicted distribution in environmental compartments:
--	--

	No information available
--	--------------------------

	Surface tension:
--	------------------

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

--	--

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Adsorption / desorption						
Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	No information available	-

12.5.	Results of PBT and vPvB assessment
	Based on available data, the product does not contain any PBT or vPvB substances.
12.6.	Endocrine disrupting properties
	No known endocrine disrupting properties that affect the environment.
12.7.	Other adverse effects
	No information available

SECTION 13. Disposal considerations	
13.1	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.

13.1.6.	Relevant Community provisions:
	-

SECTION 14 TRANSPORT INFORMATION

Transporting/shipment by road (ADR)	
UN number:	1090
UN proper shipping name:	Acetone
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	1090
UN proper shipping name:	Acetone
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1090
UN proper shipping name:	Acetone
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	1090
UN proper shipping name:	Acetone
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1090
UN proper shipping name:	Acetone
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	-

SECTION 15. Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
	<p>Other EU regulations:</p> <p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTION 16. Other information		
16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	

Trading name:	LEUKOGNOST FIXATIVE				
Product code:	LKF-X*	Date of compilation:	14 September 2022	Version:	2

H:	225	Highly flammable liquid and vapor.
	301+311+331	Toxic if swallowed, in contact with skin and if inhaled.
	302	Harmful if swallowed.
	312	Harmful in contact with skin.
	314	Causes severe skin burns and eye damage.
	315	Causes skin irritation.
	317	May cause an allergic skin reaction.
	319	Causes serious eye irritation.
	332	Harmful if inhaled.
	336	May cause drowsiness or dizziness.
	341	Suspected of causing genetic defects.
	350	May cause cancer.
	EUH066	Repeated exposure may cause skin dryness or cracking.
16.6.	Training advice:	-
16.7.	Further information:	-

ANNEX: Exposure scenario resulting to chemical safety assessment

-