

Page 1 of 17

Trading name:	ding name: HISTANOL 96				
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

1.1	Product identifier	Product identifier				
	Trading name:	HISTANOL 9	HISTANOL 96			
	Chemical name:	Ethyl alcoho				
	Catalogue number:	H96-X**				
1.2	Relevant identified use	es of the subst	ance or n	nixture and uses advised against		
	Uses:		For use	in histocytology and cytology sample processing.		
	Uses advised against:		Only the comsum	e identified uses are advised. Unsuitable for human nption.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier	of the safety of	lata shee	t		
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb +385 1 2409997 +385 1 2404039			
	Telephone number:					
	Telefax.:					
	e-mail of competent p	erson:	<u>msds@</u> l	<u>piognost.hr</u>		
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection an	d Rescue Dire	ctorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			_		

SECTIO	N 2. Hazards identification			
2.1	Classification of the substance of	or mixture		
2.1.1	Classification according to Regu	ulation (EC) No 12	272/2008 (CLP)	
	Hazard class and catego	ory code:		Hazard statements*:
	Flam. Liq. 2 H225			
2.1.2.	Additional information			
	-			
*For ful	text of Hazard- and EU Hazard-	statements: see S	ECTION 16	
2.2	Label elements			
	Product identification:	HISTANOL 96		
	Identification number:	-		
	Authorization number:	-		



Page 2 of 17

Trading name:	HISTANOL 96				
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H225 Highly flammable liquid and vapor.
	Precautionary statements:	<ul> <li>P210 Keep away from heat, hot sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> </ul>
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	The product has no other know	n specific hazards for human or environment.
	Results of PBT and vPvB assess PBT or vPvB substances.	ment: Based on available data, the product does not contain any
	Endocrine disrupting property:	Based on available data, does not contain endocrine disruptors.

SECTION 3. Co	SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	~ 96%	ethanol	Flam. Liq. 2; H225	

SECTI	ON 4. First aid measures	
4.1	Description of first aid measur	res
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Take the victim into fresh air, loosen his clothes and place him in a comfortable position. If breathing difficulty occurs, administer artificial respiration. In case of complaints call a physician.
	Following skin contact:	Remove the contaminated clothes. Wash the skin surface under plenty of running water. Seek medical assistance if the symptoms of irritation remain.



Page 3 of 17

Trading name:		HISTA	NOL 96		
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

	Following eye contact:	In case of contact with eyes flush with water holding eyelids apart and moving the eyeballs (for at least 10 minutes). If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	<ul><li>Place the victim in a comfortable position. Rinse the mouth with clean water. If the victim is conscious induce vomiting.</li><li>Do not give the victim anything orally, and do not induce vomiting if the victim is unconscious or suffers from convulsions.</li></ul>
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Inhalation of larger quantities may affect the central nervous system.
	Following skin contact:	Prolonged or repeated dermal contact may cause the defatting and dryness of the skin.
	Following eye contact:	May irritate the eyes.
	Following ingestion:	Ingestion of larger quantities may affect the central nervous system.
4.3	-	cal attention and special treatment needed ne body, obtain medical treatment (gastric lavage, activated carbon).

SECTIO	ON 5. Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media:	Extinguishing powder, alcohol-resistant foam, water, carbon-dioxide.
	Unsuitable extinguishing media:	Water with full jet.
5.2	Special hazards arising from the su	ibstance or mixture
	Hazardous combustion products:	Highly flammable liquid and vapour. In case of fire, smoke, and other combustion products (carbon monoxide, carbon dioxide) may be formed, the inhalation of such combustion products can have serious adverse effects on health. Vapours may form an explosive mix with air. Vapours may be ignited by open flames, sparks, electrical equipment, or static charge. Vapours may travel to great distances, ignite in contact with ignition sources and flash back to the primer source (container). Vapours of ethyl alcohol mix greatly with air and may form an explosive mixture. Air containing 3.3 – 19 % ethyl alcohol vapours may explode in contact with ignition sources. Diluting the mixture with large amounts of water results in the loss of its flammability (around 10 % concentration of ethyl alcohol).
5.3	Advice for firefighters	
	Wear full protective clothing and s water spray. Use water spray to dis	elf-contained breathing apparatus. Cool the fire affected containers with ssipate alcohol vapours.
5.4	Additional information	
	-	



Page 4 of 17

Trading name:	HISTANOL 96				
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

6.1	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel		
	Protective equipment:	Use personal protective equipment (see Section 8).	
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment.	
	Emergency procedures:	Mark the area using proper signs.	
6.1.2.	For emergency responders:		
	ventilation. Vapours may accur	nd clothing and inhaling gases, vapours and aerosols. Ensure adequate nulate at floor level in low and confined spaces. Remove all heat, ignition chines. Ignition spark arrestor must not be operated in the danger area. Use the risk of slipping.	
6.2	2 Environmental precautions:		
	not allow the product and the	resulting waste according to the applicable environmental regulations. Do e resulting waste to enter sewers/soil/surface or ground water. Notify the dance with local law in the case of environmental pollution immediately.	
6.3	Methods and material for cont	ainment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.	
6.3.2.	Cleaning up:	Collect the spilled product with inert, non-combustible absorbent (e.g. sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution).	
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).	
6.4	Reference to other sections		
	See Section 7 for information of	on safe handling.	
	See Section 8 for information on personal protection equipment.		
	See Section 13 for disposal information.		

SECTIO	ON 7. Handling and storage
7.1	Precautions for safe handling
7.1.1.	Protection measures



Page 5 of 17

Trading name: Product code:		ne: HISTANOL 96									
Produ	uct code:	H96-X**	Revision	date:	05 Dec 2022	Version:	6				
	Measures	s to prevent fire:			Use in well ventilat away from heat, he flames and other smoking. Use no equipment.	ot surfaces, sparks, r ignition source	, open s. No				
	Measures	s to prevent aerosol a	ind dust generatio	n:	Ensure adequate ve	entilation.					
	Measures to protect the environment:				Prevent spilling into and waterways.	o the sewage syste	m				
	Other me	easures:			Protect against elec	ctrostatic charges.					
7.1.2.	Advice or	Advice on general occupational hygiene:									
	Do not ea	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.									
7.2	Conditior	Conditions for safe storage, including any incompatibilities									
	Technical	measures and storag	ge conditions:	away fr unopen from c	Store in a well-ventilated place, protected from sunlight, away from sources of heat and ignition, in its original, unopened and hermetically sealed packaging, away from oxidizing agents, food, feed and articles of consumption.						
	Packagin	g materials:		Manufa	acturer's original packaging.						
	Requirem	nents for storage roo	ms and vessels:		ep away from food and drink. Keep the containers ntly closed.						
Advices for storage equipment: Advices for storage equipment: Advices for storage equipment:					stant to chemicals. Ther leads into sewage	e made of hard material; floors must micals. There must be no drain that o sewage system. Secure proper					
	Further ir	Further information on storage conditions:			place the unused mate not use empty conta als. Do not store with inc 10).	ainers for storing	other				
7.3	Specific e	end use(s)									
	Recomme	endations:		-							
	Industrial	sector specific soluti	ons:	-							

SECTION 8. Exposure control	ols/personal prot	ection		
8.1 Control parameters				
Substance	CAS No		exposure limit t term values	Biological limit values
		ppm	mg/m <sup>3</sup>	-
Ethanol	64-17-5	1000/-	1900/-	-
Substance name: -				



Page 6 of 17

<b></b>										Page 6 of 1	, 
Trading na	ime:					HIS	ΤΑΝΟ	DL 96			
Product co	ode:	H96-X**	r		Revisic	on date:		05 Dec 2022		Version:	6
			[								
EC No:		-	CAS No	):	-						
DNEL											
				T		lustrial					
Route of								nronic		Chronic	
Route of exposure:Acute effect localAcute effect systOralOralInhalation1900 mg/m3 		t systemic		effe	ct local		ffect systemic				
Oral			/m <sup>3</sup>	-		-			-		
Inhalation				-		-			380 mg,	/m <sup>3</sup> (ethanol)	
Dermal		-		-		-			343 mg,	/kg (ethanol)	
Critical phys	sical para	ameters: s	olubility,	flamma	ability, cor	rosivity:		-			
					Co	nsumer					
Route of		Ad	cute		Acute		Ch	nronic		Chronic	
exposure:		effec	t local	effec	t systemic	2	effe	ct local	e	ffect systemic	
Oral		-		-		-			87 mg/k	kg bw/day (etha	anol)
Inhalation		950 m (ethan	0	-		-			114 mg,	/m <sup>3</sup> (ethanol)	
Dermal		-		-		-			206 mg,	/kg (ethanol)	
PNEC											
Environmen	ntal prote	ection targ	get			PNEC					
Fresh water	1					0.96 mg/	/l (eth	anol)			
Freshwater	sedimen	ts				3.6 mg/k	kg (eth	nanol)			
Marine wate	er					0.79 mg/	/l (eth	anol)			
Marine sedi	ments					2.9 mg/k	kg (eth	nanol)			
Food chain						380-720	mg/k	g (ethanol)			
Microorgan	isms in s	ewage tre	eatment			580 mg/	l (etha	anol)			
Soil (agricul	tural)					0.63 mg/	/kg (et	thanol)			
Air						no information available					
8.2	Exposu	re contro	s								
8.2.1.	Approp	oriate eng	ineering	controls	5						
		nce/mixtu t exposure				concentr concentr existing	ation ation scien	hazardous m limit it is the levels down to tific and techn ostance poses n	e employ o a minin ological	er's duty to k num achievable means, where	keep e by
	Structu exposu	ral measu re:	res to pr	event		In accord	dance	with Section 7.			



Page 7 of 17

Trading name:		e: HISTANOL 96									
Product		H96-X**	Revision date: 05 Dec 2022 Version:								
						Version: 6					
	Orgai expos	nisational measures to prev sure:	vent	Organization of work in order to reduce other worker's influence during work process.							
	Techr	nical measures to prevent e	exposure:	avoid spill contact wi	ce of work is proper for ing onto clothes and flo th eyes and skin. Use ac n methods and with ade	ors and to avoid cording to general					
		·	·	Use non-s	parkling ventilation syst	em.					
					propriate personal prot d eye-wash station.	ective equipment, safety					
8.2.2.	Perso	nal protection equipment									
8.2.2.1.	Eye a	nd face protection:	•	Use appropriate, chemical-proof protective glasses/face shield (E ISO 16321-1:2022, EN 166).							
8.2.2.2.	Skin p	protection	È								
	Hand	protection:	ppropriate, chemical-resistant protective gloves (EN 374).								
	Other	skin protection:	Use ap	Use appropriate protective clothing.							
8.2.2.3.	Respi	ratory protection:	concer in the contac	ntration of e air, use a t and if the o	thyl alcohol exceeds occ self-contained breathi	n, it is not necessary. I cupational exposure limits ng apparatus. For shor r is greater than 18 %, use 337/A1).					
8.2.2.4.	Thern	nal hazards:	No the	ermal hazard	s known.						
8.2.3.	Enviro	Environmental exposure controls									
		ance/mixture related ures to prevent exposure:	See Se	ction 6							
	Struct expos	tural measures to prevent sure:	Use modern equipment.								
	-	nisational measures to nt exposure:	Adapt the work process to the required working conditions of the workplace.								
	Techr expos	nical measures to prevent sure:	See Section 6								

SECTI	SECTION 9. Physical and chemical properties							
9.1	Information on basic physical and chemical properties							
		Value	Method					
	Physical state:	liquid	No information available					
	Colour:	colourless	No information available					
	Odour/odour threshold:	ethanol like/no information available	No information available					
	Melting point / freezing point:	No information available	No information available					



Page 8 of 17

Trading name:		HISTA	NOL 96		
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

	Boiling point or initial boiling point and boiling range:	No information available	No information available		
	Flammability:	No information available	No information available		
	Lower and upper explosion limit:	lower: 3.3 Vol % upper: 19 Vol %	No information available		
	Flash point:	13 °C	No information available		
	Auto-ignition temperature:	No information available	No information available		
	Decomposition temperature:	No information available	No information available		
	pH:	No information available	No information available		
	Kinematic viscosity:	No information available	No information available		
	Solubility:	in water completely miscible	No information available		
	Partition coefficient n- octanol/water (log value):	No information available	No information available		
	Vapour pressure:	No information available	No information available		
	Density and/or relative density:	~0.805 (20°C)	No information available		
	Relative vapour density:	No information available	No information available		
	Particle characteristics:	No information available	No information available		
9.2	Other information				
	Explosive properties: the vapours f	rom ethyl alcohol form an expl	osive mixture with air		

SECTI	SECTION 10. Stability and reactivity					
10.1	Reactivity:	See Section 10.5.				
10.2	Chemical stability:	Stable within normal temperature and general work conditions.				
10.3	Possibility of hazardous reactions:	See Section 10.5.				
10.4	Conditions to avoid:	Keep away from heat, sparks, open flames, strong heating and ignition sources. No smoking.				
10.5	Incompatible materials:	Strong oxidizing agents (inorganic strong acid, nitric acid, perchlorates, peroxy compounds, perchloric acid, permanganates etc.), alkali metals, alkali earth metals.				
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.				

SECTIO	SECTION 11. Toxicological information										
11.1	Informatio	Information on hazard classes as defined in Regulation (EC) No 1272/2008									
	Acute toxicity:										
Route of exposure:		Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results					



Page 9 of 17

						Page	9 of 17
			HISTA	NOL 96			
H96-X**		evision d	ision date: 05 Dec 2022		022	Versio	on:
-	rat (ethanol)		LD <sub>50</sub>		-	7.	.060 mg/k
-	rabbit (ethano	ol)	LD <sub>50</sub>		-	>2	20.000 mg
-	rat (ethanol)		LC <sub>50</sub>		4 h	>	8.000 mg,
raet organ to	vicity – single evr	osura (ST					
<u> </u>	, 3 :		OT SL).	Target organ	<b>)</b>	N	lote
	•		No info				lote
						_	
						_	
hazard:		No inform	ation a	vailable			
nd corrosion							
	osure time	Specie	 S	Evaluation	Method		Note
		opecie					
-		-		-	-	-	
_		_		_	_	_	
on							
	n information ava	ilable					
related to th	e physical, chemi	cal and to	xicoloa	ical characteri	stics		
						inkenness,	euphoria
		•	0		00	•	
	-	ated expo	osure s	ymptoms ma	y include:	defatting,	dryness a
יב.	<b>U</b> 1	ies may ca	use diz	ziness, eupho	ria and mild	irritation o	f the mucc
May caus	se irritation and r	edness.					
dose toxicity		ronic, chro	nic)				
	Exposure						
		-       rat (ethanol)         -       rabbit (ethanol)         rat (ethanol)       -         No information available       No information available         No information available       No information available         hazard:       -         ind corrosion       Exposure time         Exposure time       -         -       -         on       No information available         srelated to the physical, chemi       No information available         ation:       No information available         srelated to the physical, chemi       Absorption of great         unconsciousness and alco       vomiting may occur. Reper         After prolonged or reper       cracking of skin.         e:       Inhalation of great quantitie         membranes.       May cause irritation and r         dose toxicity (subacute, subchi       -	-       rat (ethanol)         -       rabbit (ethanol)         -       rat (ethanol)         -       rat (ethanol)         rget organ toxicity – single exposure (ST         Specific effects         No information available         No information available         No information available         hazard:       No information available         nd corrosion         Exposure time       Specie         -       -         -       -         on       No information available.         No information available.       -         srelated to the physical, chemical and to Absorption of great quantities unconsciousness and alcohol poisor vomiting may occur. Repeated or provomiting may occur. Repeated or provomi	H96-X**       Revision date:         -       rat (ethanol)       LD50         rabbit (ethanol)       LD50         rat (ethanol)       LD50         rat (ethanol)       LC50         rget organ toxicity – single exposure (STOT SE):       Specific effects         No information available       No info         No information available       No info         hazard:       No information available       No info         hazard:       No information available       No info         hazard:       No information available       No info         ho information available       -         nd corrosion       -         nd corrosion       -         station:       No information available.         station: <t< td=""><td>-       rat (ethanol)       LD<sub>50</sub>         -       rabbit (ethanol)       LD<sub>50</sub>         -       rat (ethanol)       LD<sub>50</sub>         rabbit (ethanol)       LC<sub>50</sub>         radict (ethanol)       No information available         No information available       No information available         hazard:       No information available.         nd corrosion       -         exposure time       Species         Exposure time       Species         exposure time       Species         exposure time       -         on       -         no information available.         ation:       No information available.         stelated to the physical, chemical and toxicological characteric unconsciousness and alcohol poisoning. In case of swallo vomiting may occur. Repeated or prolonged exposure ma cracking of skin.</td><td>H96-X**       Revision date:       05 Dec 2022         -       rat (ethanol)       LD<sub>50</sub>       -         -       rabbit (ethanol)       LD<sub>50</sub>       -         -       rat (ethanol)       LC<sub>50</sub>       4 h         reget organ toxicity – single exposure (STOT SE):       Specific effects       Target organ         No information available       No information available       No information available         No information available       No information available       No information available         hazard:       No information available.       No information available.         nd corrosion       Exposure time       Species       Evaluation         Mo information available.       -       -       -         on       -       -       -       -         nd corrosion       -       -       -       -         srelated to the physical, chemical and toxicological characteristics       -       -       -         Absorption of great quantities may cause dizziness, dru unconsciousness and alcohol poisoning. In case of swallowing great vomitig may occur. Repeated or prolonged exposure may lead to After prolonged or repeated exposure symptoms may include: cracking of skin.       Inhalation of great quantities may cause dizziness, euphoria and mild membranes.         May cause irritation and redness.       Ma</td><td>HISTANOL 96         H96-X**       Revision date:       05 Dec 2022       Versic         -       rat (ethanol)       LD<sub>50</sub>       -       7.         -       rabbit (ethanol)       LD<sub>50</sub>       -       7.         -       rabbit (ethanol)       LD<sub>50</sub>       -       7.         -       rat (ethanol)       LC<sub>50</sub>       4 h       &gt;         rget organ toxicity – single exposure (STOT SE):      </td></t<>	-       rat (ethanol)       LD <sub>50</sub> -       rabbit (ethanol)       LD <sub>50</sub> -       rat (ethanol)       LD <sub>50</sub> rabbit (ethanol)       LC <sub>50</sub> radict (ethanol)       No information available         No information available       No information available         hazard:       No information available.         nd corrosion       -         exposure time       Species         Exposure time       Species         exposure time       Species         exposure time       -         on       -         no information available.         ation:       No information available.         stelated to the physical, chemical and toxicological characteric unconsciousness and alcohol poisoning. In case of swallo vomiting may occur. Repeated or prolonged exposure ma cracking of skin.	H96-X**       Revision date:       05 Dec 2022         -       rat (ethanol)       LD <sub>50</sub> -         -       rabbit (ethanol)       LD <sub>50</sub> -         -       rat (ethanol)       LC <sub>50</sub> 4 h         reget organ toxicity – single exposure (STOT SE):       Specific effects       Target organ         No information available       No information available       No information available         No information available       No information available       No information available         hazard:       No information available.       No information available.         nd corrosion       Exposure time       Species       Evaluation         Mo information available.       -       -       -         on       -       -       -       -         nd corrosion       -       -       -       -         srelated to the physical, chemical and toxicological characteristics       -       -       -         Absorption of great quantities may cause dizziness, dru unconsciousness and alcohol poisoning. In case of swallowing great vomitig may occur. Repeated or prolonged exposure may lead to After prolonged or repeated exposure symptoms may include: cracking of skin.       Inhalation of great quantities may cause dizziness, euphoria and mild membranes.         May cause irritation and redness.       Ma	HISTANOL 96         H96-X**       Revision date:       05 Dec 2022       Versic         -       rat (ethanol)       LD <sub>50</sub> -       7.         -       rabbit (ethanol)       LD <sub>50</sub> -       7.         -       rabbit (ethanol)       LD <sub>50</sub> -       7.         -       rat (ethanol)       LC <sub>50</sub> 4 h       >         rget organ toxicity – single exposure (STOT SE):



Page 10 of 17

Trading name:		HISTANOL 96								
Product code:	H96-X**		Revision date:	05 Dec 2022	Version:	6				
		No	No	No						

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	_



Page 11 of 17

Trading name:		HISTAN	OL 96		
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

	CMR effects (carcinogenicity; mutagenicity	/; reț	productive toxicity)			
	Carcinogenicity:	Based on available data, the classification criteria are not met.				
	Mutagenicity in vitro:	Base	ed on available data, the classification criteria are not met.			
	Genotoxicity:	Base	ed on available data, the classification criteria are not met.			
	Mutagenicity in vivo:	Base	ed on available data, the classification criteria are not met.			
	Germ cell mutagenicity:	Base	ed on available data, the classification criteria are not met.			
	Reproductive toxicity:	Base	ed on available data, the classification criteria are not met.			
	Summary of evaluation of the CN properties:		Based on available data, the classification criteria are not met.			
11.2	Information on other hazards:					
11.2.1.	Endocrine disrupting properties:					
	Based on available data, does not conta endocrine disruptors.	in				
11.2.2.	Other informations:					
	-					

SECTION 12. Ecologie	al informat	ion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	golden orf	No information available	8.140 mg/l /48 h (ethanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	daphnia magna	No information available	7.800 mg/l (ethanol)	_
Algae/aquatic plants	IC <sub>50</sub>	4 days	algae	No information available	5.000 mg/l / 7d (ethanol)	_
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-



Page 12 of 17

Trading name	•				HIST	ANOL 96				
Product code:	ł	H96-X**		F	Revision date:	05 Dec 20	22	Vers	ion:	6
Crustacea:		EC <sub>50</sub>	48 hours	•	No information available	No information available	No infor available		-	
Algae/aquatic p	ants	IC <sub>50</sub>	72 hours	•	No information available	No information available	No infori available		-	
Other organism	IS	-	-		-	-	-		-	
12.2 Persist	ence a	and degradat	oility							
Abiotio	c degr	radation								
	D	egradation h	alf-lives		Method	Evaluatio	n	١	lote	
Marine water	No	information a	vailable		o information ailable	No informatio available	n -			
Fresh water	No	information a	vailable		o information ailable	No informatio available	n -			
Air	No	information a	vailable		o information ailable	No informatio available	n -			
Soil	Noi	information a	vailable		o information ailable	No informatio available	n _			
Biodeg										
% Degradatio		Time (d	-		Method	Evaluatio			lote	
No information available		No in available	formation		o information ailable	No informatio available		o informa vailable	ation	
		ative potentia		log	Kow					
Value		er partition c	pH	°C		Evalu	ation		Note	
Log Pow: ~ 0.32	-	Centration	•	- -	-	-		The pro bioaccu	duct doe	es not
D'		ation factor (			1					
Value	icentra	ation factor (I Specie			Method	Evaluati	on		Note	



Page 13 of 17

Tradir	ng name:						HISTA	NOL 96					
Produ	ct code:	H96-	X**		Revisi	ion da	ate:	05 D	ec 20	22		Version:	6
BCF: 0.	.66	No availa	inform ble	ation	No infor available		n	No info availab		on	-		
	Chronic	: ecotoxici	·+ /					1			1		
				Evn	osure								
	Value		Dose	-	ime	Spe	ecies	Meth	nod	Evalu	uation	Note	I.
Chroni	ic toxicity	on fish	LC <sub>50</sub>	No infor availa	mation	No inforr availa	mation able	No inform availab		No inform availat		-	
	ic toxicity cea ( <i>Daph</i>		EC <sub>50</sub>	No infor availa	mation	No inforr availa	mation able	No inform availab		No inform availat		-	
12.4	Mobility	y in soil											
	Known	or predict	ed distributi	on in e	environme	ental c	compart	ments:					
	No info	rmation a	vailable										
	Surface	tension:											
	Valu	Je	°C	C	oncentrat	ion	1	Metho	d			Note	
	No informa availabl		o formation ⁄ailable	_	informati ailable	ion	No inf availal	ormation ble	า	-			
	Adsorp	tion / des	orption										
Transp	oort	-	oefficient s constant	lc	og Kow	E١	/aporati	on rate		Method		Note	
Soil-wa	ater	No i available	nformation	No ir availa	nformation able		o inform ailable	nation	No ir avail	nformati able	ion	-	
Water-	-air	No i available	nformation	No ir availa	nformation able		o inform ailable	nation	No ir avail	nformati able	ion	-	
Soil-ai	r	No i available	nformation	No ir availa	nformatio able		o inform ailable	nation	No ir avail	nformati able	ion	-	
						:							
12.5	Results	of PBT an	d vPvB asses	ssment									
	Based o	on availab	le data, the p	produc	t does no	t cont	ain any	PBT or v	PvB su	Ibstance	S.		



Page 14 of 17

٦

Trading name:		HISTAN	OL 96		
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

12.6.	Endocrine disrupting properties	3
	Based on available data, does n	ot contain endocrine disruptors.
	1	
12.7.	Other adverse effects	
	Do not let the product or its res	idues reach sewer system, waterways and soil.
	N 13. Disposal considerations	
13.1	Waste treatment methods	
13.1.1.	Product/Packaging disposali	
15.1.1.	Product/Packaging disposal:	al names authorized by the Ministry of Environmental and Native
	Protection.	al person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste designation	ons according to Law:
	Packaging that contains resid	ual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – relevant in	formation:
	No information available	
	÷	
13.1.4.	Sewage disposal – relevant in	formation:
	Waste must not be disposed	of into the sewage system.
13.1.5.	Other disposal recommendat	
	authorized by the ministry in	ct's remains into the sewage system. Submit the remains to the collectors charge. Do not dispose of the packaging into the sewage system. Submit ors authorized by the ministry in charge. Unused product residues may be
13.1.6.	Relevant Community provisio	ns:
	Disposal must be made accor	ding to official regulations.
SECTIO	N 14 TRANSPORT INFORMATI	ON
	Transporting/shipment by road	(ADR)
UN nun	nber:	1170
UN pro	per shipping name:	Ethanol solution
Transpo	ort hazard class(es):	3
Packing	l group:	II



Page 15 of 17

Trading name:	HISTANOL 96				
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6
	1		1	i	·····
Environmentally ha	zardous:	-			
Special precautions	for user:	-			
Transporti	ng/shipment by rail (Rl	D)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		11			
Environmentally has	zardous:	-			
Special precautions	for user:	-			
Inland wat	erway transport (ADN)				
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		11			
Environmentally ha	Environmentally hazardous:				
Special precautions	for user:	-			
Transporti	ng/shipment by sea (IN	/IDG)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		11			
Environmentally ha	zardous:	-			
Special precautions	for user:	-			
Transport in bulk a of MARPOL 73/78 a	and the IBC code:	-			
Transporti	ng/shipment by air (IC	AO-TI/IATA-DGR)			
UN number:		1170			
UN proper shipping	g name:	Ethanol solution			
Transport hazard cl	ass(es):	3			
Packing group:		11			
Environmentally ha	zardous:	-			
Special precautions	for user:	-			
Further information	ı: -				

**SECTION 15. Regulatory information** 



Page 16 of 17

Trading name:		HISTAN	OL 96		
Product code:	H96-X**	Revision date:	05 Dec 2022	Version:	6

	EU regulations	
	Authorization and/or rest	rictions of use
	Authorizations:	-
	Restrictions:	-
		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/9 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EE and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;
		Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;
	Other EU regulations:	Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safet of workers from the risks related to chemical agents at work;
		<ul> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 1 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</li> <li>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council</li> </ul>
		concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
		REACH Restrictions on the manufacturing, placing on the market and use of certai dangerous substances, mixtures and articles (Annex XVII);
	Information according 19 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessme	nt
	None	

SECTION 16. Other information					
16.1	Indication of changes:	-			



Page 17 of 17

Trading name: Product code: H96-X**		HISTANOL 96						
		H96-X**		Revision date:	05 Dec 2022	Version:	6	
16.2	Abbreviations and acronyms		<ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>DNEL: Derived No-Effect Level (UK REACH)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> </ul>					
16.3.	Key litera source of	ature references and f data:						
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)							
Classification		Classification procedure						
-		-						
16.5.	Relevant H statements (number and full text)							
	H:	225	Highly flammable liquid and vapor.					
16.6.	Training	advice:	-					
16.7.	th Further information: W ir			* "X" in the product code marks different volumes (different packagings of he product) We are not responsible for consequences in case of failure to comply with nstructions for use or improper use of the product described in this material safety data sheet.				

### ANNEX: Exposure scenario resulting to chemical safety assessment

\_